WOOD ULTIMATE CASEMENT ROUND TOP

RT6 EYEBROW ABOVE SPRINGLINE STANDARD SIZES - OPERATOR AND STATIONARY

Rgh. Opg. (mm)	1 - 5 (432)	1 - 7 (483)	1 - 9 (533)	2 - 1 (635)	2 - 3 (686)	2 - 5 (737)	2 - 7 (787)	2 - 9 (838)	3 - 1 (940)	3 - 5 (1041)
2 - 8 9/16 (827)	WUCART1632	WUCART1832	WUCART2032							
3 - 9/16 (929)	WUCART1636	WUCART1836	WUCART2036	WUCART2436						
3 - 4 9/16 (1030)	WUCART1640	WUCART1840	WUCART2040	WUCART2440	WUCART2640	WUCART2840				
3 - 8 9/16 (1132)	WUCART1644	WUCART1844	WUCART2044	WUCART2444	WUCART2644	WUCART2844	WUCART3044 E			
4 - 9/16 (1234)	WUCART1648	WUCART1848	WUCART2048	WUCART2448	WUCART2648	WUCART2848 E	WUCART3048 E	WUCART3248 E		
4 - 6 9/16 (1386)	WUCART1654	WUCART1854	WUCART2054	WUCART2454	WUCART2654	WUCART2854 E	WUCART3054 E	WUCART3254 E	WUCART3654 E	

NOTES:

- Marvin® exclusive wash mode is not available on Ultimate Casement Round Tops.

E These windows meet national egress codes for fire evacuation. Local codes may differ.

T For safety and/or code requirements, Marvin recommends tempered glass in all units with a frame size height of 71 1/8" or larger and units with basic frame size 25.2 sq. ft. and larger.

- Rough opening height includes 15/16" subsill.

Wood Ultimate Casement Round Top: **WUCART**

NOT TO SCALE

WOOD ULTIMATE CASEMENT ROUND TOP

RT6 EYEBROW ABOVE SPRINGLINE STANDARD SIZES - OPERATOR AND STATIONARY

Rgh. Opg. (mm)	1 - 5 (432)	1 - 7 (483)	1 - 9 (533)	2 - 1 (635)	2 - 3 (686)	2 - 5 (737)	2 - 7 (787)	2 - 9 (838)	3 - 1 (940)	3 - 5 (1041)
4 - 8 9/16 (1437)	WUCART1656	WUCART1856	WUCART2056	WUCART2456	WUCART2656	WUCART2856 E	WUCART3056 E	WUCART3256 E	WUCART3656 E	
5 - 9/16 (1538)	WUCART1660	WUCART1860	WUCART2060	WUCART2460	WUCART2660	WUCART2860 E	WUCART3060 E	WUCART3260 E	WUCART3660 E	WUCART4060 E
5 - 4 9/16 (1640)	WUCART1664	WUCART1864	WUCART2064	WUCART2464	WUCART2664	WUCART2864 E	WUCART3064 E	WUCART3264 E	WUCART3664 E	WUCART4064 E
6 - 9/16 (1843)	WUCART1672 T	WUCART1872 T	WUCART2072 T	WUCART2472 T	WUCART2672 T	WUCART2872 ET	WUCART3072 ET	WUCART3272 ET	WUCART3672 ET	WUCART4072 ET
6 - 6 9/16 (1996)	WUCART1678 T	WUCART1878 T	WUCART2078 T	WUCART2478 T	WUCART2678 T	WUCART2878 ET	WUCART3078 ET	WUCART3278 ET	WUCART3678 ET	WUCART4078 ET

NOTES:

- Marvin® exclusive wash mode is not available on Ultimate Casement Round Tops.

E These windows meet national egress codes for fire evacuation. Local codes may differ.

T For safety and/or code requirements, Marvin recommends tempered glass in all units with a frame size height of 71 1/8" or larger and units with basic frame size 25.2 sq. ft. and larger.

- Rough Opening height includes 15/16" subsill.

NOT TO SCALE

WOOD ULTIMATE CASEMENT ROUND TOP

RT6 EYEBROW ABOVE SPRINGLINE STANDARD SIZES - OPERATOR AND STATIONARY

Rgh. Opg. (mm)	1 - 5 (432)	1 - 7 (483)	1 - 9 (533)	2 - 1 (635)	2 - 3 (686)	2 - 5 (737)	2 - 7 (787)	2 - 9 (838)	3 - 1 (940)	3 - 5 (1041)
7 - 1/16 (2135)	 WUCART1684T	 WUCART1884T	 WUCART2084T	 WUCART2484T	 WUCART2684T	 WUCART2884 ET	 WUCART3084 ET	 WUCART3284 ET	 WUCART3684 ET	 WUCART4084 ET
7 - 8 1/16 (2338)	 WUCART1692T	 WUCART1892T	 WUCART2092T	 WUCART2492T	 WUCART2692T	 WUCART2892 ET	 WUCART3092 ET	 WUCART3292 ET	 WUCART3692 ET	 WUCART4092 ET
8 - 1/16 (2440)	 WUCART1696T	 WUCART1896T	 WUCART2096T	 WUCART2496T	 WUCART2696T	 WUCART2896 ET	 WUCART3096 ET	 WUCART3296 ET	 WUCART3696 ET	

NOT TO SCALE

WOOD ULTIMATE CASEMENT ROUND TOP

RT21 / RT22 TWO WIDE STANDARD SIZES - OPERATOR AND STATIONARY

Rgh. Opg. (mm)	2-9 (838)	3-1 (940)	3-5 (1041)	4-1 (1245)	4-5 (1346)	4-9 (1448)
2-8 9/16 (827)	WUCART 2W 1632					
3-0 9/16 (929)	WUCART 2W 1636	WUCART 2W 1836	WUCART 2W 2036			
3-4 9/16 (1030)	WUCART 2W 1640	WUCART 2W 1840	WUCART 2W 2040	WUCART 2W 2440		
3-8 9/16 (1132)	WUCART 2W 1644	WUCART 2W 1844	WUCART 2W 2044	WUCART 2W 2444		WUCART 2W 2844
4-0 9/16 (1234)	WUCART 2W 1648	WUCART 2W 1848	WUCART 2W 2048	WUCART 2W 2448	WUCART 2W 2648	WUCART 2W 2848
4-6 9/16 (1386)	WUCART 2W 1654	WUCART 2W 1854	WUCART 2W 2054	WUCART 2W 2454	WUCART 2W 2654	WUCART 2W 2854 E
4-8 9/16 (1437)	WUCART 2W 1656	WUCART 2W 1856	WUCART 2W 2056	WUCART 2W 2456	WUCART 2W 2656	WUCART 2W 2856 E
5-0 9/16 (1538)	WUCART 2W 1660	WUCART 2W 1860	WUCART 2W 2060	WUCART 2W 2460	WUCART 2W 2660	WUCART 2W 2860 E

NOTES:

- Marvin® exclusive wash mode is not available on Ultimate Casement Round Tops.

E These windows meet national egress codes for fire evacuation. Local codes may differ.

T For safety and/or code requirements, Marvin recommends tempered glass in all units with a frame size height of 71 1/8" or larger and units with basic frame size 25.2 sq. ft. and larger.

- Rough Opening height includes 15/16" subsill.

NOT TO SCALE

WOOD ULTIMATE CASEMENT ROUND TOP

RT21 / RT22 TWO WIDE STANDARD SIZES - OPERATOR AND STATIONARY

Rgh. Opg. (mm)	5-1 (1549)	5-5 (1651)	6-1 (1854)
4-0 9/16 (1234)	WUCART 2W 3048		
4-6 9/16 (1386)	 WUCART 2W 3054 E	 WUCART 2W 3254 E	
4-8 9/16 (1437)	 WUCART 2W 3056 E	 WUCART 2W 3256 E	 WUCART 2W 3656 E
5-0 9/16 (1538)	 WUCART 2W 3060 E	 WUCART 2W 3260 E	 WUCART 2W 3660 E

NOT TO SCALE

WOOD ULTIMATE CASEMENT ROUND TOP

RT21 / RT22 TWO WIDE STANDARD SIZES - OPERATOR AND STATIONARY

Rgh. Opg. (mm)	2-9 (838)	3-1 (940)	3-5 (1041)	4-1 (1245)	4-5 (1346)	4-9 (1448)
5-4 9/16 (1640)	WUCART 2W 1664	WUCART 2W 1864	WUCART 2W 2064	WUCART 2W 2464	WUCART 2W 2664	WUCART 2W 2864 E
6-0 9/16 (1843)	WUCART 2W 1672 T	WUCART 2W 1872 T	WUCART 2W 2072 T	WUCART 2W 2472 T	WUCART 2W 2672 T	WUCART 2W 2872 ET
6-6 9/16 (1996)	WUCART 2W 1678 T	WUCART 2W 1878 T	WUCART 2W 2078 T	WUCART 2W 2478 T	WUCART 2W 2678 T	WUCART 2W 2878 ET
7-0 9/16 (2148)	WUCART 2W 1684 T	WUCART 2W 1884 T	WUCART 2W 2084 T	WUCART 2W 2484 T	WUCART 2W 2684 T	WUCART 2W 2884 ET
7-8 9/16 (2351)	WUCART 2W 1692 T	WUCART 2W 1892 T	WUCART 2W 2092 T	WUCART 2W 2492 T	WUCART 2W 2692 T	WUCART 2W 2892 ET
8-0 9/16 (2453)	WUCART 2W 1696 T	WUCART 2W 1896 T	WUCART 2W 2096 T	WUCART 2W 2496 T	WUCART 2W 2696 T	WUCART 2W 2896 ET

NOTES:

- Marvin® exclusive wash mode is not available on Ultimate Casement Round Tops.

E These windows meet national egress codes for fire evacuation. Local codes may differ.

T For safety and/or code requirements, Marvin recommends tempered glass in all units with a frame size height of 71 1/8" or larger and units with basic frame size 25.2 sq. ft. and larger.

- Rough Opening height includes 15/16" subsill.

NOT TO SCALE

WOOD ULTIMATE CASEMENT ROUND TOP

RT21 / RT22 TWO WIDE STANDARD SIZES - OPERATOR AND STATIONARY

Rgh. Opg. (mm)	5-1 (1549)	5-5 (1651)	6-1 (1854)	6-9 (2057)
5-4 9/16 (1640)	 WUCART 2W 3064 E	 WUCART 2W 3264 E	 WUCART 2W 3664 E	 WUCART 2W 4064 E
6-0 9/16 (1843)	 WUCART 2W 3072 ET	 WUCART 2W 3272 ET	 WUCART 2W 3672 ET	 WUCART 2W 4072 ET
6-6 9/16 (1996)	 WUCART 2W 3078 ET	 WUCART 2W 3278 ET	 WUCART 2W 3678 ET	 WUCART 2W 4078 ET
7-0 9/16 (2148)	 WUCART 2W 3084 ET	 WUCART 2W 3284 ET	 WUCART 2W 3684 ET	 WUCART 2W 4084 ET
7-8 9/16 (2351)	 WUCART 2W 3092 ET	 WUCART 2W 3292 ET	 WUCART 2W 3692 ET	 WUCART 2W 4092 ET
8-0 9/16 (2453)	 WUCART 2W 3096 ET	 WUCART 2W 3296 ET	 WUCART 2W 3696 ET	

NOT TO SCALE

WOOD ULTIMATE CASEMENT ROUND TOP

RT2 STANDARD SIZES OPERATOR AND STATIONARY

Rgh. Opg. (mm)	2 - 1 (635)	2 - 3 (686)	2 - 5 (737)	2 - 7 (787)	2 - 9 (838)	3 - 1 (940)	3 - 5 (1041)
3 - 8 9/16 (1132)	WUCART2444						
4 - 9/16 (1234)	WUCART2448	WUCART2648					
4 - 6 9/16 (1386)	WUCART2454	WUCART2654	WUCART2854 E	WUCART3054 E			
4 - 8 9/16 (1437)	WUCART2456	WUCART2656	WUCART2856 E	WUCART3056 E			
5 - 9/16 (1538)	WUCART2460	WUCART2660	WUCART2860 E	WUCART3060 E	WUCART3260 E		
5 - 4 9/16 (1640)	WUCART2464	WUCART2664	WUCART2864 E	WUCART3064 E	WUCART3264 E	WUCART3664 E	
6 - 9/16 (1843)	WUCART2472 T	WUCART2672 T	WUCART2872 ET	WUCART3072 ET	WUCART3272 ET	WUCART3672 ET	WUCART4072 ET

NOTES:

- Marvin® exclusive wash mode is not available on Ultimate Casement Round Tops.

E These windows meet national egress codes for fire evacuation. Local codes may differ.

T For safety and/or code requirements, Marvin recommends tempered glass in all units with a frame size height of 71 1/8" or larger and units with basic frame size 25.2 sq. ft. and larger.

- Rough opening height includes 15/16" subsill.

NOT TO SCALE

WOOD ULTIMATE CASEMENT ROUND TOP

RT2 STANDARD SIZES OPERATOR AND STATIONARY

Rgh. Opg. (mm)	2 - 1 (635)	2 - 3 (686)	2 - 5 (737)	2 - 7 (787)	2 - 9 (838)	3 - 1 (940)	3 - 5 (1041)
6 - 6 9/16 (1996)	WUCART2478 T	WUCART2678 T	WUCART2878 ET	WUCART3078 ET	WUCART3278 ET	WUCART3678 ET	WUCART4078 ET
7 - 9/16 (2148)	WUCART2484 T	WUCART2684 T	WUCART2884 ET	WUCART3084 ET	WUCART3284 ET	WUCART3684 ET	WUCART4084 ET
7 - 8 9/16 (2351)	WUCART2492 T	WUCART2692 T	WUCART2892 ET	WUCART3092 ET	WUCART3292 ET	WUCART3692 ET	WUCART4092 ET
8 - 9/16 (2453)	WUCART2496 T	WUCART2696 T	WUCART2896 ET	WUCART3096 ET	WUCART3296 ET	WUCART3696 ET	

NOT TO SCALE

WOOD ULTIMATE CASEMENT ROUND TOP TRANSOMS

RT6 STANDARD SIZES STATIONARY UNIT AS TRANSOM

Rgh. Opg. (mm)	2 - 1 (635)	2 - 3 (686)	2 - 5 (737)	2 - 7 (787)	2 - 9 (838)
1 - 6 1/2 (470)	WUCART2419	WUCART2619	WUCART2819	WUCART3019	WUCART3219
2 - 0 1/2 (622)	WUCART2423	WUCART2623	WUCART2823	WUCART3023	WUCART3223
3 - 0 1/2 (927)	WUCART2435	WUCART2635	WUCART2835	WUCART3035	WUCART3235
4 - 0 1/2 (1232)	WUCART2447	WUCART2647	WUCART2847	WUCART3047	WUCART3247
5 - 0 1/2 (1537)	WUCART2459	WUCART2659	WUCART2859	WUCART3059	WUCART3259
6 - 0 1/2 (1842)	WUCART2471T	WUCART2671T	WUCART2871T	WUCART3071T	WUCART3271T

NOTES:

T For safety and/or code requirements, Marvin® recommends tempered glass in all units with a Frame Size height of 71 1/8" or larger and units with basic frame Size 25.2 sq. ft. and larger.

• Rough opening height does not include subsill. If units are not used as transom, add 15/16" to height for subsill.

NOT TO SCALE

WOOD ULTIMATE CASEMENT ROUND TOP TRANSOMS

RT6 STANDARD SIZES STATIONARY UNIT AS TRANSOM

Rgh. Opg. (mm)	3 - 1 (939)	3 - 5 (1041)	4 - 1 (1245)	4 - 9 (1448)	6 - 1 (1854)
1 - 6 1/2 (470)	WUCART3619	WUCART4019	WUCART4819	WUCART5619	WUCART7219
2 - 0 1/2 (622)	WUCART3623	WUCART4023	WUCART4823	WUCART5623	WUCART7223
3 - 0 1/2 (927)	WUCART3635	WUCART4035	WUCART4835	WUCART5635	WUCART7235
4 - 0 1/2 (1232)	WUCART3647	WUCART4047	WUCART4847	WUCART5647	WUCART7247
5 - 0 1/2 (1537)	WUCART3659	WUCART4059	WUCART4859	WUCART5659	WUCART7259
6 - 0 1/2 (1842)	WUCART3671T	WUCART4071T	WUCART4871T	WUCART5671T	WUCART7271T

NOT TO SCALE

WOOD ULTIMATE CASEMENT ROUND TOP

RT1 STANDARD SIZES

Rgh. Opg. (mm)	2 - 1 (635)	2 - 3 (685)	2 - 9 (838)	3 - 1 (940)
1 - 0 1/2 (317)	WUCART2412			
1 - 2 1/2 (368)		WUCART2814		
1 - 4 1/2 (419)			WUCART3216	
1 - 6 1/2 (470)				WUCART3218

Rgh. Opg. (mm)	3 - 5 (1041)	4 - 1 (1245)	4 - 9 (1448)	5 - 1 (1549)
1 - 8 1/2 (521)	WUCART4020			
2 - 0 1/2 (622)		WUCART4824		
2 - 4 1/2 (724)			WUCART5628	
2 - 6 1/2 (775)				WUCART6030

Rgh. Opg. (mm)	5 - 5 (1651)	6 - 1 (1854)	7 - 1 (2159)	8 - 1 (2464)
2 - 8 1/2 (826)	WUCART6432			
3 - 0 1/2 (927)		WUCART7236		
3 - 6 1/2 (1080)			WUCART8442	
4 - 0 1/2 (1232)				WUCART9648

Rgh. Opg. (mm)	9 - 1 (2769)	10 - 1 (3073)
4 - 6 1/2 (1384)	WUCART10854	
5 - 0 1/2" (1537)		WUCART12060

RT29 STANDARD SIZES

Rgh. Opg. (mm)	3 - 5 (1041)	4 - 1 (1245)	4 - 9 (1448)	6 - 1 (1854)
1 - 5 15/16 (456)	WUCART4017	WUCART4817	WUCART5617	WUCART7217

NOTES:

- Units with basic frame size 25.2 sq. ft. and larger may require tempered glass.
- Rough opening height does not include subsill. If units are not used as transom, add 15/16" to height for subsill.

NOT TO SCALE

WOOD ULTIMATE CASEMENT ROUND TOP

RT15 AND RT16 STANDARD SIZES (RT16 SHOWN)

Rgh. Opg. (mm)	1 - 9 (533)	2 - 1 (635)	2 - 3 (685)	2 - 9 (838)
1 - 7 5/8 (498)	WUCAQCIR2020	1 - 11 5/8 (600) WUCAQCIR2424	2 - 3 5/8 (702) WUCAQCIR2828	2 - 7 5/8 (803) WUCAQCIR3232

Rgh. Opg. (mm)	3 - 1 (940)	3 - 5 (1041)	4 - 1 (1245)
2 - 11 5/8 (905)	WUCAQCIR3636	3 - 3 5/8 (1006) WUCAQCIR4040	3 - 11 5/8 (1210) WUCAQCIR4848

RT27 STANDARD SIZES

Rgh. Opg. (mm)	2 - 1 1/2 (648)	3 - 1 1/2 (953)	4 - 1 1/2 (1257)	5 - 1 1/2 (1562)	6 - 1 1/2 (1867)
2 - 1 1/2 (648)	WUCAFCIR2750	3 - 1 1/2 (953) WUCAFCIR3950	4 - 1 1/2 (1257) WUCAFCIR5150	5 - 1 1/2 (1526) WUCAFCIR6350	6 - 11/2 (1867) WUCAFCIR7550

RT28 STANDARD SIZES

Rgh. Opg. (mm)	2 - 9 (838)	3 - 5 (1041)
4 - 1 (1245)	WUCAFELP3248	5 5 - 1 (1549) WUCAFELP4060

Quarter Circle: **QCIR**
Full Circle: **FCIR**
Full Elipse: **FELP**

NOT TO SCALE

CLAD ULTIMATE CASEMENT ROUND TOP

RT6 EYEBROW ABOVE SPRINGLINE STANDARD SIZES OPERATOR AND STATIONARY

Rgh. Opg. (mm)	1 - 5 (432)	1 - 7 (483)	1 - 9 (533)	2 - 1 (635)	2 - 3 (686)	2 - 5 (737)	2 - 7 (787)	2 - 9 (838)	3 - 1 (940)	3 - 5 (1041)
2 - 7 5/8 (803)	CUCART1632	CUCART1832	CUCART2032							
2 - 11 5/8 (905)	CUCART1636	CUCART1836	CUCART2036	CUCART2436						
3 - 3 5/8 (1006)	CUCART1640	CUCART1840	CUCART2040	CUCART2440	CUCART2640	CUCART2840				
3 - 7 5/8 (1108)	CUCART1644	CUCART1844	CUCART2044	CUCART2444	CUCART2644	CUCART2844	CUCART3044 E			
3 - 11 5/8 (1210)	CUCART1648	CUCART1848	CUCART2048	CUCART2448	CUCART2648	CUCART2848 E	CUCART3048 E	CUCART3248 E		
4 - 5 5/8 (1362)	CUCART1654	CUCART1854	CUCART2054	CUCART2454	CUCART2654	CUCART2854 E	CUCART3054 E	CUCART3254 E	CUCART3654 E	

NOTES:

- Marvin® exclusive wash mode is not available on Ultimate Casement Round Tops.

E These windows meet national egress codes for fire evacuation. Local codes may differ.

Clad Ultimate Casement Round Top: **CUCART**

NOT TO SCALE

CLAD ULTIMATE CASEMENT ROUND TOP

RT6 EYEBROW ABOVE SPRINGLINE STANDARD SIZES OPERATOR AND STATIONARY

Rgh. Opg. (mm)	1 - 5 (432)	1 - 7 (483)	1 - 9 (533)	2 - 1 (635)	2 - 3 (686)	2 - 5 (737)	2 - 7 (787)	2 - 9 (838)	3 - 1 (940)	3 - 5 (1041)
4 - 7 5/8 (1413)	CUCART1656	CUCART1856	CUCART2056	CUCART2456	CUCART2656	CUCART2856 E	CUCART3056 E	CUCART3256 E	CUCART3656 E	
4 - 11 5/8 (1514)	CUCART1660	CUCART1860	CUCART2060	CUCART2460	CUCART2660	CUCART2860 E	CUCART3060 E	CUCART3260 E	CUCART3660 E	CUCART4060 E
5 - 3 5/8 (1616)	CUCART1664	CUCART1864	CUCART2064	CUCART2464	CUCART2664	CUCART2864 E	CUCART3064 E	CUCART3264 E	CUCART3664 E	CUCART4064 E
5 - 11 5/8 (1819)	CUCART1672 T	CUCART1872 T	CUCART2072 T	CUCART2472 T	CUCART2672 T	CUCART2872 ET	CUCART3072 ET	CUCART3272 ET	CUCART3672 ET	CUCART4072 ET
6 - 5 5/8 (1972)	CUCART1678 T	CUCART1878 T	CUCART2078 T	CUCART2478 T	CUCART2678 T	CUCART2878 ET	CUCART3078 ET	CUCART3278 ET	CUCART3678 ET	CUCART4078 ET

NOTES:

- Marvin® exclusive wash mode is not available on Ultimate Casement Round Tops.

E These windows meet national egress codes for fire evacuation. Local codes may differ.

T For safety and/or code requirements, Marvin recommends tempered glass in all units with a Frame Size height of 71 1/8" or larger and units with basic frame size 25.2 sq. ft. and larger may require tempered glass.

NOT TO SCALE

CLAD ULTIMATE CASEMENT ROUND TOP

RT6 EYEBROW ABOVE SPRINGLINE STANDARD SIZES OPERATOR AND STATIONARY

Rgh. Opg. (mm)	1 - 5 (432)	1 - 7 (483)	1 - 9 (533)	2 - 1 (635)	2 - 3 (686)	2 - 5 (737)	2 - 7 (787)	2 - 9 (838)	3 - 1 (940)	3 - 5 (1041)
6 - 11 5/8 (2124)	CUCART1684 T	CUCART1884 T	CUCART2084 T	CUCART2484 T	CUCART2684 T	CUCART2884 ET	CUCART3084 ET	CUCART3284 ET	CUCART3684 ET	CUCART4084 ET
7 - 7 5/8 (2327)	CUCART1692 T	CUCART1892 T	CUCART2092 T	CUCART2492 T	CUCART2692 T	CUCART2892 ET	CUCART3092 ET	CUCART3292 ET	CUCART3692 ET	CUCART4092 ET
7 - 11 5/8 (2429)	CUCART1696 T	CUCART1896 T	CUCART2096 T	CUCART2496 T	CUCART2696 T	CUCART2896 ET	CUCART3096 ET	CUCART3296 ET	CUCART3696 ET	

NOT TO SCALE

CLAD ULTIMATE CASEMENT ROUND TOP

RT21 / RT22 TWO WIDE STANDARD SIZES - OPERATOR AND STATIONARY

Rgh. Opg. (mm)	2-9 (838)	3-1 (940)	3-5 (1041)	4-1 (1245)	4-5 (1346)	4-9 (1448)
2-7 5/8 (803)	CUCART 1632					
2-11 5/8 (905)	CUCART 1636	CUCART 1836	CUCART 2036			
3-3 5/8 (1006)	CUCART 1640	CUCART 1840	CUCART 2040	CUCART 2440		
3-7 5/8 (1108)	CUCART 1644	CUCART 1844	CUCART 2044	CUCART 2444		CUCART 2844
3-11 5/8 (1210)	CUCART 1648	CUCART 1848	CUCART 2048	CUCART 2448	CUCART 2648	CUCART 2848
4-5 5/8 (1362)	CUCART 1654	CUCART 1854	CUCART 2054	CUCART 2454	CUCART 2654	CUCART 2854 E
4-7 5/8 (1413)	CUCART 1656	CUCART 1856	CUCART 2056	CUCART 2456	CUCART 2656	CUCART 2856 E
4-11 5/8 (1514)	CUCART 1660	CUCART 1860	CUCART 2060	CUCART 2460	CUCART 2660	CUCART 2860 E

NOTES:

- Marvin® exclusive wash mode is not available on Ultimate Casement Round Tops.

E These windows meet national egress codes for fire evacuation. Local codes may differ.

T For safety and/or code requirements, Marvin recommends tempered glass in all units with a frame size height of 71 1/8" or larger and units with basic frame size 25.2 sq. ft. and larger.

- Rough Opening height includes 15/16" subsill.

NOT TO SCALE

CLAD ULTIMATE CASEMENT ROUND TOP

3-11 5/8 (1210)



CUCART 3048

4-5 5/8 (1362)



CUCART 3054 E



CUCART 3254 E

4-7 5/8 (1413)



CUCART 3056 E



CUCART 3256 E



CUCART 3656 E

4-11 5/8 (1514)



CUCART 3060 E



CUCART 3260 E



CUCART 3660 E

NOT TO SCALE

CLAD ULTIMATE CASEMENT ROUND TOP

RT21 / RT22 TWO WIDE STANDARD SIZES - OPERATOR AND STATIONARY

Rgh. Opg. (mm)	2-9 (838)	3-1 (940)	3-5 (1041)	4-1 (1245)	4-5 (1346)	4-9 (1448)
5-3 5/8 (1616)	 CUCART 1664	 CUCART 1864	 CUCART 2064	 CUCART 2464	 CUCART 2664	 CUCART 2864 E
5-11 5/8 (1819)	 CUCART 1672	 CUCART 1872	 CUCART 2072	 CUCART 2472	 CUCART 2672	 CUCART 2872 ET
6-5 5/8 (1972)	 CUCART 1678	 CUCART 1878	 CUCART 2078	 CUCART 2478	 CUCART 2678	 CUCART 2878 ET
6-11 5/8 (2124)	 CUCART 1684	 CUCART 1884	 CUCART 2084	 CUCART 2484	 CUCART 2684	 CUCART 2884 ET
7-7 5/8 (2327)	 CUCART 1692	 CUCART 1892	 CUCART 2092	 CUCART 2492	 CUCART 2692	 CUCART 2892 ET
7-11 5/8 (2429)	 CUCART 1696	 CUCART 1896	 CUCART 2096	 CUCART 2496	 CUCART 2696	 CUCART 2896 ET

NOTES:

- Marvin® exclusive wash mode is not available on Ultimate Casement Round Tops.

E These windows meet national egress codes for fire evacuation. Local codes may differ.

T For safety and/or code requirements, Marvin recommends tempered glass in all units with a frame size height of 71 1/8" or larger and units with basic frame size 25.2 sq. ft. and larger.

- Rough Opening height includes 15/16" subsill.

NOT TO SCALE

CLAD ULTIMATE CASEMENT ROUND TOP

RT21 / RT22 TWO WIDE STANDARD SIZES - OPERATOR AND STATIONARY

Rgh. Opg. (mm)	5-1 (1549)	5-5 (1651)	6-1 (1854)	6-9 (2057)
5-3 5/8 (1616)	 CUCART 3064 E	 CUCART 3264 E	 CUCART 3664 E	 CUCART 4064 E
5-11 5/8 (1819)	 CUCART 3072 ET	 CUCART 3272 ET	 CUCART 3672 ET	 CUCART 4072 ET
6-5 5/8 (1972)	 CUCART 3078 ET	 CUCART 3278 ET	 CUCART 3678 ET	 CUCART 4078 ET
6-11 5/8 (2124)	 CUCART 3084 ET	 CUCART 3284 ET	 CUCART 3684 ET	 CUCART 4084 ET
7-7 5/8 (2327)	 CUCART 3092 ET	 CUCART 3292 ET	 CUCART 3692 ET	 CUCART 4092 ET
7-11 5/8 (2429)	 CUCART 3096 ET	 CUCART 3296 ET	 CUCART 3696 ET	

NOT TO SCALE

CLAD ULTIMATE CASEMENT ROUND TOP

RT2 STANDARD SIZES OPERATOR AND STATIONARY

Rgh. Opg. (mm)	2 - 1 (635)	2 - 3 (686)	2 - 5 (737)	2 - 7 (787)	2 - 9 (838)	3 - 1 (940)	3 - 5 (1041)
3 - 7 5/8 (1108)	CUCART2444						
3 - 11 5/8 (1210)	CUCART2448	CUCART2648					
4 - 5 5/8 (1362)	CUCART2454	CUCART2654	CUCART2854 E	CUCART3054 E			
4 - 7 5/8 (1413)	CUCART2456	CUCART2656	CUCART2856 E	CUCART3056 E			
4 - 11 5/8 (1514)	CUCART2460	CUCART2660	CUCART2860 E	CUCART3060 E	CUCART3260 E		
5 - 3 5/8 (1616)	CUCART2464	CUCART2664	CUCART2864 E	CUCART3064 E	CUCART3264 E	CUCART3664 E	
5 - 11 5/8 (1819)	CUCART2472 T	CUCART2672 T	CUCART2872 ET	CUCART3072 ET	CUCART3272 ET	CUCART3672 ET	CUCART4072 ET

NOTES:

- Marvin® exclusive wash mode is not available on Ultimate Casement Round Tops.

E These windows meet national egress codes for fire evacuation. Local codes may differ.

T For safety and/or code requirements, Marvin recommends tempered glass in all units with a Frame Size height of 71 1/8" or larger and units with basic frame size 25.2 sq. ft. and larger.

NOT TO SCALE

CLAD ULTIMATE CASEMENT ROUND TOP

RT2 STANDARD SIZES OPERATOR AND STATIONARY

Rgh. Opg. (mm)	2 - 1 (635)	2 - 3 (686)	2 - 5 (737)	2 - 7 (787)	2 - 9 (838)	3 - 1 (940)	3 - 5 (1041)
6 - 5 5/8 (1972)	CUCART2478 T	CUCART2678 T	CUCART2878 ET	CUCART3078 ET	CUCART3278 ET	CUCART3678 ET	CUCART4078 ET
6 - 11 5/8 (2124)	CUCART2484 T	CUCART2684 T	CUCART2884 ET	CUCART3084 ET	CUCART3284 ET	CUCART3684 ET	CUCART4084 ET
7 - 7 5/8 (2327)	CUCART2492 T	CUCART2692 T	CUCART2892 ET	CUCART3092 ET	CUCART3292 ET	CUCART3692 ET	CUCART4092 ET
7 - 11 5/8 (2429)	CUCART2496 T	CUCART2696 T	CUCART2896 ET	CUCART3096 ET	CUCART3296 ET	CUCART3696 ET	

NOT TO SCALE

CLAD ULTIMATE CASEMENT ROUND TOP TRANSOMS

RT6 STANDARD SIZES STATIONARY UNITS AS TRANSOM

Rgh. Opg. (mm)	2 - 1 (635)	2 - 3 (685)	2 - 5 (736)	2 - 7 (787)	2 - 9 (838)
1 - 6 1/2 (470)	CUCART2419	CUCART2619	CUCART2819	CUCART3019	CUCART3219
2 - 0 1/2 (622)	CUCART2423	CUCART2623	CUCART2823	CUCART3023	CUCART3223
3 - 0 1/2 (927)	CUCART2435	CUCART2635	CUCART2835	CUCART3035	CUCART3235
4 - 0 1/2 (1232)	CUCART2447	CUCART2647	CUCART2847	CUCART3047	CUCART3247
5 - 0 1/2 (1537)	CUCART2459	CUCART2659	CUCART2859	CUCART3059	CUCART3259
6 - 0 1/2 (1842)	CUCART2471T	CUCART2671T	CUCART2871T	CUCART3071T	CUCART3271T

NOTES:

T For safety and/or code requirements, Marvin® recommends tempered glass in all units with a Frame Size height of 71 1/8" or larger and units with basic frame size 25.2 sq. ft. and larger may require tempered glass.

NOT TO SCALE

CLAD ULTIMATE CASEMENT ROUND TOP TRANSOMS

RT6 STANDARD SIZES STATIONARY UNITS AS TRANSOM

Rgh. Opg. (mm)	3 - 1 (939)	3 - 5 (1041)	4 - 1 (1245)	4 - 9 (1448)	6 - 1 (1854)
1 - 6 1/2 (470)	CUCART3619	CUCART4019	CUCART4819	CUCART5619	CUCART7219
2 - 0 1/2 (622)	CUCART3623	CUCART4023	CUCART4823	CUCART5623	CUCART7223
3 - 0 1/2 (927)	CUCART3635	CUCART4035	CUCART4835	CUCART5635	CUCART7235
4 - 0 1/2 (1232)	CUCART3647	CUCART4047	CUCART4847	CUCART5647	CUCART7247
5 - 0 1/2 (1537)	CUCART3659	CUCART4059	CUCART4859	CUCART5659	CUCART7259
6 - 0 1/2 (1842)	CUCART3671T	CUCART4071T	CUCART4871T	CUCART5671T	CUCART7271T

NOT TO SCALE

CLAD ULTIMATE CASEMENT ROUND TOP

RT1 STANDARD SIZES

Rgh. Opg. (mm)	2 - 1 (635)	2 - 3 (685)	2 - 9 (838)	3 - 1 (940)
1 - 0 1/2 (317)	CUCART2412			
1 - 2 1/2 (368)		CUCART2814		
1 - 4 1/2 (419)			CUCART3216	
1 - 6 1/2 (470)				CUCART3218

Rgh. Opg. (mm)	3 - 5 (1041)	4 - 1 (1245)	4 - 9 (1448)	5 - 1 (1549)
1 - 8 1/2 (521)	CUCART4020			
2 - 0 1/2 (622)		CUCART4824		
2 - 4 1/2 (724)			CUCART5628	
2 - 6 1/2 (775)				CUCART6030

Rgh. Opg. (mm)	5 - 5 (1651)	6 - 1 (1854)	7 - 1 (2159)	8 - 1 (2464)
2 - 8 1/2 (826)	CUCART6432			
3 - 0 1/2 (927)		CUCART7236		
3 - 6 1/2 (1080)			CUCART8442	
4 - 0 1/2 (1232)				CUCART9648

Rgh. Opg. (mm)	9 - 1 (2769)	10 - 1 (3073)
4 - 6 1/2 (1384)	CUCART10854	
5 - 0 1/2 (1537)		CUCART12060

RT29 STANDARD SIZES

Rgh. Opg. (mm)	3 - 5 (1041)	4 - 1 (1245)	4 - 9 (1448)	6 - 1 (1854)
1 - 5 15/16 (456)	CUCART4017	CUCART4817	CUCART5617	CUCART7217

NOTES:

- Units with basic frame size 25.2 sq. ft. and larger may require tempered glass.

NOT TO SCALE

CLAD ULTIMATE CASEMENT ROUND TOP

RT15 AND RT16 STANDARD SIZES (RT16 SHOWN)

Rgh. Opg. (mm)	1 - 9 (533)	2 - 1 (635)	2 - 3 (685)	2 - 9 (838)
1 - 7 5/8 (498)	CUCAQCIR2020	1 - 11 5/8 (600) CUCAQCIR2424	2 - 3 5/8 (702) CUCAQCIR2828	2 - 7 5/8 (803) CUCAQCIR3232

Rgh. Opg. (mm)	3 - 1 (940)	3 - 5 (1041)	4 - 1 (1245)
2 - 11 5/8 (905)	CUCAQCIR3636	3 - 3 5/8 (1006) CUCAQCIR4040	3 - 11 3/8 (1203) CUCAQCIR4848

RT27 STANDARD SIZES

Rgh. Opg. (mm)	2 - 1 1/2 (648)	3 - 1 1/2 (953)	4 - 1 1/2 (1257)	5 - 1 1/2 (1562)	6 - 1 1/2 (1867)
2 - 1 1/2 (648)	CUCAFCIR2750	3 - 1 1/2 (953) CUCAFCIR3950	4 - 1 1/2 (1257) CUCAFCIR5150	5 - 1 1/2 (1562) CUCAFCIR6350	6 - 1 1/2 (1867) CUCAFCIR7550

RT28 STANDARD SIZES

Rgh. Opg. (mm)	2 - 9 (838)	3 - 5 (1041)
4 - 1 (1245)	CUCAFELP3248	5 5 - 1 (1549) CUCAFELP4060

Quarter Circle: **QCIR**
Full Circle: **FCIR**
Full Elipse: **FELP**

NOT TO SCALE