CLAD ULTIMATE CASEMENT VENTING PICTURE

Mas. Opg. (mm)	1 - 4 1/2 (419)	1 - 6 1/2 (470)	1 - 8 1/2 (521)	2 - 0 1/2 (622)	2 - 2 1/2 (673)	2 - 4 1/2 (724)	2 - 6 1/2 (775)	2 - 8 1/2 (826)
Rgh. Opg. (mm)	1 - 5 (492)	1 - 7 (483)	1 - 9 (533)	2 - 1 (635)	2 - 3 (686)	2 - 5 (737)	2 - 7 (787)	2 - 9 (838)
Frame Size (mm)	1 - 4 (406)	1 - 6 (457)	1 - 8 (508)	2 - 0 (610)	2 - 2 (660)	2 - 4 (711)	2 - 6 (762)	2 - 8 (813)
2 - 11 3/8 (898) 2 - 11 5/8 (904) 2 - 11 1/8 (892)	CUCAVP1636	CUCAVP1836	CUCAVP2036	CUCAVP2436	CUCAVP2636	CUCAVP2836	CUCAVP3036	CUCAVP3236
3 - 3 3/8 (1000) 3 - 3 5/8 (1006) 3 - 3 1/8 (993)	CUCAVP1640	CUCAVP1840	CUCAVP2040	CUCAVP2440	CUCAVP2640	CUCAVP2840	CUCAVP3040	CUCAVP3240
3 - 7 3/8 (1101) 3 - 7 5/8 (1108) 3 - 7 1/8 (1095)	CUCAVP1644	CUCAVP1844	CUCAVP2044	CUCAVP2444	CUCAVP2644	CUCAVP2844	CUCAVP3044	CUCAVP3244
3 - 11 3/8 (1203) 3 - 11 5/8 (1209) 3 - 11 1/8 (1196)	CUCAVP1648	CUCAVP1848	CUCAVP2048	CUCAVP2448	CUCAVP2648	CUCAVP2848	CUCAVP3048	CUCAVP3248
4 - 5 3/8 (1355) 4 - 5 5/8 (1362) 4 - 5 1/8 (1349)	CUCAVP1654	CUCAVP1854	CUCAVP2054	CUCAVP2454	CUCAVP2654	CUCAVP2854	CUCAVP3054	CUCAVP3254
4 - 7 3/8 (1406) 4 - 7 5/8 (1412) 4 - 7 1/8 (1400)	CUCAVP1656	CUCAVP1856	CUCAVP2056	CUCAVP2456	CUCAVP2656	CUCAVP2856	CUCAVP3056	CUCAVP3256
4 - 11 3/8 (1508) 4 - 11 5/8 (1514) 4 - 11 1/8 (1501)	CUCAVP1660	CUCAVP1860	CUCAVP2060	CUCAVP2460	CUCAVP2660	CUCAVP2860	CUCAVP3060	CUCAVP3260

Clad Ultimate Casement Venting Picture: **CUCAVP**

NOT TO SCALE

CLAD ULTIMATE CASEMENT VENTING PICTURE

Mas. Opg. (mm)	3 - 0 1/2 (927)	3 - 4 1/2 (1029)	4 - 0 1/2 (1232)	4 - 8 1/2 (1435)	5 - 0 1/2 (1537)	5 - 4 1/2 (1638)	6 - 0 1/2 (1842)
Rgh. Opg. (mm)	3 - 1 (940)	3 - 5 (1041)	4 - 1 (1245)	4 - 9 (1448)	5 - 1 (1549)	5 - 5 (1651)	6 - 1 (1854)
Frame Size (mm)	3 - 0 (914)	3 - 4 (1016)	4 - 0 (1219)	4 - 8 (1422)	5 - 0 (1524)	5 - 4 (1626)	6 - 0 (1829)
2 - 11 3/8 (898) 2 - 11 5/8 (904) 2 - 11 1/8 (892)	CUCAVP3636	CUCAVP4036	CUCAVP4836*	CUCAVP5636*	CUCAVP6036*	CUCAVP6436*	CUCAVP7236*
3 - 3 3/8 (1000) 3 - 3 5/8 (1006) 3 - 3 1/8 (993)	CUCAVP3640	CUCAVP4040	CUCAVP4840*	CUCAVP5640*	CUCAVP6040*	CUCAVP6440*	CUCAVP7240*
3 - 7 3/8 (1101) 3 - 7 5/8 (1108) 3 - 7 1/8 (1095)	CUCAVP3644	CUCAVP4044	CUCAVP4844*	CUCAVP5644*	CUCAVP6044*	CUCAVP6444*	CUCAVP7244*
3 - 11 3/8 (1203) 3 - 11 5/8 (1209) 3 - 11 1/8 (1196)	CUCAVP3648	CUCAVP4048	CUCAVP4848	CUCAVP5648*	CUCAVP6048*	CUCAVP6448*	CUCAVP7248*
4 - 5 3/8 (1355) 4 - 5 5/8 (1362) 4 - 5 1/8 (1349)	CUCAVP3654	CUCAVP4054	CUCAVP4854	CUCAVP5654*	CUCAVP6054*	CUCAVP6454*	CUCAVP7254*
4 - 7 3/8 (1406) 4 - 7 5/8 (1412) 4 - 7 1/8 (1400)	CUCAVP3656	CUCAVP4056	CUCAVP4856	CUCAVP5656*	CUCAVP6056*	CUCAVP6456*	CUCAVP7256*
4 - 11 3/8 (1508) 4 - 11 5/8 (1514) 4 - 11 1/8 (1501)	CUCAVP3660	CUCAVP4060	CUCAVP4860	CUCAVP5660*	CUCAVP6060*	CUCAVP6460*	CUCAVP7260*

NOTES:

* Units will have structural cable on the head and sill.

T For safety and/or code requirements, Marvin® recommends tempered glass in all units with a Frame Size height of 71 1/8" or larger and units with frame size 25.2 sq. ft. and larger.

NOT TO SCALE

CLAD ULTIMATE CASEMENT VENTING PICTURE

Mas. Opg. (mm)	1 - 4 1/2 (419)	1 - 6 1/2 (470)	1 - 8 1/2 (521)	2 - 0 1/2 (622)	2 - 2 1/2 (673)	2 - 4 1/2 (724)	2 - 6 1/2 (775)	2 - 8 1/2 (826)
Rgh. Opg. (mm)	1 - 5 (492)	1 - 7 (483)	1 - 9 (533)	2 - 1 (635)	2 - 3 (686)	2 - 5 (737)	2 - 7 (787)	2 - 9 (838)
Frame Size (mm)	1 - 4 (406)	1 - 6 (457)	1 - 8 (508)	2 - 0 (610)	2 - 2 (660)	2 - 4 (711)	2 - 6 (762)	2 - 8 (813)
5 - 3 3/8 (1609) 5 - 3 5/8 (1616) 5 - 3 1/8 (1603)	CUCAVP1664	CUCAVP1864	CUCAVP2064	CUCAVP2464	CUCAVP2664	CUCAVP2864	CUCAVP3064	CUCAVP3264
5 - 11 3/8 (1812) 5 - 11 5/8 (1819) 5 - 11 1/8 (1806)	CUCAVP1672 T	CUCAVP1872 T	CUCAVP2072 T	CUCAVP2472 T	CUCAVP2672 T	CUCAVP2872 T	CUCAVP3072 T	CUCAVP3272 T
6 - 5 3/8 (1965) 6 - 5 5/8 (1971) 6 - 5 1/8 (1958)	CUCAVP1678 T	CUCAVP1878 T	CUCAVP2078 T	CUCAVP2478 T	CUCAVP2678 T	CUCAVP2878 T	CUCAVP3078 T	CUCAVP3278 T
6 - 11 3/8 (2117) 6 - 11 5/8 (2124) 6 - 11 1/8 (2111)	CUCAVP1684 T	CUCAVP1884 T	CUCAVP2084 T	CUCAVP2484 T	CUCAVP2684 T	CUCAVP2884 T	CUCAVP3084	CUCAVP3284
7 - 7 3/8 (2320) 7 - 7 5/8 (2327) 7 - 7 1/8 (2314)	CUCAVP1692 T	CUCAVP1892 T	CUCAVP2092 T	CUCAVP2492 T	CUCAVP2692 T	CUCAVP2892 T	CUCAVP3092	CUCAVP3292
7 - 11 3/8 (2422) 7 - 11 5/8 (2428) 7 - 11 1/8 (2416)	CUCAVP1696 T	CUCAVP1896 T	CUCAVP2096 T	CUCAVP2496 T	CUCAVP2696 T	CUCAVP2896 T	CUCAVP3096	CUCAVP3296

NOT TO SCALE

CLAD ULTIMATE CASEMENT VENTING PICTURE

Mas. Opg. (mm)	3 - 0 1/2 (927)	3 - 4 1/2 (1029)	4 - 0 1/2 (1232)	4 - 8 1/2 (1435)	5 - 0 1/2 (1537)	5 - 4 1/2 (1638)	6 - 0 1/2 (1842)
Rgh. Opg. (mm)	3 - 1 (940)	3 - 5 (1041)	4 - 1 (1245)	4 - 9 (1448)	5 - 1 (1549)	5 - 5 (1651)	6 - 1 (1854)
Frame Size (mm)	3 - 0 (914)	3 - 4 (1016)	4 - 0 (1219)	4 - 8 (1422)	5 - 0 (1524)	5 - 4 (1626)	6 - 0 (1829)
5 - 3 3/8 (1609) 5 - 3 5/8 (1616) 5 - 3 1/8 (1603)	 CUCAVP3664	 CUCAVP4064	 CUCAVP4864	 CUCAVP5664*	 CUCAVP6064*	 CUCAVP6464*	 CUCAVP7264*
5 - 11 3/8 (1812) 5 - 11 5/8 (1819) 5 - 11 1/8 (1806)	 CUCAVP3672 T	 CUCAVP4072 T	 CUCAVP4872 T	 CUCAVP5672* T	 CUCAVP6072* T	 CUCAVP6472* T	 CUCAVP7272* T
6 - 5 3/8 (1965) 6 - 5 5/8 (1971) 6 - 5 1/8 (1958)	 CUCAVP3678 T	 CUCAVP4078 T					
6 - 11 3/8 (2117) 6 - 11 5/8 (2124) 6 - 11 1/8 (2111)	 CUCAVP3684 T	 CUCAVP4084 T					
7 - 7 3/8 (2320) 7 - 7 5/8 (2327) 7 - 7 1/8 (2314)	 CUCAVP3692 T	 CUCAVP4092 T					
7 - 11 3/8 (2422) 7 - 11 5/8 (2428) 7 - 11 1/8 (2416)	 CUCAVP3696 T						

NOTES:

* Units will have structural cable on the head and sill.

T For safety and/or code requirements, Marvin® recommends tempered glass in all units with a frame size height of 71 1/8" or larger and units with srame size 25.2 sq. ft. and larger.

NOT TO SCALE