

INTEGRITY WOOD-ULTREX and ALL ULTREX ACCESSORIES


Wood-Ultrex Installation Bracket and Nailing Fin	16.2
Wood-Ultrex Interior Accessories	16.3
All Ultrex Installation and Nailing Fin	16.4
All Ultrex Exterior Accessories	16.5
All Ultrex Interior Accessories	16.6
Wood-Ultrex and All Ultrex Exterior Casing Elevations	16.7
Wood-Ultrex and All Ultrex Exterior Casing Profiles and Parts	16.8
Wood-Ultrex Exterior Casing Conversions	16.9
All Ultrex Exterior Casing Conversions	16.10
Wood-Ultrex and All Ultrex Casing Applications for Windows	16.11
Wood-Ultrex and All Ultrex Casing Applications for Doors	16.12

ATTENTION:


- Specifications and technical data are subject to change without notice.
- Allow 1/16" (1.59 mm) tolerance on all measurements.
- Interior mullion trim shipped loose for field installation.
- For answers to technical questions about Integrity products you may call our Integrity Support Line: 1-800-587-2712.
- Website: www.marvin.com

Wood-Ultrex Installation Brackets and Nailing Fin


Installation Brackets




Integrity Structural Bracket



Installation Clip




Masonry Bracket



Nail Fin Installation Kit - Impact


Nailing Fin / Drip Cap



Head Jamb Nailing Fin/Drip Cap


V119

Note: Drip cap is clear




**Radius Head Jamb
Nailing Fin/Drip Cap**

V110



Sill Nailing Fin

V084




Jamb Nailing Fin


V104

Wood-Ultrex Interior Accessories


Jamb Extension




6 9/16" Jamb Extension
W7432



IIFD to Direct Glaze Jamb
6 9/16" Jamb Extension
W7119




6 13/16" Jamb Extension
W7446




IIFD 1/4" Jamb Extension for 6 13/16"
W2214


Interior Mullion Trim




Interior Mullion Trim
W1241




ICA Mullion Filler Block
W6172




ICA Wood Mullion Tie
W7004



Horizontal Mull Trim
W9159




Interior Mullion Trim
W1243




Interior Mullion Trim
W1242

All Ultrex Installation Brackets and Nailing Fin

Installation Bracket



4 9/16" Structural Brackets




6 9/16" Structural Brackets


Nailing Fin / Drip Cap



Nailing Fin - Windows and Doors
V1428




Nailing Fin - Radius
V2067




Nailing Fin with Drip Cap -
Windows and Doors
V2395

All Ultrex Exterior Accessories

Frame Expander




1" Frame Expander
V2034




3" Frame Expander
V1780

Flush Fin




Flush Fin
V2056 - 1 3/4" Flush Fin




Flush Fin Corner Key

J-Channel




**J-Channel
Head Jamb and Jamb**
V1458

Note: Mitered Corners



J-Channel Corner Key




**J-Channel Corner Key,
Adjustable**

All Ultrex Interior Accessories


Jamb Extension—Stone White




4 9/16" Jamb Extension – Window
V1563



4 9/16" Door Jamb Extension
V1641




6 9/16" Jamb Extension – Window
V1578




6 9/16" Door Jamb Extension
V1640

Jamb Extension—Dark Interior




4 9/16" Jamb Extension – Window
W13072/V2893




6 9/16" Jamb Extension – Window
W13083/V2893

Drywall Return and Receiver—available in Stone White, Bronze, and Ebony




1/2" to 5/8" Drywall Return
V1401




3/4" Receiver
V1710

Interior Frame Filler—available in Stone White, Bronze, and Ebony




Interior Frame Filler
V2053


Wood-Ultrex and All Ultrex Exterior Casing Elevations




**BMC - Flush
 With Sill Nosing**




**BMC - Mitered
 Casing Four Sides**




**Flat Casing- Flush
 With Sill Nosing**




**Flat Casing- Flush
 Casing Four Sides**




**Flat Casing- Ranch Style
 With Sill Nosing**




**Flat Casing- Ranch Style
 Casing Four Sides**



BMC




Flat




Ranch Style

NOTE: Ranch Style casing overhangs each side by 1" (25)


Wood-Ultrex and All Ultrex Exterior Casing Profiles and Parts




F9105
BMC - 2"




F9108
Flat Casing - 3.5"




F9107
Sill Nosing - 2"




V2177
Wood-Ultrex
Connection Barb




V2691
All Ultrex
Connection Barb



Exterior Casing
Corner Key



End Cap
Flat Casing, 3.5"




End Cap
Sill



#7 X .750" Type A-17 PH full thread



Reticulated Foam
.625" X .625"



BMC
Plug


Wood-Ultrex Exterior Casing Measurement Conversions

Frame Outside Measurement (Wood Ultrex) to Exterior Casing Individual Part Finished Overall Length		
Wood Ultrex Windows		
Exterior Casing Configuration	Part	WU Conversion
BMC (all four sides)	Header & Sill 45 degree end cuts	+ 3 3/8"
	Jambs 45 degree end cuts	+ 3 3/8"
BMC w/ Sill Nosing	Header 45 degree end cuts	+ 3 3/8"
	Sill 90 degree end cuts	+ 2 7/8"
	Jambs 45 degree end cuts on header end 90 degree end cuts on sill end	+ 1 3/8"
3.5" Flat Casing (all four sides)	Header & Sill 90 degree end cuts	+ 6 7/32"
	Jambs 90 degree end cuts	- 5/8"
3.5" Flat Casing w/ Sill Nosing	Header 90 degree end cuts	+ 6 7/32"
	Sill 90 degree end cuts	+ 5 7/8"
	Jambs 90 degree end cuts	- 5/8"
3.5" Flat Casing – Ranch Style	Header & Sill 90 degree end cuts	+ 8 7/32"
	Jambs 90 degree end cuts	- 5/8"
3.5" Flat Casing – Ranch Style w/ Sill Nosing	Header 90 degree end cuts	+ 8 7/32"
	Sill 90 degree end cuts	+ 7 7/8"
	Jambs 90 degree end cuts	- 5/8"
Wood Ultrex Doors		
Exterior Casing Configuration	Part	WU Conversion
BMC	Header 45 degree end cuts	+ 3 3/8"
	Jambs 45 degree end cuts on header end 90 degree end cuts on sill end	+ 1 11/16"
3.5" Flat Casing	Header 90 degree end cuts	+ 6 7/32"
	Jambs 90 degree end cuts	- 3/8"
3.5" Flat Casing – Ranch Style	Header 90 degree end cuts	+ 8 7/32"
	Jambs 90 degree end cuts	- 3/8"
Frame Outside Measurement (Wood Ultrex) to Exterior Casing Outside Measurement Conversion		
Wood Ultrex Windows		
Exterior Casing Configuration	Width	Height
BMC (all four sides)	+ 3 3/8"	+ 3 3/8"
BMC w/ Sill Nosing	+ 3 3/8"	+ 3 3/8"
3.5" Flat Casing (all four sides)	+ 6 3/8"	+ 6 3/8"
3.5" Flat Casing w/ Sill Nosing	+ 6 3/8"	+ 4 7/8"
3.5" Flat Casing – Ranch Style	+ 8 3/8"	+ 6 3/8"
3.5" Flat Casing – Ranch Style w/ Sill Nosing	+ 8 3/8"	+ 4 7/8"
Wood Ultrex Doors		
Exterior Casing Configuration	Width	Height
BMC (header & jambs)	+ 3 3/8"	+ 1 11/16"
3.5" Flat Casing (header & jambs)	+ 6 3/8"	+ 3 3/16"
3.5 Flat Casing – Ranch Style (header & jambs)	+ 8 3/8"	+ 3 3/16"
* Ranch Style header overhangs each jamb & does not have square or rectangle outer shape – see diagrams on page 16.7		


All Ultrex Exterior Casing Measurement Conversions

Frame Outside Measurement (All-Ultrex) to Exterior Casing Individual Part Finished Overall Length		
All Ultrex Windows		
Exterior Casing Configuration	Part	AU Conversion
BMC (all four sides)	Header & Sill 45 degree end cuts	+ 3 11/16"
	Jambs 45 degree end cuts	+ 3 11/16"
BMC w/ Sill Nosing	Header 45 degree end cuts	+ 3 11/16"
	Sill 90 degree end cuts	+ 3 3/16"
	Jambs 45 degree end cuts on header end 90 degree end cuts on sill end	+ 1 11/16"
3.5" Flat Casing (all four sides)	Header & Sill 90 degree end cuts	+ 6 17/32"
	Jambs 90 degree end cuts	- 5/16"
3.5" Flat Casing w/ Sill Nosing	Header 90 degree end cuts	+ 6 17/32"
	Sill 90 degree end cuts	+ 6 3/16"
	Jambs 90 degree end cuts	- 5/16"
3.5" Flat Casing – Ranch Style	Header & Sill 90 degree end cuts	+ 8 17/32"
	Jambs 90 degree end cuts	- 5/16"
3.5" Flat Casing – Ranch Style w/ Sill Nosing	Header 90 degree end cuts	+ 8 17/32"
	Sill 90 degree end cuts	+ 8 3/16"
	Jambs 90 degree end cuts	- 5/16"
All Ultrex Doors		
Exterior Casing Configuration	Part	AU Conversion
BMC	Header 45 degree end cuts	+ 3 11/16"
	Jambs 45 degree end cuts on header end 90 degree end cuts on sill end	+ 1 27/32"
	Header 90 degree end cuts	+ 6 17/32"
3.5" Flat Casing	Jambs 90 degree end cuts	- 1/4"
	Header 90 degree end cuts	+ 8 17/32"
3.5" Flat Casing – Ranch Style	Jambs 90 degree end cuts	- 1/4"
	Header 90 degree end cuts	+ 8 17/32"
Frame Outside Measurement (All-Ultrex) to Exterior Casing Outside Measurement Conversion		
All Ultrex Windows		
Exterior Casing Configuration	Width	Height
BMC (all four sides)	+ 3 11/16"	+ 3 11/16"
BMC w/ Sill Nosing	+ 3 11/16"	+ 3 11/16"
3.5" Flat Casing (all four sides)	+6 11/16"	+6 11/16"
3.5" Flat Casing w/ Sill Nosing	+6 11/16"	+5 3/16"
3.5" Flat Casing – Ranch Style	+8 11/16"*	+6 11/16"
3.5" Flat Casing – Ranch Style w/ Sill Nosing	+8 11/16"*	+5 3/16"
All Ultrex Doors		
Exterior Casing Configuration	Width	Height
BMC (header & jambs)	+3 11/16"	+1 13/16"
3.5" Flat Casing (header & jambs)	+6 11/16"	+3 11/32"
3.5 Flat Casing – Ranch Style (header & jambs)	+8 11/16"*	+3 11/32"
* Ranch Style header overhangs each jamb & does not have square or rectangle outer shape – see diagrams on page 16.7		

Wood-Ultrex and All Ultrex Exterior Exterior Casing Applications for Windows




NOTE: Installation requires a minimum of 1" (25). Projections greater than 1" (25) may require connection bars to be shimmed away from sheeting for compensation.



*NOTE: The 5/16" measurement shown is for Wood-Ultrex. The dimension for All Ultrex is 5/32".


Wood-Ultrex and All Ultrex Exterior Casing Applications for Doors

ISFD with BMC



NOTE: Installation requires a minimum of 1" (25). Projections greater than 1" (25) may require connection bars to be shimmed away from sheeting for compensation.

ISFD with Flat Casing



*NOTE: The 5/16" measurement shown is for Wood-Ultrex. The dimension for All Ultrex is 5/32".