

WOOD AND CLAD ULTIMATE SLIDING FRENCH DOOR

Table of Contents

| | PAGE |
|--|------|
| History | 2 |
| Part Identification | |
| Wood Ultimate Sliding French Door – OX or XO | 4 |
| Wood Ultimate SFD – 3 Panel OXO, 3 Panel XOO, 4 Panel OXXO Jamb Detail | 5 |
| Wood Ultimate Sliding French Door – Interior Flat Oak Sill | 6 |
| Wood Ultimate Sliding French Door In–Sash Transom | 7 |
| Wood Ultimate Sliding French Door In–Sash Transom Jamb Detail | 8 |
| Wood Ultimate Sliding French Door Direct Glaze Transom | 9 |
| Wood Ultimate Sliding French Door Stationary | 10 |
| Clad Ultimate Sliding French Door – OX or XO | 11 |
| Clad Ultimate SFD – 3 Panel OXO, 3 Panel XOO,4 Panel OXXO Jamb Detail | 12 |
| Clad Ultimate Sliding French Door In–Sash Transom | 13 |
| Clad Ultimate Sliding French Door In–Sash Transom Jamb Detail | 14 |
| Clad Ultimate Sliding French Door Direct Glaze Transom | 15 |
| Clad Ultimate Sliding French Door Stationary | 16 |
| Parts | |
| Wood and Clad Ultimate Sliding French Door | 17 |
| Auxiliary Foot Bolt Kit | 22 |
| Wood Parts | 24 |
| Vinyl, and Fiberglass Parts | 25 |
| Aluminum Parts | 26 |
| Panel Replacement | 27 |
| Weather Strip | 28 |
| Parts for Lock Status Sensor | 30 |
| Obsolete Parts | 31 |
| Obsolete Wood Parts | 34 |
| Obsolete Vinyl, Aluminum and Fiberglass Parts | 36 |
| Obsolete Panel Replacement | 37 |
| Discontinued (no longer available) Parts | 38 |

Screens – See Door Screen Chapter

ATTENTION:


- Specification and technical data are subject to change without notice.
- Numbers listed in parentheses () are metric equivalents in millimeters rounded to the nearest whole number.

| PRODUCED | UNIT TYPE | FEATURES OR CHANGES | STATUS |
|----------|---|--|---------|
| 1991 | Wood Sliding French Door (WSFD) | Introduced the wood Sliding French Door. Unit features no exposed nail or staple holes, multi-point locking system, solid brass handles and top hung screen. Introduced in-sash transom. Unit features matching sight lines. | Present |
| 1992 | WSFD | Simulated divided lite option introduced. | Present |
| 1993 | WSFD | Optional hardware introduced including antique brass, polished or brushed chrome and white handles. Screen auto-closer introduced. Rollers, guide bars and screen width reduced 3/8". | Present |
| 1994 | WSFD | Direct glaze transoms offered for the Sliding French Door. Transoms feature sill designed for field mulling. Added standard sizes to in-sash transoms. Flat oak sill offered for interior applications. | Present |
| 1995 | Clad Sliding French Door (CSFD) | Introduced the clad Sliding French Door and matching in-sash transom. Unit features design similarity and options of the wood model with an extruded aluminum clad exterior. | Present |
| 2000 | WSFD, CSFD | 1/31/00 Redesigned and standardized frame profiles and related parts. | Present |
| 2002 | WSFD, CSFD | 3/02 Stone White becomes a standard color. Arctic White transitions to a select color. 8/0 height decreases by 2 1/2 inches. | Present |
| 2002 | WSFD, CSFD | 5/02 New Ultimate hardware and screen options. New standard hardware and screen options. New frame components. | Present |
| 2004 | WSFD, CSFD | 1/04 Added Oiled Rubbed Bronze and Satin Chrome to available hardware finishes. | Present |
| 2004 | WSFD, CSFD | 4/12/04 Satin Nickel hardware finish introduced. | Present |
| 2004 | WSFD, CSFD | 6/14/04 Wood and Clad Direct Glaze transom redesigned. Polished Chrome hardware finish retired. | Present |
| 2005 | Wood and Clad Ultimate Sliding French Door (WUSFD, CUSFD) | Sliding French Door becomes the Ultimate Sliding French Door. All handle finishes available for both 2 and 3 point lock options. Introduced Bronze Ultrex sill with Black Weather Strip. | Present |
| 2005 | WUSFD, CUSFD | 6/27/05 Introduced Brass PVD and Satin Nickel PVD finishes to French door handles, and other miscellaneous parts. | Present |
| 2006 | WUSFD, CUSFD | 7/24/06 Discontinued retro 6-5 height and replaced with 6-6 height. Frame OSM for 6-6 height is 3/4" taller than 6-5 doors. Frame OSM for 6-6 width is 11/16" wider (one panel), 1 3/8" wider (two panel) and 2 1/16" wider (three panel). | Present |
| 2006 | WUSFD, CUSFD | 11/2006 Discontinued stationary panel top rail spacer (W8452) and replaced with a stationary bracket. Updated W7504 stationary panel head jamb cover profile. | Present |
| 2007 | WUSFD, CUSFD | 2/20/07 Introduced raised and flat panels as a standard option for Marvin French Doors and Commercial Doors. | Present |
| 2008 | WUSFD, CUSFD | 6/02/2008 Introduced charcoal high transparency screen mesh (CH HI-TRAN) as an option on all window and door products (including combinations). | Present |
| 2008 | CSFD | 7/28/2008 Mixed grain Douglas fir is now a standard option. | Present |
| 2009 | All | 3/23/2009 Added LoE ³ -366™ as a standard option for all products. Added Cedro Macho as a standard option for all clad products. | Present |
| 2009 | WUSFD, CUSFD | 5/26/2009 Introduced the new Low Profile Sill as an option to the Sliding Patio Door and Ultimate Sliding French Door. | Present |
| 2010 | All Doors | 2/22/2010 Added Dark Bronze hardware finish to doors. | Present |
| 2010 | WUSFD, CUSFD | 10/25/2010 Added 7-0 height. | Present |
| 2011 | All | 04/25/2011 Added LoE-180™ as a standard option for all products. White painted interior finish option introduced for all product. | Present |
| 2012 | All | 07/30/2012 Stave Core added to our description for current finger joint/edge glue construction of door panels. 10/29/2012 Interior Square Sticking/Glazing Bead option introduced. 12/17/2012 Introduced Clear interior finish option on all products. | Present |


HISTORY

| PRODUCED | UNIT TYPE | FEATURES OR CHANGES | STATUS |
|----------|-----------|--|---------|
| 2013 | All | <p>4-29-2013 – Introduced Retro 2 Wide CNs on Full Size Heights. New CNs are 50R68, 50R70, 50R80, 60R68, 60R70, 60R80, 80R68, 80R70, 80R80. All Retro sizes, current and new, will be designated with an “R” in the CN. Introduced interior stain options. Stain colors are Wheat, Honey, Leather, Hazelnut, Cabernet and Espresso.</p> <p>6/24/2013 – Direct Glaze Standardization added upgrades and improvements to direct glaze products in both wood and clad. Glazing method is silicone and interior tape glazed. Wood bead profile is W11751.</p> <p>12/16/2013 – Interior Shades option introduced.</p> | Present |
| 2014 | All | 2/24/2014 – Introduced two Pearlescent clad colors – Bright Silver and Copper. Discontinued two clad colors – Sherwood Green and Cobalt Blue. Removed screen information and added new chapter for screen to manual. | Present |
| 2014 | All | 10/27/2014 – Introduced Ogee as the new standard for Interior Profiles. | Present |
| 2016 | All | <p>10/31/2016 Introduced 9-0 Call No heights</p> <p>10/31/2016 Obsolescence of the wood species Cedro Macho for all products.</p> | Present |
| 2016 | All | 11/1/2016 – V1012 panel drip was replaced by V1823. | Present |
| 2017 | CUSFD | 12/18/2017 – Added availability of Lock Status Sensor. | Present |

**WOOD ULTIMATE SLIDING FRENCH DOOR
 OPERATOR**




**HEAD JAMB
 AND SILL DETAIL**



**OPERATOR
 SIDE DETAIL**


1. Top Brick Mould Casing
2. Screen Track
3. Screen Roller
4. Screen
5. Screen Frame
6. Screen Bottom Guide
7. Ultrex Sill
8. Leveling Block
9. Leveling Block Filler
10. Sill Stationary Panel Retainer
11. Sill Condensation Cover
12. Sill Weather Strip
13. Sill Liner
14. Sill Roller Track
15. Panel Drip
16. Bottom Rail
17. Glazing Bead
18. Insulating Glass
19. Glazing Cap
20. Top Rail
21. Panel Guide Cover
22. Panel Guide
23. Head Jamb
24. Stationary Panel Cover
25. Backer Rod
26. Stationary Panel Top Filler
27. Exterior Handle Assembly
28. Stationary Panel Interlock
29. Stationary Meeting Stile
30. Side Brick Mould Casing
31. Stationary Jamb Filler
32. Connecting Barb
33. Jamb
34. Stationary Jamb Cover
35. Stationary Jamb Stile
36. Operating Panel Interlock
37. Meeting Stile Weather Strip
38. Operating Meeting Stile
39. Interior Handle Assembly
40. Operating Locking Stile
41. Jamb Liner
42. Jamb Weather Strip
43. Parting Stop Weather Strip
44. Jamb Parting Stop
45. Head Jamb Parting Stop
46. Stationary Panel Bracket
47. Pile Weather Strip




**TWO PANEL OPERATING JAMB DETAIL
 XO**

NOTE: Not to scale; specifications subject to change without notice.


**WOOD ULTIMATE SLIDING FRENCH DOOR
 JAMB DETAIL**



3 PANEL JAMB DETAIL – OXO



3 PANEL JAMB DETAIL – XO0




4 PANEL JAMB DETAIL – OXXO

1. Stationary Meeting Stile
2. Stationary Jamb Stile
3. Stationary Panel Filler
4. Jamb
5. Stationary Jamb Cover
6. Operating Panel Interlock
7. Stationary Panel Interlock
8. Interior Handle Assembly
9. Jamb Liner
10. Connecting Barb
11. Center Jamb Cover
12. Insulating Glass
13. Center Jamb
14. Exterior Handle Assembly
15. Jamb Parting Stop
16. Screen Pile Weather Strip
17. Side Brick Mould Casing
18. Glazing Bead
19. Glazing Cap
20. Meeting Stile Weather Strip
21. Operating Locking Stile
22. Jamb Weather Strip
23. Parting Stop Weather Strip
24. Screen Frame
25. Mull Casing Bead
26. Screen Astragal
27. Mull Casing Cover
28. Screen
29. Operating Meeting Stile
30. Mull Casing Stile Weather Strip


NOTE: Not to scale; specifications subject to change without notice.

**WOOD ULTIMATE SLIDING FRENCH DOOR
 WITH INTERIOR FLAT OAK SILL**



**HEAD JAMB
 AND SILL DETAIL**


1. Stationary Retaining Block
2. Interior Flat Sill
3. Sill Track
4. Bottom Rail
5. Glazing Cap
6. Glazing Bead
7. Insulating Glass
8. Top Rail
9. Panel Guide
10. Panel Guide Fastener
11. Head Jamb
12. Stationary Panel Top Filler
13. Head Jamb Parting Stop
14. Parting Stop Weather Strip
15. Parting Stop Weather Strip



**OPERATOR
 SIDE DETAIL**


NOTE: Not to scale; specifications subject to change without notice.

**WOOD ULTIMATE SLIDING FRENCH DOOR
 IN-SASH TRANSOM**



1. Top Brick Mould Casing
2. Head Jamb Parting Stop
3. Head Jamb
4. Parting Stop Weather Strip
5. Head Jamb Weather Strip
6. Connecting Barb
7. Interior Cover
8. Top Rail
9. Glazing Cap
10. Insulating Glass
11. Glazing Bead
12. Bottom Rail
13. Panel Drip
14. Sill Filler Weather Strip
15. Sill Filler
16. Transom Sill
17. Foam Tape
18. Stile
19. Jamb Weather Strip
20. Jamb
21. Side Brick Mould Casing
22. Parting Stop Weather Strip
23. Jamb Parting Stop


**HEAD JAMB
 AND SILL DETAIL**



JAMB DETAIL


NOTE: Not to scale; specifications subject to change without notice.

**WOOD ULTIMATE SLIDING FRENCH DOOR
 JAMB DETAIL IN-SASH TRANSOM**




2 PANEL JAMB DETAIL

1. Side Jamb
2. Side Brick Mould Casing
3. Insulating Glass
4. Side Jamb Weather Strip
5. Side Jamb Parting Stop Weather Strip
6. Interior Cover
7. Stile Weather Strip
8. Mull Casing Weather Strip
9. Connecting Barb
10. Second Mull Casing
11. First Mull Casing
12. Glazing Cap
13. Glazing Bead
14. Side Jamb Parting Stop
15. Stationary Panel Spacer Tack




3 PANEL JAMB DETAIL



4 PANEL JAMB DETAIL


NOTE: Not to scale; specifications subject to change without notice.

**WOOD ULTIMATE SLIDING FRENCH DOOR TRANSOM
DIRECT GLAZE**



1. Head Jamb Brick Mould Casing
2. Head Jamb
3. Insulating Glass
4. Glazing Bead (W11751)
5. Sill Nose
6. Sill
7. Jamb Brick Mould Casing
8. Jamb


**HEAD JAMB
AND SILL DETAIL**



JAMB DETAIL


NOTE: Not to scale; specifications subject to change without notice.

**WOOD ULTIMATE SLIDING FRENCH DOOR
 STATIONARY**



1. Top Brick Mould Casing
2. Head Jamb Parting Stop
3. Parting Stop Weather Strip
4. Panel Drip
5. Hydro Optimizer
6. Ultrex Sill
7. Sill Liner
8. Sill Weather Strip
9. Bottom Rail
10. Glazing Bead
11. Insulating Glass
12. Glazing Cap
13. Top Rail
14. Head Jamb Weather Strip
15. Head Jamb
16. Parting Stop Weather Strip
17. Jamb Parting Stop
18. Side Brick Mould Casing
19. Jamb
20. Jamb Weather Strip

**HEAD JAMB
 AND SILL DETAIL**




JAMB DETAIL


NOTE: Not to scale; specifications subject to change without notice.

CLAD ULTIMATE SLIDING FRENCH DOOR

XO




**HEAD JAMB
 AND SILL DETAIL**



**OPERATOR
 SIDE DETAIL**

1. Head Jamb Nailing Fin/Drip Cap
2. Head Jamb Cladding
3. Screen Track
4. Screen Roller
5. Top Rail Cladding
6. Insulating Glass
7. Screen Mesh
8. Bottom Rail Cladding
9. Screen Frame
10. Screen Guide Bar
11. Sill
12. Leveling Block
13. Leveling Block Filler
14. Sill Stationary Panel Retainer
15. Sill Condensation Cover
16. Sill Weather Strip
17. Sill Liner
18. Sill Roller Track
19. Panel Drip
20. Bottom Rail
21. Glazing Bead
22. Glazing Cap
23. Top Rail
24. Panel Guide Cover
25. Panel Guide
26. Head Jamb
27. Stationary Panel Cover
28. Backer Rod
29. Stationary Panel Top Filler
30. Jamb Nailing Fin
31. Jamb Cladding
32. Exterior Handle Assembly
33. Edge Cover
34. Screen Pile Weather Strip
35. Stationary Meeting Stile Cladding
36. Stationary Meeting Stile
37. Stationary Jamb Stile Cladding
38. Stationary Jamb Stile
39. Jamb
40. Stationary Jamb Filler
41. Connecting Barb
42. Stationary Jamb Cover
43. Operator Panel Interlock
44. Meeting Stile Weather Strip
45. Stationary Panel Interlock
46. Operating Meeting Stile Cladding
47. Operating Locking Stile Cladding
48. Interior Handle Assembly
49. Jamb Liner
50. Operating Locking Stile
51. Jamb Weather Strip
52. Parting Stop Weather Strip
53. Jamb Parting Stop
54. Head Jamb Parting Stop
55. Stationary Panel Bracket
56. Pile Weatherstrip, Screen




TWO PANEL OPERATING JAMB


XO

NOTE: Not to scale; specifications subject to change without notice.


**CLAD ULTIMATE SLIDING FRENCH DOOR
 JAMB DETAIL**



3 PANEL OPERATING JAMB - OXO



3 PANEL OPERATING JAMB - XO0




4 PANEL OPERATING JAMB - OXXO

NOTE: Not to scale; specifications subject to change without notice.


- | | | | |
|--------------------------------------|-------------------------------|---------------------------------------|------------------------------|
| 1. Jamb Nailing Fin | 11. Operating Meeting Stile | 21. Stationary Meeting Stile Cladding | 31. Astragal Cladding A2047 |
| 2. Insulated Glass | 12. Jamb Liner | 22. Stationary Meeting Stile | 32. Screen Astragal |
| 3. Center Jamb Cladding | 13. Center Jamb | 23. Jamb Cladding | 33. Screen |
| 4. Stationary Jamb Stile | 14. Center Jamb Cover | 24. Glazing Bead | 34. Exterior Handle Assembly |
| 5. Stationary Jamb Stile Cladding | 15. Stationary Jamb Cover | 25. Glazing Cap | 35. Interior Handle Assembly |
| 6. Connecting Barb | 16. Jamb | 26. Operating Locking Stile Cladding | 36. Base reinforcement |
| 7. Operating Panel Interlock | 17. Stationary Jamb Filler | 27. Operating Locking Stile | 37. Stile Weather Strip |
| 8. Meeting Stile Weather Strip | 18. Jamb Parting Stop | 28. Jamb Weather Strip | 38. Astragal Weather Strip |
| 9. Stationary Panel Interlock | 19. Edge Cover | 29. Parting Stop Weather Strip | 39. Mull Casing Cover A775 |
| 10. Operating Meeting Stile Cladding | 20. Screen Pile Weather Strip | 30. Screen Frame | |

**CLAD ULTIMATE SLIDING FRENCH DOOR
 IN-SASH TRANSOM**



1. Head Jamb Nailing Fin/Drip Cap
2. Head Jamb Cladding
3. Head jamb Parting Stop
4. Head Jamb
5. Head Jamb Weather Strip
6. Head Jamb Parting Stop Weather Strip
7. Connecting Barb
8. Interior Cover
9. Top Rail
10. Top Rail Cladding
11. Glazing Bead
12. Insulating Glass
13. Glazing Cap
14. Bottom Rail Cladding
15. Bottom Rail
16. Sill Filler Weather Strip
17. Sill Filler
18. Panel Drip
19. Sill Cladding
20. Sill
21. Jamb Nailing Fin
22. Side Jamb
23. Side Jamb Cladding
24. Side Parting Stop Weather Strip
25. Stile
26. Stile Cladding
27. Side Jamb Weather Strip
28. Side Parting Stop
29. Spacer Tack


**HEAD JAMB
 AND SILL DETAIL**




**JAMB
 DETAIL**

NOTE: Not to scale; specifications subject to change without notice.


**CLAD ULTIMATE SLIDING FRENCH DOOR IN-SASH TRANSOM
 JAMB DETAIL**



2 PANEL JAMB DETAIL



3 PANEL JAMB DETAIL




4 PANEL JAMB DETAIL

1. Jamb Nailing Fin
2. Jamb
3. Connecting Barb
4. Interior Cover
5. Glazing Bead
6. Glazing Cap
7. Center Jamb
8. Stile
9. Insulated Glass
10. Center Stile
11. Jamb Weather Strip
12. Jamb Cladding
13. Side Jamb Parting Stop
14. Parting Stop Weather Strip
15. Center Stile Cladding
16. Stile Weather Strip
17. Astragal Weather Strip
18. Astragal
19. Astragal Base


NOTE: Not to scale; specifications subject to change without notice.

**CLAD ULTIMATE SLIDING FRENCH DOOR
 DIRECT GLAZE TRANSOM**



1. Head Jamb Nailing Fin/Drip Cap
2. Head Jamb
3. Head Jamb Cladding
4. Insulating Glass
5. Glazing Bead (W11751)
6. Sill Cladding
7. Sill Nailing Fin
8. Sill
9. Jamb Cladding
10. Jamb Nailing Fin
11. Jamb
12. Attachment Barb


**Head Jamb
 and Sill Detail**



Jamb Detail


NOTE: Not to scale; specifications subject to change without notice.

**CLAD ULTIMATE SLIDING FRENCH DOOR
 STATIONARY**






**HEAD JAMB
 AND SILL DETAIL**

1. Sill
2. Sill Weather Strip
3. Sill Liner
4. Stationary Panel Drip
5. Bottom Rail
6. Glazing Bead
7. Insulating Glass
8. Glazing Cap
9. Top Rail
10. Head Jamb
11. Head Jamb Weather Strip
12. Head Jamb Nailing Fin/Drip Cap
13. Head Jamb Cladding
14. Head Jamb Parting Stop
15. Parting Stop Weather Strip
16. Top Rail Cladding
17. Bottom Rail Cladding
18. Hydro Optimizer
19. Jamb Cladding
20. Stile Cladding
21. Jamb Parting Stop
22. Jamb Nailing Fin
23. Jamb
24. Jamb Weather Strip
25. Stile













**JAMB
 DETAIL**





NOTE: Not to scale; specifications subject to change without notice.

| ILLUSTRATION NOT TO SCALE | DESCRIPTION | OPER./COLOR | PART NO. |
|---|--|--|----------|
|  <p>Labels in illustration: ACTUATOR PIN FOAM GASKET EXTERIOR ESCUTCHEON INTERIOR ESCUTCHEON M5 x 12mm #10-32x7/16" hex drive PH screw M5 x 55mm #10-32x2 1/8" Oval Head Machine Screw</p> | <p>Traditional Handle, Non-Keyed*</p> | <p>Wide* Antique Brass 10830340 Satin Chrome 10830334 Oil Rubbed Bronze 10830107 ORBZ PVD 10830372 Polished Chrome 10830342 Brass PVD 10830356 Satin Nickel PVD 10830424</p> <p>Narrow* Satin Taupe 10830348 Dark Bronze 10830418 White 10830414 Matte Black 10830444</p> | |
|  <p>Labels in illustration: ACTUATOR PIN FOAM GASKET EXTERIOR ESCUTCHEON INTERIOR ESCUTCHEON M5 x 12mm #10-32x7/16" hex drive PH screw M5 x 50mm #10-32x2 1/8" Oval Head Machine Screw</p> | <p>Traditional Handle, Keyed*</p> | <p>Wide* Antique Brass 10830344 Satin Chrome 10830336 Oil Rubbed Bronze 10830106 ORBZ PVD 10830380 Polished Chrome 10830346 Brass PVD 10830354 Satin Nickel PVD 10830428</p> <p>Narrow* Satin Taupe 10830350 Dark Bronze 10830400 White 10830412 Matte Black 10830446</p> | |
|  <p>Labels in illustration: FOAM GASKET EXTERIOR ESCUTCHEON INTERIOR ESCUTCHEON M5 x 12mm #10-32x7/16" hex drive PH screw 7/16" SCREWS X 2 M5 x 50mm #10-32x2 1/8" Oval Head Machine Screw</p> | <p>Traditional Inactive Handle*</p> | <p>Wide* Antique Brass 10830360 Satin Chrome 10830338 Oil Rubbed Bronze 10830108 ORBZ PVD 10830332 Polished Chrome 10830358 Brass PVD 10830362 Satin Nickel PVD 10830432</p> <p>Narrow* Satin Taupe 10830352 Dark Bronze 10830420 White 10830416 Matte Black 10830448</p> | |




* Wide escutcheon 1 7/8" x 12 1/2" Narrow escutcheon 1 3/8" x 12 1/2"


| ILLUSTRATION NOT TO SCALE | DESCRIPTION | OPER./COLOR | PART NO. |
|---|--|--|--|
|  | Tail Piece Adaptor – Interior Shades | | 11800171 |
|  | #10-32 x 1 1/2" Machine Screw Extension- Interior Shades | | 11800170 |
|  | Thumb Turn <i>Includes:</i> <i>NOTE: For each thumb turn (A), order one thumb turn washer -00143045 (B) and one thumb turn push nut - 00143010 (C).</i> | Satin Taupe Antique Brass White Oil Rubbed Bronze Brass PVD Satin Nickel PVD Satin Chrome Matte Black | 00142061 00142055 00142058 00142062 00142054 00142063 00142064 10148480 |
|  | Actuator <i>9/25/00 – Present</i> | | 05570548 |
|  | Roll-Pin, Actuator <i>9/25/00 – Present</i> | | 05570549 |
|  | Escutcheon Adaptor For Inactive Handle <i>Includes:</i> <i>1 – #10-32x7/16 hex drive panhead stainless steel screw (00143047)</i> | Zinc Diecast | 00143048 |
|  | Key Cylinder (Schlage "C" keyway) For service replacement only. <i>NOTE: For Keyed Alike orders, use program C87P.</i> <i>BS, ORBZ PVD, TP, WH, AB=Brass Face</i> <i>All other Marvin finishes=Chrome Face</i> | Brass Face Chrome Face | 10830211 10830208 |
|  | Lug seals | | 00142046 |
|  | #10-32 x 2 1/8" Phillips ovalhead machine screw | Antique Brass White Satin Chrome Oil Rubbed Bronze Brass PVD Satin Taupe Satin Nickel PVD Matte Black | 00143038 00143036 10840031 10840032 11800615 11800616 11801020 11800181 |
|  | M5 x 8 x 55MM PH ovalhead, Full Thread | Satin Taupe Dark Bronze Oil Rubbed Bronze Satin Nickel Matte Black | 10148400 10148401 10148402 10148403 10148440 |






PARTS – CONTEMPORARY HANDLE

| ILLUSTRATION NOT TO SCALE | DESCRIPTION | OPER./COLOR | PART NO. |
|---|---|--|--|
|  | <p>Contemporary Handle, Keyed*</p> | <p>Dark Bronze ORBZ PVD Satin Nickel PVD Matte Black</p> | <p>10148206 10148207 10148205 10148208</p> |
|  | <p>Contemporary Handle, Non-Keyed*</p> | <p>Dark Bronze ORBZ PVD Satin Nickel PVD Matte Black</p> | <p>10148215 10148216 10148217 10148218</p> |
| | <p>Contemporary Inactive Handle*</p> | <p>Dark Bronze ORBZ PVD Satin Nickel PVD Matte Black</p> | <p>10148219 10148220 10148221 10148222</p> |
|  | <p>Key Cylinder (Schlage "C" keyway) For service replacement only. <i>NOTE: For Keyed Alike orders, use program C87P.</i></p> <p><i>BS, ORBZ PVD, TP, WH, AB=Brass Face</i> <i>All other Marvin finishes=Chrome Face</i></p> | <p>Brass Face Chrome Face</p> | <p>10830216 10830213</p> |
|  | <p>Indexing Tail Piece</p> | <p>Steel</p> | <p>10830155</p> |

* Traditional and Contemporary handles are not interchangeable.

| ILLUSTRATION NOT TO SCALE | DESCRIPTION | OPER./COLOR | PART NO. |
|--|---|---|----------------------|
|  | Rubber Bumper | Beige Black | 02101000 02101006 |
|  (2 point shown) | Multi Point Lock Includes: 1 - Multi Point lock assembly 2 pt lock - 5-#8x1 1/2" Phillips flathead stainless steel (11800850) 3 pt lock - 5-#8x1 1/2" Phillips flathead stainless steel (11800850) | 2 pt. lock / SS 3 pt. lock / SS | 05700317 05700318 |
|  | Plate Cover A - Plate Cover - 11860042 Shim B - Shim - 18900501 3 required at center keeper and at bottom keeper on a 2 pt lock. Strike Hook C - Strike Hook - 11860041 Screws each: 11800648 - #8x2.5" flathead screw 2 required per keeper when installed on inactive panel 11800645 - #8x1" flathead screw SS 2 required when installed on jamb. 11800647 - #8-32x1" flathead machine screw, 2 required when installed on center jamb. 05080250 - #8-32 thread, SS T-nut, 2 required when installed on center jamb. | Order components as needed per each application | |

|  Bumper Block, Head Jamb or Sill | |
|--|--------------|
| Finish | Wood Species |
| | Pine |
| Bare | 75151605 |
| Prime | 75181808 |
| White (PIF) | 75151807 |
| Designer Black (PIF) | 75151809 |
| Clear | 75151800 |
| Wheat | 75151801 |
| Honey | 75151802 |
| Hazelnut | 75151803 |
| Leather | 75151804 |
| Espresso | 75151805 |
| Cabernet | 75151806 |










| ILLUSTRATION NOT TO SCALE | DESCRIPTION | OPER./COLOR | PART NO. | | | | | | | | | | | | | | | | | | | | |
|---|--|--------------------------------|------------------------------|--|--|-----------|-----|----|----------|-----------|-----|----|----------|-----------|-----|----|----------|-----------|---------|----|----------|--|--|
|  | <p>Operator Panel Roller (Tandem-Adjustable) Includes: 1 - Operator panel roller 2 - #8x1" Phillips flathead wood screws ZYD (11800810) SS (11800645) NOTE: Must order stainless steel for coastal hardware</p> | <p>ZYD Stainless Steel</p> | <p>10820003 10820004</p> | | | | | | | | | | | | | | | | | | | | |
|  | <p>Head Jamb Strike Inactive Panel OXXO Includes: 1 - Strike 2 - T nuts (05080250) 2 - #8-32x3/4" panhead machine screws (11800730)</p> | <p>ZYD</p> | <p>10148195</p> | | | | | | | | | | | | | | | | | | | | |
|  | <p>Inactive Panel Flush Bolt Includes: 1 - Flush bolt</p> | | <p>11101780</p> | | | | | | | | | | | | | | | | | | | | |
|  | <p>Cover Includes: 1 - Cover 2 - #8x 1" Phillips flathead wood screws</p> | <p>Aluminum</p> | <p>11860402</p> | | | | | | | | | | | | | | | | | | | | |
|  | <p>Locking Rod Includes: 1 - Locking rod with end bolt</p> <table border="1" data-bbox="673 1155 998 1333"> <thead> <tr> <th>Height</th> <th>Top Locking Rod Length</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>CN 6-8 ht</td> <td>11"</td> <td>SS</td> <td>05700180</td> </tr> <tr> <td>CN 7-0 ht</td> <td>11"</td> <td>SS</td> <td>05700180</td> </tr> <tr> <td>CN 8-0 ht</td> <td>27"</td> <td>SS</td> <td>05700185</td> </tr> <tr> <td>CN 9-0 ht</td> <td>34 1/4"</td> <td>SS</td> <td>05700170</td> </tr> </tbody> </table> | Height | Top Locking Rod Length | | | CN 6-8 ht | 11" | SS | 05700180 | CN 7-0 ht | 11" | SS | 05700180 | CN 8-0 ht | 27" | SS | 05700185 | CN 9-0 ht | 34 1/4" | SS | 05700170 | | |
| Height | Top Locking Rod Length | | | | | | | | | | | | | | | | | | | | | | |
| CN 6-8 ht | 11" | SS | 05700180 | | | | | | | | | | | | | | | | | | | | |
| CN 7-0 ht | 11" | SS | 05700180 | | | | | | | | | | | | | | | | | | | | |
| CN 8-0 ht | 27" | SS | 05700185 | | | | | | | | | | | | | | | | | | | | |
| CN 9-0 ht | 34 1/4" | SS | 05700170 | | | | | | | | | | | | | | | | | | | | |



Roller Adjustment Plug

| Finish | Wood Species | | |
|----------------------|--------------|-----------|-----------|
| | Pine | Cherry | Mahogany |
| Bare | 01060619 | 01060619C | 01060619M |
| Prime | 11100952 | - | - |
| White (PIF) | 39200619 | - | - |
| Designer Black (PIF) | 39200620 | - | - |
| Clear | 31660619 | 11100916 | 11100923 |
| Wheat | 11100910 | 11100917 | 11100924 |
| Honey | 11100911 | 11100918 | 11100925 |
| Hazelnut | 11100912 | 11100919 | 11100926 |
| Leather | 11100913 | 11100920 | 11100927 |
| Espresso | 11100914 | 11100921 | 11100928 |
| Cabernet | 11100915 | 11100922 | 11100929 |

NOTE: Douglas fir uses Bare Mahogany plugs.

| ILLUSTRATION NOT TO SCALE | DESCRIPTION | OPER./COLOR | PART NO. |
|---|---|------------------|----------------------|
|  | <p>Shoot Bolt Guide <i>Inactive Panels - OXXO</i> Includes: 1 - Shoot bolt guide (10815186) 1 - #8x1 1/2" Phillips panhead wood screw (11800766)</p> | | 10815199 |
|  | <p>Sill Plug, Transom Clad only</p> | CL | 10500232 |
|  | <p>Threshold Protector 30" length Pkg 20</p> | | 11869675 11869676 |
|  | <p>Sill Drain Filter</p> | | 10500240 |
|  | <p>Stationary Panel Head Jamb Bracket Includes: 1 - Bracket 4 - #8x1" flat head screws (11800810)</p> | Galvanized steel | 11860213 |
|  | <p>Construction Lock Assembly For Marvin residential swinging and sliding doors with standard locks. Includes: 1 - Construction Lock Cover 1 - Construction Lock Hole Cover 1 - Washer 2 - #6-32 X 5/8" Phillips TH screws 1 - #10-32 X 2" Phillips TH screw</p> | Each 25/Box | 18450200 18450198 |
|  | <p>Stationary Sash to Jamb Bracket Includes: 1 - Stationary bracket 2 - #7 x 7/8" flathead (11800758) 2 - #7 x 1 1/4" flathead (11807113)</p> | Galvanized Steel | 11841001 |
|  | <p>Dust Block, Low Profile Sill</p> | | 10500296 |
|  | <p>Sill Stationary Panel Bracket for French Door Transom MISC 0686 Includes: 1 - Sill stationary panel bracket 2 - #8x5/8" panhead wood screw, (11800780)</p> | Beige | 11130358 |

SLIDING DOOR AUXILIARY FOOT BOLT KIT

Includes:

1 – Foot Bolt Assembly

(Foot Bolt (a) white–11101777, beige – 11101778, and bronze –11101779, Lock Plate Assembly (c), #8 x 2 3/4" Screws (d), Installation Template (b), and Installation Instructions)

1 – Bumper Stop (e)


1 – #8 x 1 1/2" Screw (f)

1 – Roller Adjustment Plug (g)

NOTE: Not available on low-profile sill

COLOR/CONFIGURATION

| Species | White / XO | White / OX | Beige / XO | Beige / OX | Bronze / XO | Bronze / OX |
|------------------------|------------|------------|------------|------------|-------------|-------------|
| Pine | 11101760 | 18900611 | 11101761 | 18900612 | 11101762 | 18900613 |
| Cherry | 18900614 | 18900617 | 18900615 | 18900618 | 18900616 | 18900619 |
| Vert Grain Douglas Fir | 18900620 | 18900623 | 18900621 | 18900624 | 18900622 | 18900625 |
| Mix Grain Douglas Fir | 18900638 | 18900641 | 18900639 | 18900642 | 18900640 | 18900643 |
| Oak | 18900632 | 18900635 | 18900633 | 18900636 | 18900634 | 18900637 |
| Mahogany | 18900626 | 18900629 | 18900627 | 18900630 | 18900628 | 18900631 |









CURRENT REPLACEMENT WOOD PARTS

| | Clad | Wood |
|---|--------|--------|
| Stationary Panel Top Spacer* | W8452* | W8452* |
| Stationary Panel Bottom Spacer | W8643 | W8643 |
| Screen Track Filler | --- | W5221 |
| Stationary Jamb Cover | W7535 | W7535 |
| Leveling Block Filler | W8270 | W8270 |
| Jamb Liner | W7536 | W7536 |
| Panel Guide | W8040 | W8040 |
| Center Jamb Cover | W7534 | W7534 |
| Sill Liner | W2528 | W2528 |
| Head Jamb and Jamb Parting Stop | --- | W6535 |
| Mull Casing Cover | --- | W7554 |
| Exterior Center Jamb (Transom) | --- | W7519 |
| Interior Cover (Transom) | W7527 | W7527 |
| Mull Casing Base | --- | W1455 |
| Stationary Panel Head Jamb Cover | W7504 | W7504 |
| Interior Glazing Bead Direct Glaze Transom June 24, 2013 – present | W11751 | W11751 |
| Sill Nosing – Transom | --- | W12032 |
| Sill Nosing – Transom (total R.O. continuous casing) | --- | W12031 |
| Oak Sill Liner, Low Profile Sill | W10428 | W10428 |
| Bumper Stop Block, Low Profile Sill P# 71271003 | W10302 | W10302 |

NOTE: Replacement wood parts are supplied with connecting barb (where applicable).


* Replaced with stationary bracket .



TO ORDER REPLACEMENT WOOD PARTS


When ordering replacement wood parts specify:

1. profile number;
2. rough opening;
3. handing;
4. length;
5. finish.




ORDERING REPLACEMENT VINYL AND FIBERGLASS PARTS FOR THE ULTIMATE SLIDING FRENCH DOOR


| | Clad | Wood |
|--|-------------|-------------|
| Roller Track – Beige or Black | V1745 | V1745 |
| Leveling Block – Beige or Black | V1755 | V1755 |
| Condensation Cover – Beige or Black | V1131 | --- |
| Ultrex Sill – Beige or Bronze | F2010 | F2010 |
| Sill, Low Profile | F2017 | F2017 |
| Roller Track, Low Profile Sill – Beige or Black | V1846 | V1846 |
| Stat Panel Seal, Low Profile Sill – Beige or Black | V1865 | V1865 |
| Weather Strip, Interior, Low Profile Sill – Beige or Black | V1793 | V1793 |
| Weather Strip, Exterior, Low Profile Sill, – Beige or Bronze | V1138 | V1138 |
| Panel Drip, Low Profile Sill – Beige or Black | V1823 | V1823 |



V1823




V1755




V1131




V1745




F2010



F2017



V1846



V1865



V1793



V1138


TO ORDER REPLACEMENT PARTS

When ordering replacement parts specify:

1. profile number;
2. rough opening;
3. length;
4. handing;
5. finish.

ORDERING REPLACEMENT ALUMINUM PARTS FOR THE ULTIMATE SLIDING FRENCH DOOR


| | Clad | Wood |
|--|-------|-------|
| Head Jamb, Jamb Parting Stop | A836 | --- |
| Astragal Base and Transom Center Jamb Base | A771 | --- |
| Astragal Cladding and Transom Center Jamb Cladding | A772 | --- |
| Header Panel Guide Fastener | A1014 | A1014 |
| Stationary Meeting Stile Clad Edge Cover | A778 | |
| Mull Fastener – Transom | A850 | --- |
| Astragal Clad only (for OXXO door) | A2047 | --- |
| Clad Mull Casing Cover (used with A2047) | A775 | --- |




A836




A771




A772




A2047




A1014



A778



A775



A850

TO ORDER REPLACEMENT PARTS

When ordering replacement parts specify:

1. profile number;
2. rough opening;
3. length;
4. handing;
5. finish.

ORDERING REPLACEMENT PANELS FOR THE ULTIMATE SLIDING FRENCH DOOR

NOTE: For inactive panels with flush bolts, if panel height is greater than or equal to 104 1/2" and the door was manufactured before 08/28/2016 order appropriate Locking Rod.

To order replacement panels specify:


- | | |
|---|---|
| <ol style="list-style-type: none"> 1. OM of panel; <i>NOTE: OM of panel does not include astragal.</i> 2. active, inactive or stationary (specify astragal if applicable); 3. handing; | <ol style="list-style-type: none"> 4. glazing; 5. finish; 6. Pre 2000; 7. 2 point or 3 point locking door. 8. glazing bead profile <ol style="list-style-type: none"> a. bevel b. square 9. Hardware option: traditional, contemporary, or architectural |
|---|---|

CLAD AND WOOD SLIDING FRENCH DOOR (PRE 2000)


| CN | Panel OSM | | Panel DLO | |
|------------|-----------|---------|-----------|---------|
| | Width | Height | Width | Height |
| 2665 | 29 3/4" | 75 3/4" | 20 1/4" | 62 7/8" |
| 3065 | 35 3/4" | 75 3/4" | 26 1/4" | 62 7/8" |
| 4065 | 47 3/4" | 75 3/4" | 38 1/4" | 62 7/8" |
| 2668 | 31 1/4" | 79" | 21 3/4" | 66 1/8" |
| 3068 | 37 1/4" | 79" | 27 3/4" | 66 1/8" |
| 4068 | 49 1/4" | 79" | 39 3/4" | 66 1/8" |
| 8/0 Height | | 95" | | 82 1/8" |

Units will have:

- 4 3/4" top rails, 8 1/8" bottom rails, 4 3/4" stiles
- Mushroom bolts used until 2002



**Wood Active Panel
 Exterior View**









**Clad Active Panel
 Exterior View**






NOTE: Panels feature no bore (standard).
 Operating panels include sweep.
 Stationary panels include leveling block.

ULTIMATE SLIDING FRENCH DOOR WEATHER STRIP





When ordering replacement weather strip specify:

1. quantity;
2. length;
3. part number;
4. description.









| ILLUSTRATION <i>NOT TO SCALE</i> | DESCRIPTION | LENGTH | OPER./COLOR | PART NUMBER |
|---|--|----------------|-------------|---|
|  | Sill/Meeting Stile Weather strip V1138 | Specify Length | BG BZ | 15910499 15910799 |
|  | Bulb Weather strip, Meeting Stile V192 Used until June 2010 | 192" 192" | BG BK | (15900118) (15900117) Replaced by V1138 |
|  | Bulb Weather strip, Transom Sill Filler V775 | Specify Length | BG BK | 15610099 15610098 |
|  | Bulb Weather strip, Jambs, Astragal and Transom V796 | 189 23/32" | BG BK | 15173298 15173398 |
|  | Inactive Panel Stile Center V780 | 150" 150" | BG BK | 15174099 15174098 |
|  | Head Jamb, Parting Stop V1194 | 144" 150" | BG BK | 17003599 15977999 |

| ILLUSTRATION NOT TO SCALE | DESCRIPTION | LENGTH | OPER./ COLOR | PART NUMBER |
|---|--|---------------------|-----------------|----------------------|
|  | Stationary Panel Cover Pile Dust Block Adhesive backed 2 1/4" x 1 3/8" x 1/2" | | GY | 15600004 |
|  | Connecting Barb V803 NOTE: Color may vary depending on current stock. | Specify Length | | 15812999 |
|  | Interlock, Stationary and Operating Panel V1828 Attached with #6x1 1/2" Phillips panhead Stainless Steel screws | 116 5/16" (2954) | BG BK | 15215199 15216199 |
|  | Dust Block, Parting Stop 1 3/8" x 3/8" x 1/2" | | GY | 15600010 |
|  | Dust Block, Astragal or Panel 1 3/8" x 1/4" x 3/8" | | | 10500049 |





PARTS FOR LOCK STATUS SENSOR

| ILLUSTRATION NOT TO SCALE | DESCRIPTION | OPER./ COLOR | PART NO. |
|---|--|-----------------|----------|
|  | Tailpiece, Non-keyed, Button Switch | SS | 10501844 |
|  | Cover, Transmitter | BSS | 10501822 |
|  | #8-18 x 1" Type AB, Full Thread <i>Used for Transmitter Cover</i> <i>Need quantity of 2 for each part</i> | | 11800769 |
|  | Micro Switch Assembly | BK | 10501824 |


OBSOLETE PARTS

| ILLUSTRATION NOT TO SCALE | DESCRIPTION | COLOR | PART NO. |
|---|--|-----------|----------------------|
|  | <p>Bumper Block, Head Jamb Length: 4 1/2" (with rubber bumper)</p> | | 75151604 |
|  | <p>Door Stop, Sill V807 – 5"</p> | Beige | 18051311 |
|  | <p>Multi Lock Hardware Assembly <i>Includes:</i> 1 – Multi lock assembly 10 – #8x1 1/2" Phillips flathead wood screws (hardware assembly) <i>Used for pre 5/2002 doors</i></p> | ZYP SS | 10145001 NA |
|  | <p>Offset Mushroom Bolt</p> | ZYP SS | 11100413 NA |
|  | <p>Operator Panel Small Roller (Tandem-Adjustable) Used before 2002 <i>Includes:</i> 1 – Operator panel roller 2 – #8x1" Phillips flathead wood screws</p> | ZYP SS | 10820000 NA |
|  | <p>Operator Panel Large Roller (Tandem-Adjustable) <i>Includes:</i> 1 – Operator panel roller 2 – #8x1" Phillips flathead wood screws</p> | ZYP SS | 10820003 10820004 |
|  | <p>Inactive Panel Hardware Assembly <i>Includes:</i> 1 – Hardware assembly (A) 1 – Guide plate (B) 1 – Adjustable strike slide (C) 1 – Strike cover (D) 2 – #10-24x1 1/2" Phillips flathead machine screws with T-nuts (strike) 4 – #8x1 1/2" Phillips flathead wood screws (hardware assembly and guide plate)</p> | ZYP SS | 10510132 NA |
|  | <p>Locking Rod</p> <p>CN 6-5 ht. 34 5/32" (868) CN 6-8 ht. 37 13/32" (950) CN 8-0 ht. 50 15/16" (1294)</p> <p>NOTE: For special heights give dimension A.</p> | | NA |

OBSOLETE PARTS

| ILLUSTRATION NOT TO SCALE | DESCRIPTION | LENGTH-COLOR | PART NO. |
|---|--|-----------------|---|
|  | <p>Locking Rod</p> <p>CN 6-5 ht. 34 5/32" (868) CN 6-8 ht. 37 13/32" (950) CN 8-0 ht. 53 13/32" (1357)</p> <p>NOTE: For special heights give dimension A.</p> | | <p>NA NA 10830013</p> |
|  | <p>Leveling Block Cap</p> | <p>BG</p> | <p>11868010</p> |
|  | <p>Foam Backer Rod Specify Length Clad Only</p> | <p>GY</p> | <p>10500204</p> |
|  | <p>Sill Weather Strip V791 Color: Beige</p> | <p>99 5/16"</p> | <p>15641160</p> |

OBSOLETE PARTS


| ILLUSTRATION NOT TO SCALE | DESCRIPTION | COLOR | PART NO. |
|---|--|------------------|------------------------------|
|  | <p>Head Jamb, Parting Stop, Astragal V795</p> <p style="text-align: right;">79 5/16" 79 5/16"</p> | <p>BG BK</p> | <p>15646068 15646069</p> |

OBSOLETE REPLACEMENT WOOD PARTS


Built around you.®

OBSOLETE REPLACEMENT WOOD PARTS


| | Clad | Wood |
|---|-------|-------|
| Head Jamb Filler | W7516 | W7516 |
| Stationary Panel Top Filler | --- | W7506 |
| Leveling Block Filler | W7508 | W7508 |
| Head Jamb Liner | W7274 | W7274 |
| Sill Liner | W7532 | --- |
| Panel Top Track | W7583 | W7583 |
| Panel Guide | W7502 | W7502 |
| Astragal for OXXO | W7570 | W7509 |
| Bottom Rail Block (Stationary) | W7510 | W7510 |
| NOTE: Replacement wood parts are supplied with connecting barb (where applicable). | | |




W7516 – Head Jamb Filler




W7506 – Stationary Panel Top Filler – Wood




W7508 – Leveling Block Filler




W7274 – Head Jamb Liner




W7532 – Sill Liner (oak)




W7583 – Panel Top Track




W7502 – Panel Guide



W7570 – Astragal for OXXO – Clad



W7509 – Astragal for OXXO – Wood



W7510 – Bottom Rail Block (Stationary)

TO ORDER OBSOLETE REPLACEMENT WOOD PARTS

When ordering replacement wood parts specify:


1. profile number;
2. rough opening;
3. handing;
4. length;
5. finish.

OBSOLETE REPLACEMENT WOOD PARTS


| OBSOLETE | Clad | Wood |
|--|-------|--------|
| Stationary Panel Top Filler | W7572 | --- |
| Stationary Jamb Filler | W7576 | W7501 |
| Jamb Liner | W7505 | W7505 |
| Center Jamb Liner | W7514 | W7514 |
| Head Jamb and Jamb Parting Stop | --- | *W7500 |
| Interior Cover | W7515 | W7515 |
| Panel Top Track | --- | W7503 |
| Panel Top Track | W7573 | W7573 |
| Sill Nosing (Transom – pre-June 24, 2013) | --- | W8653 |
| Exterior Part Stop (Transom – pre-June 24, 2013) | --- | W8474 |
| Interior Glazing Bead Direct Glaze Transom Pre-June 24, 2013 | W4160 | W4160 |

NOTE: Replacement wood parts are supplied with connecting barb (where applicable).


* No longer available (shaded).




W7572 – Stationary Panel Top Filler – Clad




W7576 – Stationary Jamb Filler – Clad




W7501 – Stationary Jamb Filler – Wood




W7505 – Jamb Liner




W7514 – Center Jamb Liner



*W7500 – Head Jamb and Jamb Parting Stop – Wood



W7515 Interior Cover




W7503 – Panel Top Track – Wood


TO ORDER REPLACEMENT WOOD PARTS

When ordering replacement wood parts specify:


1. profile number;
2. call number or rough opening;
3. handing;
4. length;
5. finish.




W7573 – Panel Top Track



W8653 – Sill Nosing



W8474 – Exterior Part Stop




W4160


ORDERING REPLACEMENT VINYL, ALUMINUM OR FIBERGLASS PARTS FOR THE SLIDING FRENCH DOOR

| | Clad | Wood |
|---|------------|------------|
| Roller Track – Beige | V786* | ---- |
| Leveling Block – Beige | V792 | V792 |
| Stationary Panel Fastener and Panel Guide Fastener <i>NOTE: Color may vary depending on current stock.</i> | V793* | V793* |
| Panel Drip – Beige | V800 | V800 |
| Panel Drip – Beige or Black | V1012 | V1012 |
| Roller Track Cover – Beige | V830* | ---- |
| Sill Track (for interior oak sill) | ---- | A640 |
| Ultrex Sill – Beige | F254* | F254* |
| Stationary Panel Clad Filler | ---- | A703 |
| Screen Track | ---- | *A641 |
| Sill Cover and Ultrex Sill Core Assembly – Beige | V790/F250* | V790/F250* |


* No longer available (shaded). V786 and V830 are no longer available, no replacement.




*V786 – Roller Track
No longer available




V792 – Leveling Block




*V793 – Stationary
Panel Fastener and
Panel Guide Fastener




V800 – Panel Drip




V1012 – Panel Drip




*V830 – Roller
Track Cover
No longer available




A640 – Sill Track
(For interior oak sill)



*F254 – Ultrex Sill



A703 – Stationary Panel
Clad Filler




*V790/F250 – Sill cover and
Ultrex Sill Core Assembly

TO ORDER REPLACEMENT PARTS

When ordering replacement parts specify:

1. profile number;
2. rough opening;
3. length;
4. handing;
5. finish.



A641* – Screen Track
Replaced by A777


ORDERING OBSOLETE REPLACEMENT PANELS FOR THE SLIDING FRENCH DOOR

To order replacement panels specify:

1. OM of panel;
NOTE: OM of panel does not include astragal.
2. active, inactive or stationary (specify astragal if applicable);
3. handing;
4. glazing;
5. finish;
6. Pre 2002;



**Wood Active Panel
Exterior View**



**Clad Active Panel
Exterior View**





NOTE: Active panels include sash rollers, meeting stile Weather Strip, panel drip and interlock.

Inactive panels include sash rollers, meeting stile Weather Strip, panel drip, interlock and astragal with mushroom bolts and Weather Strip.









Recommended order with hardware installed, if not astragal separate.

Stationary panels include panel fastener, clad panels also include a stationary top filler.

DISCONTINUED PARTS

| ILLUSTRATION NOT TO SCALE | DESCRIPTION | OPER./COLOR | PART NO. |
|---|---|--|--|
|  | <p>Handle, Solid Brass, Non-Keyed</p> | <p>Left Hand Brass Antique Brass Polished Chrome Brushed Chrome White PVD</p> <p>Right Hand Brass Antique Brass Polished Chrome Brushed Chrome White PVD</p> | <p>NA</p> <p>Use current wide style handle. Refer to Service Manual for retrofit instructions.</p> |
|  | <p>Handle, Solid Brass, Keyed (Schlage "C" Keyway)</p> | <p>Left Hand Brass Antique Brass Polished Chrome Brushed Chrome White PVD</p> <p>Right Hand Brass Antique Brass Polished Chrome Brushed Chrome White PVD</p> | <p>NA</p> <p>Use current wide style handle. Refer to Service Manual for retrofit instructions</p> |
|  | <p>Escutcheon Plate, Keyed (Schlage "C" Keyway) Non-Handed</p> | <p>Brass</p> | <p>NA</p> |
|  | <p>Stop clip with screws</p> | | <p>00142016 Check for availability</p> |

DISCONTINUED PARTS

| ILLUSTRATION NOT TO SCALE | DESCRIPTION | OPER./COL OR | PART NO. |
|---|---|-----------------|--|
|  | Auxiliary Foot Bolt, Package | BG | N/A Replaced by Auxiliary Foot bolt Kit |
|  | Interlock, Stationary and Operating Panel V797 | | N/A Replaced by V1828 |
|  | #10-32x2" Phillips Oval Head Machine Screw | Polished Chrome | NA |
|  | Foam, Leveling Block Gasket 5/16" x 3/4" x 2" | BK | NA |
|  | Foam Gasket, Roller Track at Center Jamb | BK | NA |
|  | Foam Gasket, Roller Track at Locking Jamb | BK | NA |
|  | Pile Block, Screen Roller Bar 1/2" x 3/8" x 5/8" Adhesive backed | GY | NA |
|  | Automatic Screen Door Closer Assembly | WH | NA |