

ENERGY STAR MOST EFFICIENT

The ENERGY STAR® Most Efficient classification recognizes products that meet high energy-efficiency guidelines. Marvin® offers the industry's widest selection of wood and clad wood products that meet the rigorous Most Efficient criteria.

ENERGY STAR MOST EFFICIENT					
OPERATING STYLE	U-FACTOR MAX = .20		SHGC		PG
	MIN	MAX	MIN	MAX	MIN = 15
HUNG					
Clad Ultimate Double/Single Hung - Next Generation	0.15	0.20	0.14	0.37	40
Clad Ultimate Double Hung Picture - Next Generation	0.18	0.20	0.15	0.42	50
Clad Ultimate Double Hung Transom - Next Generation	0.18	0.20	0.15	0.43	50
Clad Ultimate Double Hung Round Top Picture Transom - Next Generation	0.18	0.20	0.15	0.43	50
Clad Ultimate Double/Single Hung Picture Round Top - Next Generation	0.19	0.20	0.14	0.26	50
Wood Ultimate Double/Single Hung	0.15	0.20	0.14	0.37	30
Wood Ultimate Double Hung Picture 1 5/8" Sash	0.17	0.20	0.17	0.46	40
Clad Ultimate Insert Double/Single Hung	0.20	0.20	0.14	0.26	30
Wood Ultimate Insert Double/Single Hung	0.19	0.19	0.17	0.29	30
Clad Ultimate Insert Double Hung Picture	0.17	0.20	0.15	0.43	40
Wood Ultimate Double Hung Picture 2" Sash	0.16	0.20	0.14	0.43	40
Wood Ultimate Double/Single Hung Round Top	0.18	0.20	0.16	0.29	30
Wood Ultimate Double Hung Picture Round Top 2" Sash	0.16	0.20	0.14	0.41	60
Wood Ultimate Double Hung Transom	0.17	0.20	0.18	0.47	40
Wood Ultimate Double Hung Transom Round Top 2" Sash	0.15	0.20	0.15	0.42	30
Clad Ultimate Double/Single Hung Magnum	0.17	0.20	0.14	0.37	35
Wood Ultimate Double/Single Hung Magnum	0.15	0.20	0.14	0.50	35
Clad Ultimate Double Hung Picture IZ3 Magnum	0.17	0.20	0.15	0.42	50
Clad Simulated Double Hung Hopper	0.20	0.20	0.14	0.26	30
TILT-TURN					
Clad Magnum Tilt-Turn	0.20	0.20	0.14	0.25	40
Wood Magnum Tilt-Turn	0.17	0.20	0.13	0.38	40
Wood Magnum Tilt-Turn 4 9/16" Jamb	0.18	0.20	0.12	0.36	40

ENERGY STAR MOST EFFICIENT					
OPERATING STYLE	U-FACTOR MAX = .20		SHGC		PG
	MIN	MAX	MIN	MAX	MIN = 15
CASEMENT					
Clad Ultimate Casement	0.18	0.20	0.14	0.39	50
Wood Ultimate Casement	0.17	0.20	0.13	0.38	50
Clad Ultimate Casement Picture	0.15	0.20	0.15	0.45	50
Wood Ultimate Casement Picture	0.15	0.20	0.15	0.44	50
Clad Ultimate Pushout Casement	0.19	0.20	0.14	0.25	35
Wood Ultimate Pushout Casement	0.18	0.20	0.13	0.38	35
Clad Ultimate Pushout Casement Picture	0.16	0.20	0.15	0.45	50
Wood Ultimate Pushout Casement Picture	0.15	0.20	0.15	0.44	50
Clad Ultimate Casement Round Top Operator/Stationary	0.19	0.20	0.14	0.25	50
Wood Ultimate Casement Round Top Operator/Stationary	0.19	0.20	0.13	0.25	50
Clad Ultimate Casement Venting Picture	0.15	0.20	0.15	0.45	40
Clad Inswing Casement	0.20	0.20	0.14	0.20	35
AWNING					
Clad Ultimate Awning	0.18	0.20	0.13	0.39	40
Wood Ultimate Awning	0.18	0.20	0.12	0.36	50
Clad Ultimate Pushout Awning	0.19	0.20	0.14	0.25	30
Wood Ultimate Pushout Awning	0.18	0.20	0.12	0.37	30
GLIDER					
Clad Ultimate Glider	0.18	0.20	0.18	0.31	35
Wood Ultimate Glider	0.16	0.20	0.17	0.42	35
DIRECT GLAZE					
Clad Direct Glaze Polygon	0.13	0.20	0.17	0.59	50
Wood Direct Glaze Polygon	0.13	0.20	0.16	0.47	50
Clad Direct Glaze Round Top	0.14	0.20	0.17	0.61	50
Wood Direct Glaze Round Top	0.13	0.20	0.17	0.49	50