
























SLIDING PATIO DOOR

2 Panel

MO (mm)	4-11 1/2 (1511)	5-11 1/2 (1816)	7-11 1/2 (2426)			
RO (mm)	5-0 (1524)	6-0 (1829)	8-0 (2438)			
FS (mm)	4-11 (1499)	5-11 (1803)	7-11 (2413)			
DLO (mm)	2-1 (635)	2-7 (787)	3-7 (1092)			
6-7 3/4 (2026)						
6-8 (2032)	ELSPD5065 XO	ELSPD5065 OX	ELSPD6065 XO	ELSPD6065 OX	ELSPD8065 XO	ELSPD8065 OX
6-7 1/2 (2019)						
6-0 1/32 (1803)	ELSPD5068 XO	ELSPD5068 OX	ELSPD6068 XO	ELSPD6068 OX	ELSPD8068 XO	ELSPD8068 OX
6-10 1/4 (2089)						
6-10 1/2 (2096)	ELSPD5070 XO	ELSPD5070 OX	ELSPD6070 XO	ELSPD6070 OX	ELSPD8070 XO	ELSPD8070 OX
6-10 (2083)						
6-2 17/32 (1893)	ELSPD5080 XO	ELSPD5080 OX	ELSPD6080 XO	ELSPD6080 OX	ELSPD8080 XO	ELSPD8080 OX
7-2 1/4 (2191)						
7-2 1/2 (2197)	ELSPD5080 XO	ELSPD5080 OX	ELSPD6080 XO	ELSPD6080 OX	ELSPD8080 XO	ELSPD8080 OX
7-2 (2184)						
6-6 17/32 (1995)	ELSPD5080 XO	ELSPD5080 OX	ELSPD6080 XO	ELSPD6080 OX	ELSPD8080 XO	ELSPD8080 OX
7-11 3/4 (2432)						
8-0 (2438)	ELSPD5080 XO	ELSPD5080 OX	ELSPD6080 XO	ELSPD6080 OX	ELSPD8080 XO	ELSPD8080 OX
7-11 1/2 (2426)						
7-4 1/32 (2236)	ELSPD5080 XO	ELSPD5080 OX	ELSPD6080 XO	ELSPD6080 OX	ELSPD8080 XO	ELSPD8080 OX

Details and Elevations not to scale.

Optional Direct Glaze GBGs and SDLs are available in a standard Rectangular cut, as shown. Alternate lite cuts available to align with doors using select lite cut options shown on page 3. Optional Round Top SDL and SDL with Spacer Bar are available in a standard cut, as shown. Round Top GBG cuts are shown on page 35. (Round Top divided lites not available in other lite cuts)

For further details and drawings visit the 'Technical Specifications' section at Marvin.com.

MULTIPLE ASSEMBLIES

Multiple assembly units can be factory mulled up to 1 unit wide by 2 units high.

MAXIMUM ROUGH OPENING not to exceed 72" x 100 1/2"






























Field mull kits available not to exceed 110" x 112"

True Half Rounds are available field mulled only. Structural mullion reinforcement is required for some assemblies.

Please consult your local Marvin representative for more information.

MARVIN ELEVATE® COLLECTION
SLIDING PATIO DOOR

3 Panel

MO (mm)	7-5 (2261)				8-11 (2718)
RO (mm)	7-5 1/2 (2273)				8-11 1/2 (2731)
FS (mm)	7-4 1/2 (2248)				8-10 1/2 (2705)
DLO (mm)	2-1 (635)				2-7 (787)
6-7 3/4 (2026) 6-8 (2032) 6-7 1/2 (2019) 6-0 1/32 (1803)					
	ELSPD7665 OXO - RH	ELSPD7665 OXO - LH	ELSPD7665 XOO	ELSPD7665 OOX	ELSPD9065 OXO - RH
					
	ELSPD7668 OXO - RH	ELSPD7668 OXO - LH	ELSPD7668 XOO	ELSPD7668 OOX	ELSPD9068 OXO - RH
6-10 1/4 (2089) 6-10 1/2 (2096) 6-10 (2083) 6-2 17/32 (1893)					
	ELSPD7670 OXO - RH	ELSPD7670 OXO - LH	ELSPD7670 XOO	ELSPD7670 OOX	ELSPD9070 OXO - RH
					
	ELSPD7680 OXO - RH	ELSPD7680 OXO - LH	ELSPD7680 XOO	ELSPD7680 OOX	ELSPD9080 OXO - RH
7-2 1/4 (2191) 7-2 1/2 (2197) 7-2 (2184) 6-6 17/32 (1995)					
	ELSPD7680 OXO - RH	ELSPD7680 OXO - LH	ELSPD7680 XOO	ELSPD7680 OOX	ELSPD9080 OXO - RH
					
	ELSPD7680 OXO - RH	ELSPD7680 OXO - LH	ELSPD7680 XOO	ELSPD7680 OOX	ELSPD9080 OXO - RH
7-11 3/4 (2432) 8-0 (2438) 7-11 1/2 (2426) 7-4 1/32 (2236)					
	ELSPD7680 OXO - RH	ELSPD7680 OXO - LH	ELSPD7680 XOO	ELSPD7680 OOX	ELSPD9080 OXO - RH
					
	ELSPD7680 OXO - RH	ELSPD7680 OXO - LH	ELSPD7680 XOO	ELSPD7680 OOX	ELSPD9080 OXO - RH

















Details and Elevations not to scale.

Optional Direct Glaze GBGs and SDLs are available in a standard Rectangular cut, as shown. Alternate lite cuts available to align with doors using select lite cut options shown on page 3. Optional Round Top SDL and SDL with Spacer Bar are available in a standard cut, as shown. Round Top GBG cuts are shown on page 35 and 46. (Round Top divided lites not available in other lite cuts)

For further details and drawings visit the 'Technical Specifications' section at Marvin.com.

SLIDING PATIO DOOR

3 Panel

MO (mm)	8-11 (2718)		11-11 (3632)	
RO (mm)	8-11 1/2 (2731)		11-11 1/2 (3645)	
FS (mm)	8-10 1/2 (2705)		11-10 1/2 (3620)	
DLO (mm)	2-7 (787)		3-7 (1092)	
6-7 3/4 (2026)				
6-8 (2032)	ELSPD9065 OXO - LH	ELSPD9065 XO	ELSPD9065 OOX	ELSPD12065 OXO - RH
6-7 1/2 (2019)				
6-0 1/32 (1803)	ELSPD9068 OXO - LH	ELSPD9068 XO	ELSPD9068 OOX	ELSPD12068 OXO - RH
6-10 1/4 (2089)				
6-10 1/2 (2096)	ELSPD9070 OXO - LH	ELSPD9070 XO	ELSPD9070 OOX	ELSPD12070 OXO - RH
6-10 (2083)				
6-2 17/32 (1893)	ELSPD9080 OXO - LH	ELSPD9080 XO	ELSPD9080 OOX	ELSPD12080 OXO - RH
7-2 1/4 (2191)				
7-2 1/2 (2197)	ELSPD9080 OXO - LH	ELSPD9080 XO	ELSPD9080 OOX	ELSPD12080 OXO - RH
7-2 (2184)				
6-6 17/32 (1995)	ELSPD9080 OXO - LH	ELSPD9080 XO	ELSPD9080 OOX	ELSPD12080 OXO - RH
7-11 3/4 (2432)				
8-0 (2438)	ELSPD9080 OXO - LH	ELSPD9080 XO	ELSPD9080 OOX	ELSPD12080 OXO - RH
7-11 1/2 (2426)				
7-4 1/32 (2236)	ELSPD9080 OXO - LH	ELSPD9080 XO	ELSPD9080 OOX	ELSPD12080 OXO - RH

MULTIPLE ASSEMBLIES

Multiple assembly units can be factory mullied up to 1 unit wide by 2 units high.

MAXIMUM ROUGH OPENING not to exceed 72" x 100 1/2"













Field mull kits available not to exceed 110" x 112".

True Half Rounds are available field mullied only. Structural mullion reinforcement is required for some assemblies.

Please consult your local Marvin representative for more information.

MARVIN ELEVATE® COLLECTION
SLIDING PATIO DOOR

3 Panel

MO (mm)	11-11 (3632)		
RO (mm)	11-11 1/2 (3645)		
FS (mm)	11-10 1/2 (3620)		
DLO (mm)	3-7 (1092)		
6-7 3/4 (2026)			
6-8 (2032)			
6-7 1/2 (2019)			
6-0 1/32 (1803)			
6-10 1/4 (2089)			
6-10 1/2 (2096)			
6-10 (2083)			
6-2 17/32 (1893)			
7-2 1/4 (2191)			
7-2 1/2 (2197)			
7-2 (2184)			
6-6 17/32 (1995)			
7-11 3/4 (2432)			
8-0 (2438)			
7-11 1/2 (2426)			
7-4 1/32 (2236)			













Details and Elevations not to scale.

Optional Direct Glaze GBGs and SDLs are available in a standard Rectangular cut, as shown. Alternate lite cuts available to align with doors using select lite cut options shown on page 3. Optional Round Top SDL and SDL with Spacer Bar are available in a standard cut, as shown. Round Top GBG cuts are shown on page 35.
(Round Top divided lites not available in other lite cuts)

For further details and drawings visit the 'Technical Specifications' section at Marvin.com.

SLIDING PATIO DOOR

4 Panel

MO (mm)	9-9 1/2 (2985)	11-9 1/2 (3594)	15-9 1/2 (4813)
RO (mm)	9-10 (2997)	11-10 (3607)	15-10 (4826)
FS (mm)	9-9 (2972)	11-9 (3581)	15-9 (4801)
DLO (mm)	2-1 (635)	2-7 (787)	3-7 (1092)
6-7 3/4 (2026)			
	ELSPD10065 OXXO	ELSPD12065 OXXO	ELSPD16065 OXXO
6-8 (2032)			
	ELSPD10068 OXXO	ELSPD12068 OXXO	ELSPD16068 OXXO
6-7 1/2 (2019)			
	ELSPD10070 OXXO	ELSPD12070 OXXO	ELSPD16070 OXXO
6-0 1/32 (1803)			
	ELSPD10080 OXXO	ELSPD12080 OXXO	ELSPD16080 OXXO
6-10 1/4 (2089)			
6-10 1/2 (2096)			
6-10 (2083)			
6-2 17/32 (1893)			
7-2 1/4 (2191)			
7-2 1/2 (2197)			
7-2 (2184)			
6-6 17/32 (1995)			
7-11 3/4 (2432)			
8-0 (2438)			
7-11 1/2 (2426)			
7-4 1/32 (2236)			

MULTIPLE ASSEMBLIES

Multiple assembly units can be factory mullied up to 1 unit wide by 2 units high.

MAXIMUM ROUGH OPENING not to exceed 72" x 100 1/2"

Field mull kits available not to exceed 110" x 112".

True Half Rounds are available field mullied only. Structural mullion reinforcement is required for some assemblies.

Please consult your local Marvin representative for more information.