



# Vivid Outswing French Door

Replacement  
Parts

Specifications and technical data are subject to change without notice.

Numbers listed in ( ) parentheses are metric equivalents in millimeters rounded to the nearest whole number.

Suggested fasteners are not included and must be ordered separately.


Illustrations are not to scale.

## Contents

Product History.....	2
Part Identification - Two Panel Operator XX.....	3
Part Identification - One Panel Operator X.....	4
Part Identification - Two Panel Operator OXL/XOR.....	5
Part Identification - Two Panel Operator XOL/OXR.....	6
Part Identification - Single Panel Stationary O.....	7
Part Identification - Two Panel Stationary OO.....	8
Part Identification - Three Panel Stationary OXO.....	9
Handles .....	10
Hinge Handing Location .....	16
Hinges.....	17
Locking Hardware.....	18
Miscellaneous Parts .....	26
Fasteners.....	28
Aluminum Parts - Configured Parts in OMS .....	31
Vinyl Parts.....	32
Vinyl Parts - Configured Parts in OMS.....	33
Wood Parts - Configured Parts in OMS .....	34
Weather Strip - Configured Parts in OMS.....	35


Produced	Unit Type	Features and Changes
2025	Inswing French Door	09/29/2025: Introduced the Vivid Inswing French Door.


Head Jamb and Sill Detail



1. Head Jamb Nailing Fin w/Drip Cap, V119
2. Connecting Barb, V803
3. Panel Stop, Head Jamb
4. Head Jamb Weather Strip
5. Sill Weather Strip
6. Sill Liner
7. Sill Retainer
8. Panel Sweep
9. Weather Strip, Eurogrove
10. Astragal Cap, Exterior
11. Interior Astragal Weather Strip
12. Hinged Nailing Fin, V104
13. Astragal Cap, Interior
14. Astragal Base, Interior
15. Panel Stop, Jamb
16. Astragal Base, Exterior
17. Astragal Weather Strip, Exterior
18. Jamb Stop Weather Strip
19. Active Multi-Point
20. Inactive Multi-Point


Jamb Detail






**Jamb Detail**

1. Panel Stop, Jamb
2. Connecting Barb
3. Jamb Stop Weather Strip
4. Weather Strip, Eurogroove
5. Locking/Stat Panel Weather Strip, Panel
6. Active Multi-Point
7. Hinged Nailing Fin, V104




**Jamb Detail**

1. Weather Strip, Eurogroove
2. Astragal Cap, Exterior, A1464
3. Astragal Weather Strip, Interior
4. Hinged Nailing Fin, V104
5. Connecting Barb, V803
6. Astragal Cap, Interior
7. Astragal Base, Interior
8. Locking/Stat Stile Weather Strip, Panel
9. Stationary Jamb Retainer
10. Panel Stop, Jamb
11. Astragal Base, Exterior
12. Astragal Weather Strip, Exterior
13. Jamb Stop Weather Strip
14. Active Multi-Point




**Jamb Detail**

1. Stationary Jamb Retainer
2. Astragal Weather Strip, Interior
3. Hinged Nailing Fin, V104
4. Connecting Barb, V803
5. Astragal Cap, Interior
6. Astragal Base, Interior
7. Locking/Stat Stile Weather Strip, Panel
8. Panel Stop, Jamb
9. Jamb Stop Weather Strip
10. Active Multi-Point



**Jamb Detail**


1. Panel Stop, Head Jamb
2. Connecting Barb, V803
3. Jamb Stop Weather Strip
4. Stationary Panel Clip
5. Locking/Stat Stile Weather Strip, Panel
6. Hinged Nailing Fin, V104



**Jamb Detail**

1. Hinged Nailing Fin, V104
2. Connecting Barb, V803
3. Astragal Cap, Interior
4. Astragal Base, Interior
5. Astragal Weather Strip, Interior
6. Jamb Stop Weather Strip
7. Panel Stop, Jamb
8. Locking/Stat Stile Weather Strip, Panel
9. Stationary Panel Clip
10. Astragal Base, Exterior
11. Astragal Cap, Exterior
12. Astragal Weather Strip, Exterior
13. Panel Clip, (OO,OOO,XOO)
14. Stationary Jamb Retainer





**Jamb Detail**

1. Astragal Cap, Exterior
2. Astragal Weather Strip, Interior
3. Hinged Nailing Fin, V104
4. Connecting Barb, V803
5. Astragal Cap, Interior
6. Astragal Base, Interior
7. Locking/Stat Stile Weather Strip, Panel
8. Stationary Jamb Retainer
9. Panel Stop
10. Astragal Weather Strip, Exterior
11. Jamb Stop Weather Strip
12. Active Multi-Point


# Cambridge Primary Handle Set, Exterior

## Includes:

- 1 - Exterior handle
- 1 - Exterior escutcheon
- 1 - Hardware gasket
- 1 - Z Clip
- 1 - Z Clip screw
- 1 - Keyed cylinder
- 2 - Keys

NOTE: Escutcheon width 1.350"

Color	XX-R, X-R	XX-L, X-L
Stone White	11868031	11868019
Satin Nickel PVD	11868029	11868024
Oil Rubbed Bronze PVD	11868030	11868025
Matte Black	11868069	11868068




XX-L X-L shown

# Cambridge Primary Handle Set, Interior

## Includes:

- 1 - Interior handle
- 1 - Interior escutcheon
- 1 - Spring cassette
- 1 - Spindle
- 1 - Thumb turn
- 2 - M5 x 58 machine screws

Color	XX-R, X-R	XX-L, X-L
Stone White	11869210	11869209
Satin Nickel PVD	11869109	11869104
Oil Rubbed Bronze PVD	11869110	11869105
Matte Black	11869149	11869169



XX-L, X-L shown


## Cambridge Secondary Handle Set, Exterior

### Includes:

- 1 - Exterior handle
- 1 - Exterior escutcheon
- 1 - Hardware gasket

NOTE: Escutcheon width 1.350"

Color	XX-L	XX-R
Stone White	11868037	11868032
Satin Nickel PVD	11868049	11868044
Oil Rubbed Bronze PVD	11868050	11868045
Matte Black	11868071	11868070




XX-L shown

## Cambridge Secondary Handle Set, Interior

### Includes:

- 1 - Interior handle
- 1 - Interior escutcheon
- 1 - Spring cassette
- 1 - Spindle
- 2 - M5 x 58 machine screws

Color	XX-L	XX-R
Stone White	11869227	11869222
Satin Nickel PVD	11869129	11869124
Oil Rubbed Bronze PVD	11869130	11869125
Matte Black	11869159	11869150




XX-R shown

## Northfield Primary Handle Set, Exterior

**Includes:**

- 1 - Exterior handle
- 1 - Exterior escutcheon
- 1 - Hardware gasket
- 1 - Z Clip
- 1 - Z Clip screw
- 1 - Keyed cylinder
- 2 - Keys

Color	PN
Stone White	11869162
Satin Nickel PVD	11869164
Oil Rubbed Bronze PVD	11869165
Matte Black	11869168




## Northfield Primary Handle Set, Interior

**Includes:**

- 1 - Interior handle
- 1 - Interior escutcheon
- 1 - Spring cassette
- 1 - Spindle
- 1 - Thumb turn
- 2 - M5 x 58 machine screws

Color	PN
Stone White	11869152
Satin Nickel PVD	11869154
Oil Rubbed Bronze PVD	11869155
Matte Black	11869160




## Northfield Secondary Handle Set, Exterior

**Includes:**

- 1 - Exterior handle
- 1 - Exterior escutcheon
- 1 - Handle gasket

Color	PN
Stone White	11869182
Satin Nickel PVD	11869184
Oil Rubbed Bronze PVD	11869185
Matte Black	11869190




## Northfield Secondary Handle Set, Interior

**Includes:**

- 1 - Interior handle
- 1 - Interior escutcheon
- 1 - Spring cassette
- 1 - Spindle
- 2 - M5 x 58 machine screws


Color	PN
Stone White	11869172
Satin Nickel PVD	11869174
Oil Rubbed Bronze PVD	11869175
Matte Black	11869180



## Escutcheon Plate Screws


NOTE: 1-M5 x 58 machine screw

Color	PN
White	11805188
Satin Nickel PVD	11805190
Oil Rubbed Bronze PVD	11805191
Matte Black	11805143



## Spring Cassette

PN
11860960




## Z-Clip

Includes:

2 - Fasteners

NOTE: Used on both Cambridge and Northfield hardware

PN
11860967



## Keyed Cylinder with Keys


Includes:

2 - Keys

NOTE: Schlage cylinder


NOTE: For keyed alike cylinders, please contact your Marvin representative. Please supply the original order number if possible.

Color	PN
Brass	11860963




## Replacement Washers

PN
11860964



### Split Ring

PN
11860966




### Hardware Gasket

PN
11860969




### Clip, Thumb Turn

PN
11860972




### Spindle


PN
11860962



**NOTE: Always view units from the exterior for handing.**  
**H=Hinge location**




**RH Outswing**



**X-RH Outswing**  
 This panel uses the right hand hinge

**X-LH Outswing**  
 This panel uses the left hand hinge




**LH Outswing**



## Adjustable Hinge

NOTE: If replacing a hinge, 1 Hinge Gasket is needed

Color	RH (XR)	LH (XL)
White	11861807	11861808
Satin Nickel PVD	11861813	11861814
Oil Rubbed Bronze PVD	11861815	11861816
Ebony	11861817	11861818



RH shown

Suggested Fasteners	
2 - 5/8" Phillips Flat Head Screw needed if panel is hinged from frame	
Color	EA PN
Stainless Steel	11805180
Stone White	11805155
Dark Brown*	11805156


Suggested Fasteners	
6 - 2 1/2" Phillips Flat Head Screw needed if panel is hinged from frame	
8 - 2 1/2" Phillips Flat Head Screw needed if panel is hinged from panel	
Color	EA PN
Stainless Steel	11800648
Stone White	11805163
Dark Brown*	11805164

\*Oil Rubbed Bronze and Ebony hinges use Dark Brown fasteners

## Hinge Spacer Block

NOTE: Only used when panel is hung from another panel

Color	PN
Black	11860209



## Hinge Gasket

PN
11705150


No image available

## Active Multi-Point

### Includes:

- 1 - Lock assembly with faceplate, deadbolt, latch and shoot bolts
- 11 (13 on 8/0) - #8 x 1 1/2" Phillips flat head Stainless Steel screws
- 2 - #8-15 x 2 1/2" Type AT/F, 2/3 thread, Stainless Steel screws

CN	Color	PN
6-5	Stainless Steel	11896701
6-8		11896702
7-0		11895700
8-0		11896703



## Special Size Active Multi-Point

### Includes:

- 1 - Lock assembly with faceplate, deadbolt, latch and lower shoot bolts
- 1 - Top shoot bolt extension
- 12 - #8 x 1 1/2" Phillips flat head Stainless Steel screws
- 2 - #8-15 x 2 1/2" Type AT/F, 2/3 thread, Stainless Steel screws


Color	PN
Stainless Steel	11895701

## Inactive Multi-Point

### Includes:

- 1 - Lock assembly with faceplate and shoot bolts
- 11 (13 on 8/0) - #8 x 1 1/2" Phillips flat head Stainless Steel screws

CN	Color	PN
6-5	Stainless Steel	11896704
6-8		11896705
7-0		11894700
8-0		11896706



## Special Size Inactive Multi-Point


### Includes:

- 1 - Lock assembly with faceplate and lower shoot bolts
- 1 - Top shoot bolt extension
- 12 - #8 x 1 1/2" Phillips flat head Stainless Steel screws

Color	PN
Stainless Steel	11894701


Multi-Point Lockbox, Active

PN
11896707



Multi-Point Lockbox, Passive


PN
11896708



## Strike Plate, Header, X

RH PN	LH PN
11862576	11862577


Suggested Fasteners	
Uses:	PN
2 - #8 x 5/8" Phillips Flat Head Screws	11805180



## Strike Plate, Header, XX

PN
11862574


Suggested Fasteners	
Uses:	PN
2 - #8 x 5/8" Phillips Flat Head Screws	11805180
2 - #8 x 2 1/2" Phillips Flat Head Screws	11800648



## Strike Plate, Stationary Lock Bar, XO/OX

PN
11862604


Suggested Fasteners	
Uses:	PN
2 - #8 x 5/8" Phillips Flat Head Screws	11805180
2 - #8 x 2 1/2" Phillips Flat Head Screws	11800648



## Strike Plate, Meeting, XO


RH PN	LH PN
11862636	11862637

Suggested Fasteners	
Uses:	PN
2 - #8 x 5/8" Phillips Flat Head Screws	11805180
2 - #8 x 2 1/2" Phillips Flat Head Screws	11800648




## Stationary Lock Bar

PN	Suggested Fasteners	
11860366	Uses:	EA PN
	2 - #8 x 2 1/2" Phillips pan head screw	11800648




## Twin Bolt Support Bracket

Color	PN	Suggested Fasteners	
Stainless Steel	11860477	Uses:	PN
		2 - #8 x 1" pan head screw	11805185




## Stationary Bracket, Sill

PN	Suggested Fasteners	
11862595	Uses per bracket:	EA PN
	4 - #8 x 3/4" Phillips pan head screw	11805185




## Stationary Bracket, Panel

PN	Suggested Fasteners	
11862662	Uses:	EA PN
	2 - #8 x 1 3/4" Phillips pan head screw	11808176



## Strike Plate Backer

Color	PN
Black	118407




## Top Shoot Bolt Guide

### Includes:


- 1 - Guide
- 1 - #8 x 1" Phillips pan head screw (11805185)

LH PN	RH PN
11896564	11896563




## Bolt Plug, Locking Jamb

Color	PN
Black	11862552



## Latch Plug, Locking Jamb

Color	PN
Black	11862553




## Sill Strike, X

NOTE: If replacing a sill strike, 1 Gasket is needed


Color	LH PN	RH PN
Beige	11862591	11862596
Black	11862592	11862597

Suggested Fasteners	
Uses/Color	EA PN
1 - #8-15 x 3/4" Type A/Tek-2, Full Thread Screw	
Ebony	11800247
Cashmere	11800246



## Gasket, Sill Strike, X

PN
10500621




## Sill Strike, XX

NOTE: If replacing a sill strike, 2 Gaskets are needed


Color	PN
Beige	11860548
Black	11860549

Suggested Fasteners	
Uses/Color	EA PN
2 - #8-15 x 3/4" Type A/Tek-2, Full Thread Screw	
Ebony	11800247
Cashmere	11800246



## Gasket, Sill Strike, XX

PN
10500619




## Strike Plate, Locking Jamb

**Includes:**

- 1 - Jamb strike plate
- 2 - #8 x 5/8" Phillips flat head screws  
(Stainless Steel 11805180)
- 1 - #8 x 2 1/2" Phillips flat head screws  
(Stainless Steel 11800648)

Configuration	Color	PN
X-R	Stainless Steel	11896674
X-L	Stainless Steel	11896675



X-R shown

## Strike Plate, Secondary Lock

Configuration	Color	PN
XX-R	Stainless Steel	11896560
XX-L	Stainless Steel	11896559

Suggested Fasteners	Color	PN
1 - 4mm x 16mm Torx flat head machine screw	Stainless Steel	11805183
1 - 4mm x 8mm Torx flat head machine screw	Stainless Steel	11805181
1 - 4mm x 35mm Torx flat head machine screw	Stainless Steel	11805184




XX-R shown

## Secondary Lock Strike Plate

Color	Handing	PN
Stainless Steel	LH	11862525
	RH	11862526

Suggested Fasteners	Color	PN
1 - 4mm x 16mm Torx flat head machine screw	Stainless Steel	11805183
1 - 4mm x 8mm Torx flat head machine screw	Stainless Steel	11805181
1 - 4mm x 35mm Torx flat head machine screw	Stainless Steel	11805184




LH shown




Panel Stop, Jamb

CN	Stone White	Ebony
6-5	11909565	11909965
6-8	11909568	11909968
7-0	11909570	11909970
8-0	11909580	11909980



Panel Stop, Head Jamb

CN	Stone White	Ebony
2-6	11910026	11910226
2-8	11910028	11910228
3-0	11910030	11910230
5-0	11910050	11910250
5-4	11910054	11910254
6-0	11910060	11910260
7-6	11910076	11910276
8-0	11910080	11910280
9-0	11910090	11910290




## Stationary Panel Clip

**Includes:**

- 1 - Stationary panel clip
- 2 - Rivets (11800113)

Color	PN
Black	11896680




## Stationary Panel Clip - OO

**Includes:**


- 1 - Stationary panel clip
- 2 - #8 x 1" Phillips, pan head, type A, stainless steel screws

Color	PN
Black	10888165




## Sill Drain Weep

Color	PN
Black	15631215



## Sill Retainer, Stationary


Color	PN
Black	11862594



Suggested Fasteners	
Uses/Color	EA PN
5 - #8-15 x 3/4" Type A/Tek-2, Full Thread Screw	
Ebony	11800247


Dust Block

Color	PN
Black	15600009




Dust Block, L Shape

Color	PN
Black	15600035




Jamb Weather Strip Plug

PN
10500292




#8 x 5/8” Phillips Flat Head Screw

Color	PN EA
Stainless Steel	11805180
Stone White	11805155
Dark Brown	11805156




#8 x 5/8” ” Pan Head Screw, Self-drilling/Tapping

Color	PN
Stainless Steel	11800498



#8 x 2” Phillips Flat Head Screw

Color	PN
ZYD	11800868




#8 x 2 1/2” Phillips Truss Head Screw

Color	PN
Stainless Steel	11805151




#8 x 1 1/4” Phillips Flat Head 2/3 Thread Screw

Color	PN
ZYD	11805179




#8 x 2 1/2” Flat Head Screw

Color	PN EA
Stone White	11805163
Dark Brown	11805164
Stainless Steel	11800648




#8-18 x 1” Type A/Tek-2 Screw

PN
11800229




#8-15 x 3/4” Type A/Tek-2, Full Thread Screw

Color	PN
Ebony	11800247




#8-18 x 1 3/4” Full Thread, Pan Head Screw

PN
11808176




#8 x 1” Pan Head Screw

Color	PN EA
Stainless Steel	11805185




4mm x 8mm TORX Flat Head Machine Screw

Color	PN EA
Stainless Steel	11805181




4mm x 16mm TORX Flat Head Machine Screw


Color	PN EA
Stainless Steel	11805183




4mm x 35mm TORX Flat Head Machine Screw

Color	PN EA
Stainless Steel	11805184





**Astragal Base, Exterior  
A1432**




**Astragal Cap, Exterior  
A1464**

# Stationary Jamb Retainer

V2547

Length	Color	PN
12" (305)	Black	15916812

Suggested Fasteners	
Uses/Color	EA PN
3 - #8-18 x 1" Type A/Tek-2 Screw	
Ebony	11800229




# Mull Cover


V2787

NOTE: With 3/8" tape applied


Cap Color	PN
Stone White	17011801
Ebony	17011807









**Sill Liner w/tape applied  
V03375**




**Panel Sweep  
V03376**




**Astragal Base, Interior  
W14383**




**Astragal Cap, Interior  
W14384**




**Astragal Weather Strip, Exterior  
V2800**




**Astragal Weather Strip, Interior  
V03386**



**Sill Weather Strip  
V2026**



**Eurogroove Panel/  
Top Rail Panel Weather Strip  
V03410**



**Locking/Stat Panel Weather Strip  
V1556**