























MARVIN ELEVATE® COLLECTION

OUTSWING FRENCH DOOR

MO (mm)	2-6 13/16 (783)				2-8 13/16 (834)				3-0 13/16 (935)			
RO (mm)	2-7 5/16 (796)				2-9 5/16 (846)				3-1 5/16 (948)			
FS (mm)	2-6 5/16 (770)				2-8 5/16 (821)				3-0 5/16 (923)			
DLO (mm)	1-9 11/32 (542)				1-11 11/32 (593)				2-3 11/32 (695)			
6-7 3/4 (2026) 6-8 (2032) 6-7 1/2 (2019) 5-7 3/32 (1704)												
	ELOFD2665 O	ELOFD2665 XR	ELOFD2665 XL	ELOFD2865 O	ELOFD2865 XR	ELOFD2865 XL	ELOFD3065 O	ELOFD3065 XR	ELOFD3065 XL			
												
	ELOFD2668 O	ELOFD2668 XR	ELOFD2668 XL	ELOFD2868 O	ELOFD2868 XR	ELOFD2868 XL	ELOFD3068 O	ELOFD3068 XR	ELOFD3068 XL			
6-10 1/4 (2089) 6-10 1/2 (2096) 6-10 (2083) 5-9 19/32 (1768)												
	ELOFD2670 O	ELOFD2670 XR	ELOFD2670 XL	ELOFD2870 O	ELOFD2870 XR	ELOFD2870 XL	ELOFD3070 O	ELOFD3070 XR	ELOFD3070 XL			
												
	ELOFD2680 O	ELOFD2680 XR	ELOFD2680 XL	ELOFD2880 O	ELOFD2880 XR	ELOFD2880 XL	ELOFD3080 O	ELOFD3080 XR	ELOFD3080 XL			
7-2 1/4 (2191) 7-2 1/2 (2197) 7-2 (2184) 6-1 19/32 (1869)												
	ELOFD2670 O	ELOFD2670 XR	ELOFD2670 XL	ELOFD2870 O	ELOFD2870 XR	ELOFD2870 XL	ELOFD3070 O	ELOFD3070 XR	ELOFD3070 XL			
												
	ELOFD2680 O	ELOFD2680 XR	ELOFD2680 XL	ELOFD2880 O	ELOFD2880 XR	ELOFD2880 XL	ELOFD3080 O	ELOFD3080 XR	ELOFD3080 XL			
7-11 3/4 (2432) 8-0 (2438) 7-11 1/2 (2426) 6-11 3/32 (2111)												
	ELOFD2680 O	ELOFD2680 XR	ELOFD2680 XL	ELOFD2880 O	ELOFD2880 XR	ELOFD2880 XL	ELOFD3080 O	ELOFD3080 XR	ELOFD3080 XL			
												
	ELOFD2680 O	ELOFD2680 XR	ELOFD2680 XL	ELOFD2880 O	ELOFD2880 XR	ELOFD2880 XL	ELOFD3080 O	ELOFD3080 XR	ELOFD3080 XL			

Outswing Door Operation

X signifies an operating door panel, O means stationary. Listing the panels in a door starts from the left to the right, looking from the exterior.



Details and Elevations not to scale.

O = Stationary X = Operator
L = Left Hand Panel R = Right Hand Panel












Optional Outswing French Door GBGs, SDLs and SDLs with Spacer Bar are available in a standard Rectangular cut, as shown. Other available lite cuts on page 3.

For further details and drawings visit the "Technical Specifications" section at Marvin.com.






OUTSWING FRENCH DOOR

Multiple Assemblies – 2 Panel

MO (mm)	4-11 1/2 (1511)	5-3 1/2 (1613)	5-11 1/2 (1816)
RO (mm)	5-0 (1524)	5-4 (1626)	6-0 (1829)
FS (mm)	4-11 (1499)	5-3 (1600)	5-11 (1803)
DLO (mm)	1-9 11/32 (542)	1-11 11/32 (593)	2-3 11/32 (695)





6-7 3/4 (2026)			
6-8 (2032)	ELOFD5065 XXL	ELOFD5465 XXL	ELOFD6065 XXL
6-7 1/2 (2019)			
5-7 3/32 (1704)			
6-10 1/4 (2089)			
6-10 1/2 (2096)	ELOFD5068 XXL	ELOFD5468 XXL	ELOFD6068 XXL
6-10 (2083)			
5-9 19/32 (1768)			
7-2 1/4 (2191)			
7-2 1/2 (2197)	ELOFD5070 XXL	ELOFD5470 XXL	ELOFD6070 XXL
7-2 (2184)			
6-1 19/32 (1869)			
7-11 3/4 (2432)			
8-0 (2438)	ELOFD5080 XXL	ELOFD5480 XXL	ELOFD6080 XXL
7-11 1/2 (2426)			
6-11 3/32 (2111)			

MO (mm)	5-1 1/8 (1553)	6-1 1/8 (1857)
RO (mm)	5-1 5/8 (1565)	6-1 5/8 (1870)
FS (mm)	5-0 5/8 (1540)	6-0 5/8 (1845)

6-7 3/4 (2026)		
6-8 (2032)	ELOFD2665 / ELOFD2665*	ELOFD3065 / ELOFD3065*
6-7 1/2 (2019)		
6-10 1/4 (2089)		
6-10 1/2 (2096)	ELOFD2668 / ELOFD2668*	ELOFD3068 / ELOFD3068*
6-10 (2083)		
7-11 3/4 (2432)		
8-0 (2438)	ELOFD2680 / ELOFD2680*	ELOFD3080 / ELOFD3080*
7-11 1/2 (2426)		

* 2 panel mulled assembly

Construction Details



MARVIN ELEVATE® COLLECTION

OUTSWING FRENCH DOOR

Multiple Assemblies – 3 Panel

MO (mm)	7-7 7/16 (2323)	7-7 7/16 (2323)	7-7 7/16 (2323)	7-5 13/16 (2281)
RO (mm)	7-7 15/16 (2335)	7-7 15/16 (2335)	7-7 15/16 (2335)	7-6 5/16 (2294)
Frame Size (mm)	7-6 15/16 (2310)	7-6 15/16 (2310)	7-6 15/16 (2310)	7-5 5/16 (2269)





MO (mm)	9-1 7/16 (2780)	9-1 7/16 (2780)	9-1 7/16 (2780)	8-11 13/16 (2738)
RO (mm)	9-1 15/16 (2792)	9-1 15/16 (2792)	9-1 15/16 (2792)	9-0 5/16 (2751)
FS (mm)	9-0 15/16 (2767)	9-0 15/16 (2767)	9-0 15/16 (2767)	8-11 5/16 (2726)



Round Top Over Outswing French Door

MO (mm)	5-11 1/2 (1816)
RO (mm)	6-0 (1829)
FS (mm)	5-11 (1803)



Details and Elevations not to scale.

O = Stationary X = Operator
L = Left Hand Panel R = Right Hand Panel

* 2 and 3 panel XX configurations also available in XX R.

** This product is only available field mullled.

Optional Direct Glaze GBGs, SDLs and SDLs with Spacer Bar are available in a standard Rectangular cut, as shown. Alternate lite cuts available to align with doors using select lite cut options shown on page 3.

Optional Round Top SDL with Spacer Bar are available in a standard cut, as shown. Round Top GBG cuts are shown on page 35. (Round Top divided lites only available in standard lite cut)

For further details and drawings visit the 'Technical Specifications' section at Marvin.com.

MULTIPLE ASSEMBLIES

MAXIMUM ROUGH OPENING not to exceed 109 15/16" x 96" maximum up to 3 units wide by 1 unit high.

MAXIMUM ROUGH OPENING not to exceed 73 5/8" x 100 1/2" maximum up to 2 units wide by 2 unit high.

Field mull kits available not to exceed 110" x 112". True Half Rounds are available field mullled only. Structural mullion reinforcement is required for some assemblies.

Please consult your local Marvin representative for more information.