

MARVIN
VIVID™
COLLECTION

MARVIN® 

BOLDLY INNOVATIVE



CATALOG

Six Collections.

One Legacy of Innovation.

Realize your unique vision, down to the last detail, with Marvin.

Born out of a legacy of innovation, the Marvin portfolio sets the highest standards in quality you can see and feel. Each premium collection blends inspired design and materials that perform.

Through expertly crafted architectural detailing, industry-leading engineering, and true partnership, Marvin helps open up a world of possibilities.

MARVIN

ULTIMATE™

COLLECTION



Endless Possibilities

Realize unique visions with endless design possibilities, each meticulously crafted.

INTERIORS

Wood
6 species options + custom, 2 painted or primed options, 6 stains + Clear Coat

EXTERIORS

Extruded Aluminum **Wood**
19 colors + custom 3 species + custom

SIZING

Standard + custom sizing for replacement, remodeling, or new construction

HARDWARE

Extensive selection including Marvin Gallery Hardware

COASTAL + WATERFRONT

Hurricane Impact Zones 3 and 4 (IZ3-4), + Performance Grade 50 products (PG50)

MARVIN

MODERN™

COLLECTION



Authentically Modern

Achieve authentic modern architecture with expansive views and strong thermal performance.

INTERIORS

Extruded Aluminum
5 color options

EXTERIORS

Fiberglass
5 color options

SIZING

Custom sizing for remodeling or new construction

HARDWARE

Minimalist hardware for modern design aesthetic

COASTAL + WATERFRONT

Not available with Impact Zone (IZ) ratings

MARVIN

COASTLINE™

COLLECTION



Stunning Coastal Protection

Meet the demands of high velocity hurricane zones with inspired design and refined beauty.

INTERIORS

Extruded Aluminum
6 solid colors
4 woodgrain finishes

EXTERIORS

Extruded Aluminum
6 solid colors + 4 woodgrain finishes

SIZING

Custom sizing for replacement, remodeling, or new construction

HARDWARE

Available in multiple styles,sizes, and finishes to complement the window + door aesthetics

COASTAL + WATERFRONT

All products rated for High Velocity Hurricane Zone 4 (IZ4)

MARVIN

VIVID™

COLLECTION



Boldly Innovative

Complement transitional to contemporary architecture with dramatic sizes, durability, and energy efficiency.

INTERIORS

Fiberglass Reinforced Composite
2 color options

EXTERIORS

Fiberglass
4 color options

SIZING

Standard + custom sizing for replacement, remodeling, or new construction

HARDWARE

Available in 4 finish options with 2 door handle styles

COASTAL + WATERFRONT

Not available with Impact Zone (IZ) ratings

MARVIN

ELEVATE®

COLLECTION



Traditional Dependability

Find the most in-demand traditional window and door types with natural wood interiors and Ultrex® fiberglass exteriors.

INTERIORS

Wood
Bare Pine, painted Designer Black, painted White, or Clear Coat

EXTERIORS

Fiberglass
6 color options

SIZING

Standard + custom sizing for replacement, remodeling, or new construction

HARDWARE

Available in 6 finish options with 2 door handle styles

COASTAL + WATERFRONT

Hurricane Impact Zone 3 (IZ3), + Performance Grade 50 products (PG50)

MARVIN

ESSENTIAL®

COLLECTION



Streamlined Design

Choose from a streamlined selection featuring proprietary Ultrex® fiberglass inside and out.

INTERIORS

Fiberglass
4 color options

EXTERIORS

Fiberglass
6 color options

SIZING

Standard + custom sizing for replacement, remodeling, or new construction

HARDWARE

Available in 6 finish options with 1 door handle style

COASTAL + WATERFRONT

Not available with Impact Zone (IZ) ratings



Table of Contents

COLLECTION	04 Marvin Vivid™ Collection
	06 Why Materials Matter
	08 Energy Efficiency
	10 Designed For Pros
WINDOWS	12 Windows Introduction
	14 Casement Window
	16 Awning Window
	18 Direct Glaze Window
DOORS	20 Doors Introduction
	22 Bi-Fold Door
	23 Sliding Patio Door
	24 Sliding French Door
	25 Swinging French Door
OPTIONS	26 Options Introduction
	28 Installation Accessories
	29 Exterior Trim
	30 Design Options
	32 Hardware Styles
	33 Window Safety

VIVID CASEMENT AND
AWNING WINDOWS
Stone White

MARVIN
VIVID™
COLLECTION

Bold Design.
Bolder Sizes.

When dramatic sizes, durability, performance, and energy efficiency are your top priorities, go boldly with the Marvin Vivid™ collection. Vivid products feature low-maintenance beauty, thanks to our innovative, proprietary Ultrex® fiberglass. A wide range of sizes and configurations—and a refined fit and finish—make Vivid an inspired choice for transitional to contemporary projects.

ARCHITECTURAL RANGE

BOLD PERFORMANCE

REFINED FIT AND FINISH

VIVID CASEMENT, CASEMENT PICTURE,
DIRECT GLAZE AND AWNING WINDOWS
Pebble Gray

VIVID SLIDING PATIO DOORS
Pebble Gray



Why Materials Matter


Proprietary Ultrex Fiberglass

Innovative Ultrex® fiberglass was pioneered by Marvin over 30 years ago and was one of the first premium composites on the market.

Ultrex fiberglass features high-density woven fibers bound by a thermally set resin, making it much more resistant to pressure and temperature shifts than wood-vinyl composites.

Fiberglass Reinforced Composite

Used exclusively on Vivid™ window interiors, a proprietary fiberglass reinforced composite features a premium acrylic-based finish for low-maintenance beauty that lasts.



EXTERIOR
Proprietary Ultrex Fiberglass




INTERIOR
Fiberglass Reinforced Composite



VIVID DIRECT GLAZE WINDOW
Stone White

Maximum Strength and Stability

The Ultrex fiberglass material in Vivid windows and doors is **8x stronger than vinyl and 3x stronger than vinyl/wood composites**. Windows and doors made with Ultrex fiberglass bend and flex less and stand up better to everyday use.



PULTRUDED FIBERGLASS
Thin strands of strong glass cables, saturated with compounded resins.

DURABLE FINISH

The proprietary finishing process applies a durable, long-lasting AAMA 624 verified factory finish.


ACRYLIC CAP



ULTREX



COMPETITORS



ULTREX




COMPETITORS

Temperature Resistance

Ultrex fiberglass resists distortion even at temperatures up to 285°F. It expands at virtually the same rate as glass, so products stay tight and true, resisting leaks, seal failures, and stress cracks. Vinyl can distort in extreme heat and crack in fluctuating temperatures.

Expansion Measurement

Compare the Ultrex fiberglass expansion rate with other window and door materials.



Smooth, Durable Finish

Ultrex fiberglass features a verified American Architectural Manufacturers Association (AAMA) 624 finish that delivers superior strength and durability over materials like vinyl cladding, roll-form aluminum, and wood/vinyl composites.

The proprietary high-performance, mechanically bonded finish is free of pinholes, striations, and imperfections. Our smooth, evenly distributed acrylic finish is up to 3x thicker than painted finishes, and it resists UV degradation up to 5x longer than vinyl, even on darker finishes.

Cooler in Summer, Warmer in Winter

Know the Basics

The National Fenestration Rating Council (NFRC) defines energy performance ratings for the entire window and door industry.

NFRC RATES

U-Factor: How well a product keeps heat inside a building

Solar heat gain: A product’s ability to block warming caused by sunlight

Visible light transmittance: How much light gets through a product

Air leakage: Heat loss and gain by air filtration through cracks in the assembly

Ultrex® fiberglass is 500x less conductive than roll-form aluminum, similar to wood and PVC. It provides an insulated barrier against extreme temperatures, helping to keep homes comfortable and reducing heating and cooling costs.

Energy Cost Savings

Marvin was the first major window and door manufacturer to offer energy-efficient Low E2 glass and ENERGY STAR® certified performance on all our standard windows and doors. Compared to non-certified products, ENERGY STAR certified windows and doors cut heating and cooling costs by 12%.* Marvin Vivid™ windows and doors offer excellent energy performance, with options to meet or exceed ENERGY STAR V7 throughout the United States.

The Vivid collection provides a selection of energy-efficient glass solutions to meet the requirements of your climate and region, including triple-pane, Low E1, Low E2, Low E3, and Low E3/ERS insulated glass with argon gas fill. Argon gas adds improved thermal performance with a thermal conductivity rate 30% lower than that of air.

*ENERGY STAR® at energystar.gov




VIVID AWNING WINDOWS
Ebony

Low E Glass Coating

Low E coatings are specially designed to take advantage of the angle of the winter and summer sun. Winter sun is absorbed and conducted indoors. Summer sun is filtered and reflected outdoors.


WINTER SUN

LOW E GLAZING



SUMMER SUN

LOW E GLAZING



Designed with Pros in Mind

Every project has its own unique requirements, and Marvin is equipped to meet those challenges. Our unique Ultrex® fiberglass construction, available factory services, and network of dedicated service and support personnel make the Vivid collection the perfect choice—no matter the project.



fig. 1 **VIVID DIRECT GLAZE WINDOWS**
Pebble Gray

fig. 2 **VIVID SLIDING FRENCH DOOR**
Ebony



fig. 1



fig. 2

Easy to Order, Simple to Install

The Vivid collection offers a range of standard sizes, along with bold custom sizes to make the order process straightforward. Easy window installation begins with a solid flat frame for convenient shimming and alignment. Other advantages include a rigid window nailing fin with mitered corners, streamlined field mulling, and the ability to mull within the rough opening with mull reinforcement (MRF).

Full Warranty Coverage

A family-owned and -led company with a legacy of innovation since 1912, Marvin backs its products with industry-leading warranties. The Vivid collection is backed by a fully transferable 20/10 warranty, 20-year coverage on glass, and 10-year coverage on manufacturing materials and workmanship.

Windows

VIVID DIRECT GLAZE WINDOWS
Ebony



Casement

The Marvin Vivid™ Casement window, featuring Ultrex® fiberglass exteriors and reinforced fiberglass composite interiors, is a side-hinged, crank-out window built for smooth operation, clean sightlines, and dramatic maximum sizes.

- fig. 1

VIVID CASEMENT AND
AWNING WINDOWS
Stone White

VIVID INSWING FRENCH DOOR
Stone White
- fig. 2

EXTERIOR
Pebble Gray
- fig. 3

INTERIOR
Stone White
- fig. 4

VIVID CASEMENT AND
AWNING WINDOWS
Ebony

VIVID INSWING FRENCH DOOR
Ebony



fig. 1




fig. 2




fig. 3



fig. 4

FEATURES

- Certified to standard performance ratings up to PG50 for air, water, and structural integrity
- Excellent energy performance, with options to meet or exceed ENERGY STAR® V7 throughout the United States
- Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites
- Proprietary Ultrex® fiberglass and innovative composite materials that resist fading over time, even in darker colors
- Invite more natural light into your home with bold maximum sizes, including widths up to 3'-6" and heights up to 8'
- Interior screen features an aluminum surround and concealed pressure mounting points for ease of operation and enhanced aesthetics
- A proprietary AAMA 624-verified acrylic finish resists fading and scratches, even in darker colors. Every detail is aesthetically smooth and clean, thanks to engineered components that eliminate overlapping materials or joint welds, plus Vivid™ products stay beautiful over time with very little maintenance.
- Coordinating picture windows also available

Awning

Marvin Vivid™ Awning windows have a single sash hinged at the top of the frame. The sash swings out from the bottom, using a manual handle. Position them high on the wall as privacy windows or in concert with matching windows as complementary sources of light and fresh air.

- fig. 1 **VIVID AWNING WINDOW**
Stone White
- fig. 2 **EXTERIOR**
Pebble Gray
- fig. 3 **INTERIOR**
Stone White
- fig. 4 **VIVID AWNING WINDOWS**
Ebony



fig. 1




fig. 2




fig. 3



fig. 4

FEATURES

- Certified to standard performance ratings up to PG50 for air, water, and structural integrity
- Excellent energy performance, with options to meet or exceed ENERGY STAR® V7 throughout the United States
- Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites
- Proprietary Ultrex® fiberglass and innovative composite materials that resist fading over time, even in darker colors
- Invite more natural light into your home with bold maximum sizes, including widths up to 6' and heights up to 5'
- Interior screen features an aluminum surround and concealed pressure mounting points for ease of operation and enhanced aesthetics
- A proprietary AAMA 624-verified acrylic finish resists fading and scratches, even in darker colors. Every detail is aesthetically smooth and clean, thanks to engineered components that eliminate overlapping materials or joint welds, plus Vivid™ products stay beautiful over time with very little maintenance.

Direct Glaze

Marvin Vivid™ Direct Glaze windows are a perfect way to frame your scenic outdoor views. These non-opening windows are designed for maximum light and visual impact and can make all the difference in a room.

- fig. 1* **VIVID DIRECT GLAZE WINDOWS**
Ebony
- fig. 2* **EXTERIOR**
Pebble Gray
- fig. 3* **INTERIOR**
Stone White
- fig. 4* **VIVID DIRECT GLAZE WINDOW**
Ebony



fig. 1




fig. 2




fig. 3



fig. 4

FEATURES

- Certified to standard performance ratings up to PG50 for air, water, and structural integrity
- Excellent energy performance, with options to meet or exceed ENERGY STAR® V7 throughout the United States
- Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites
- Proprietary Ultrex® fiberglass and innovative composite materials that resist fading over time, even in darker colors
- Invite more natural light into your home with bold maximum sizes, including widths or heights up to 10'
- Interior screen features an aluminum surround and concealed pressure mounting points for ease of operation and enhanced aesthetics
- A proprietary AAMA 624-verified acrylic finish resists fading and scratches, even in darker colors. Every detail is aesthetically smooth and clean, thanks to engineered components that eliminate overlapping materials or joint welds, plus Vivid™ products stay beautiful over time with very little maintenance.


Doors

VIVID SLIDING FRENCH DOOR
Stone White



Bi-Fold

Open up your home and let the outdoors in with the Marvin Vivid™ Bi-Fold door. The panels fold open and closed to transform your home and expand your view. The carefully engineered top-hung design allows for effortless fingertip operation and functionality.



EXTERIOR
Pebble Gray



EXTERIOR
Pebble Gray

Sliding

Seamlessly connect your indoor and outdoor living spaces with the Marvin Vivid™ Sliding Patio door. Enjoy breathtaking views through large glass panels that fill your home with natural light, enhancing your home’s interior.

FEATURES

Certified up to PG30 for air, water, and structural performance

Excellent energy performance, with options to meet ENERGY STAR® V7 throughout the United States

Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites

Proprietary Ultrex® fiberglass resists fading over time, even in darker colors

Custom configurations include up to 7 panels and 22' widths



INTERIOR
Stone White



INTERIOR
Stone White

FEATURES

Certified up to PG40 for air, water, and structural performance

Excellent energy performance, with options to meet ENERGY STAR® V7 throughout the United States

Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites

Proprietary Ultrex® fiberglass resists fading over time, even in darker colors

Sleek door profile offers expanded views and more daylight

Top-hung screen glides easily and won't get hung up on dirt or debris in the sill track

Available with a direct glaze transom window for increased natural light

Sliding French

Extend your home’s livable space and invite the outdoors in with the Marvin Vivid™ Sliding French door. The classic French door design combines with easy sliding operation for beautiful, effortless operation.



EXTERIOR
Pebble Gray



INTERIOR
Stone White

FEATURES

Certified up to PG40 for air, water, and structural performance

Excellent energy performance, with options to meet ENERGY STAR® V7 throughout the United States

Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites

Proprietary Ultrex® fiberglass resists fading over time, even in darker colors


Space-saving sliding operation and traditional wider profile are carefully designed to complement your home’s aesthetic

Top-hung screen glides easily and won’t get hung up on dirt or debris in the sill track

Available with a direct glaze transom window for increased natural light

Swinging French


Enhance your indoor and outdoor spaces with the classic Marvin Vivid™ Swinging French door, featuring durable, low-maintenance Ultrex® fiberglass inside and out. Choose inswing or outswing operation in a variety of configurations.



OUTSWING EXTERIOR
Pebble Gray



OUTSWING INTERIOR
Stone White



INSWING EXTERIOR
Pebble Gray



INSWING INTERIOR
Stone White

FEATURES

Certified up to PG40 for air, water, and structural performance

Excellent energy performance, with options to meet ENERGY STAR® V7 throughout the United States

Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites

Proprietary Ultrex® fiberglass resists fading over time, even in darker colors

Wide profiles offer a timeless design that complements your home’s aesthetic

Multi-point lock for enhanced security and weather resistance

Available in inswing or outswing design based on your preference or available space

Available with a direct glaze transom window for increased natural light

Product Options

VIVID DIRECT GLAZE,
CASEMENT, AND AWNING
Ebony



Simple and Efficient Installation

OPTIONS AND ACCESSORIES

Nailing Fin

Pre-attached rigid nail fin for easier installation

Through Jamb

Available through jamb and installation bracket options

Factory-Applied Jamb Extensions

Factory-applied window jamb extensions save time and labor. We supply 4-⁵/₁₆", 6-⁵/₁₆", and 6-1³/₁₆" jamb depth in White and Designer Black.

Factory-Installed Screens

Factory-installed screens are a standard offering with operating windows. At no extra cost, we can ship your screens separately to reduce on-site damage prior to installation.

Factory-Mulled Assemblies

Available standard factory mulling, reinforced factory mulling, or field mulling kits. The reinforced mull meets **AAMA 450 specifications** and performs up to PG50 on standard products.

Corner Keys

Integral corner keys keep window and door units square and corners sealed

Custom Sizes

Custom sizes are available on windows and doors in ¹/₆₄" increments for the perfect fit every time

Paintable Interior and Exterior

Ultrex™ fiberglass exterior and fiberglass reinforced composite interior are paintable and hold their colors better than vinyl or vinyl/wood composites



VIVID SLIDING PATIO DOOR
Ebony

VIVID DIRECT GLAZE AND AWNING
Ebony

Exterior Trim

Ultrex® fiberglass exterior trim is offered with all Marvin Vivid™ products in all finish colors. The durability, performance, and look of windows and doors can be extended to the trim.

EXTERIOR TRIM OPTIONS

Brick Mould

2" Brick Mould is available with or without 2-¹/₈" sill nosing

Flat


3-¹/₂" Flat Trim is available in Flat and Flat Ranch configurations with or without 2-¹/₈" sill nosing

Sill Nose


2-¹/₈" Sill Nose provides authentic sill appearance

Connection Barb


Barb and receiver attachment method provides for quick, secure installation




BRICK MOULD



FLAT



SILL NOSE




CONNECTION BARB


Trim Configurations

Multiple configurations are available in lineal lengths and factory pre-cut kits in all four Vivid exterior colors.


TRIM CONFIGURATIONS




BRICK MOULD




FLAT




FLAT RANCH




BRICK MOULD WITH SILL NOSE




FLAT WITH SILL NOSE




FLAT RANCH WITH SILL NOSE



BRICK MOULD*



FLAT*



FLAT RANCH*

*Brick Mould, Flat, and Flat Ranch profiles are available on doors. Sill profiles are not included for door trim sets.

Color Options

Interior and Exterior Finishes

Marvin Vivid™ windows feature the superior strength and durability of Ultrex® fiberglass exteriors. Window interiors are an innovative fiberglass reinforced composite. Vivid doors feature Ultrex fiberglass inside and out. Acrylic finish colors are 3x thicker than competitive options and resist scratches, chipping, peeling, chalking, and fading, even in darker colors.

EXTERIOR COLORS



INTERIOR COLORS



Divided Lites

Grilles-Between-The-Glass (GBG)

Available in several popular lite cut options for a divided lite look and easy glass cleaning. Available in Ebony and Stone White interior and Ebony, Bronze, Pebble Gray, and Stone White exterior.

Simulated Divided Lite (SDL)

Bars permanently adhered to both sides of the glass. Available in Ebony and Stone White interior and Ebony, Bronze, Pebble Gray, and Stone White exterior.


DIVIDED LIGHT OPTIONS



Glass Options

Glass is available with Standard Dual Pane or optional Triple Pane on select products. Available with Low E1, Low E2, Low E2/ERS, Low E3, and Low E3/ERS insulated glass with argon gas.* Options include glazing for sound abatement (STC/OITC), high altitudes, and California fire zones.

DECORATIVE GLASS OPTIONS




Simulated Checkrail

Simulated Checkrail is the perfect solution when aesthetics call for the beauty of a double hung, but operation, egress, or performance demand another solution.

You specify placement of the horizontal simulated checkrail bar and the lite cut patterns above and below.

These illustrations offer a sampling of 7/8" Simulated Divided Lite (SDL) patterns that can be selected in combination with the 2" Simulated Checkrail on Casement, Awning, Direct Glaze Rectangle, and Picture windows.**

SIMULATED CHECKRAIL OPTIONS



*Argon gas not available in high elevations where capillary tubes are required.
**Not available in polygons except for Direct Glaze Rectangle.

Hardware Styles

Window Hardware

Windows feature classic low-profile durable hardware for clean aesthetics, safety, and security.

FOLDING HANDLE



LOCK HANDLE



WINDOW HARDWARE FINISHES

Choose from a variety of hardware finishes to complement your Vivid collection windows.




WHITE



SATIN NICKEL



MATTE BLACK



MATTE BRONZE

*The Physical Vapor Deposition (PVD) process adds a layer of toughness to hardware exposed to environmental factors like coastal areas. PVD has the highest-grade corrosion-resistant finish. PVD finish is available on exterior door hardware in Oil Rubbed Bronze and Satin Nickel.

**Only available on Casement windows

Door Handles

Door handles are available in two distinct hardware styles.

CAMBRIDGE




NORTHFIELD



DOOR HANDLE FINISHES

Choose from a variety of hardware finishes to complement your Vivid collection doors.



WHITE



SATIN NICKEL (PVD*)



MATTE BLACK



OIL RUBBED BRONZE (PVD*)

DOOR HANDLE OPTIONS

Available keyed-alike option (use one key on multiple locks, with up to 3 different keys on each project).

Choose a distinct interior and exterior handle finish that matches or complements the interior and exterior color of your door.

Accessibility Options

Opening Control Device

Limits opening to 4" while providing for full egress. ASTM F2090 compliant.**



Sash Limiter

Permanently limits sash movement for safety and security.



VIVID SLIDING PATIO DOOR
Ebony

VIVID DIRECT GLAZE AND AWNING WINDOWS
Ebony





VIVID DIRECT GLAZE
WINDOW
Ebony



Since 1912, Marvin has been a family-owned and -led company, with a legacy of innovation and commitment to the highest quality. We understand the unique opportunity windows and doors have to improve our spaces and how we feel in them. That's why we never stop pushing what's possible and inventing new solutions to channel fresh air, enhance light quality, and connect with the world around us.

MARVIN.COM