



Vivid Sliding French Door

Replacement Parts

Specifications and technical data are subject to change without notice.

Numbers listed in () parentheses are metric equivalents in millimeters rounded to the nearest whole number.

Suggested fasteners are not included and must be ordered separately.

Illustrations are not to scale.

Contents

Product History.....	2
Vivid Usage in OMS Retail.....	3
Part Identification - 2 Panel Operator (R.O. < than or = to 86.5).....	4
Part Identification - 2 Panel Operator (R.O. > than 86.5).....	5
Part Identification - 3 Panel Operator (R.O. < than or = to 86.5).....	6
Part Identification - 3 Panel Operator (R.O. > than 86.5).....	7
Part Identification - 4 Panel Operator	8
Handles	9
Handle Parts	13
Locking Hardware	15
Operators	17
Miscellaneous Parts	18
Aluminum Parts	24
Vinyl Parts - Configured Part in OMS	31
Vinyl Parts	32
Weather Strip	36
Weather Strip - Configured Part in OMS	37
Weather Strip	38
Wood Parts.....	39
Screen Replacement - Configured Part in OMS.....	43
Screen Parts	44
Tools	48
Panel Replacement - Configured Part in OMS	49

Produced	Unit Type	Features and Changes
2025	Sliding French Door	09/29/2025: Introduced the Vivid Sliding French Door

Due to shared components, Vivid door parts are listed in OMS under the Vivid product line and Infinity doors in the product dropdown list.


All Parts

Use the fields below to find a part. Enter search values, then click Search.

Product Line:	Vivid	Product:	INFINITY BI-FOLD DOOR
Part Number:		Description:	INFINITY BI-FOLD DOOR
The following parts match the search criteria you entered			INFINITY INSWING FRENCH DOOR
Type Filter:			INFINITY OUTSWING FRENCH DR
			INFINITY SLIDING FRENCH DOOR
			INFINITY SLIDING PATIO DOOR


Head
Jamb

Sill



1. Head Jamb Nailing Fin/Drip Cap, V119
2. Head Jamb Parting Stop Weather Strip, V2396
3. Head Jamb Liner, W12621
4. Panel Guide, W13370
5. Panel Guide Fastener, A1223
6. Adjustable Roller
7. Sill Liner, V2693
8. Roller Track w/foam sealant tape, V2341
9. Sill Weather Strip, V2529/V2620
10. Backer Rod
11. Leveling Block Insert, A2880
12. Stationary Panel Leveling Block, V2344
13. Screen Roller Guide, V2932
14. Screen Track, A1237


15. Adjustable Screen Roller
16. Pile Weather Strip (Sliding)
17. Jamb Nailing Fin, V104
18. Jamb Liner, W12619
19. Interior Handle
20. Stile Filler, V1619
21. Operator Panel Interlock, V1620
22. Jamb Parting Stop Weather Strip, V2396
23. Interior Jamb Cover, V2939
24. Jamb Cover, Base, V2937
25. Stationary Panel Jamb Spacer, W8581
26. Stile Cover, A1222
27. Stationary Panel Interlock, V1855/V2624
28. Exterior Handle



2-Panel XO - Jamb


Head
Jamb

Sill





1. Head Jamb Nailing Fin/Drip Cap, V119
2. Head Jamb Parting Stop Weather Strip, V2396
3. Head Jamb Liner, W12621
4. Panel Guide Fastener, A1223
5. Panel Guide, Laminate W13370
6. Adjustable Roller
7. Sill Liner, V2693
8. Sill Weather Strip, V2529/V2620
9. Leveling Block Insert, A2880
10. Stationary Panel Leveling Block, V2344
11. Screen Roller Guide, V2932
12. Screen Track, A1237
13. Pile Weather Strip (Sliding)


14. Jamb Nailing Fin, V104
15. Jamb Liner, W12619
16. Interior Handle
17. Interior Astragal, A2957
18. Operator Panel Interlock, V1620
19. Jamb Parting Stop Weather Strip, V2396
20. Interior Jamb Cover, V2939
21. Jamb Cover, Base, V2937
22. Stationary Panel Jamb Spacer, W8581
23. Stile Cover, A1222
24. Stationary Panel Interlock, V1855/V2624
25. Exterior Handle




2-Panel XO - Jamb



1. Astragal Assembly
2. Astragal Trim, V1632
3. Astragal Cap Operator, V3003/V3005
4. Astragal Weather Strip, V2398
5. Screen Stop Base, A3218
6. Stile Cover, A1222
7. Interior Mull Trim, V1633
8. Spline Insert, V2638
9. Spline, A2967
10. Stationary Panel Interlock, V1855/V2624
11. Stile Filler, V1619
12. Jamb Cover Base, V2937
13. Interior Jamb Cover, V2939
14. Pile Weather Strip (Sliding)




3-Panel OXO - Jamb




3-Panel XOO - Jamb

1. Astragal Assembly
2. Astragal Trim, V1632
3. Astragal Cap Operator, V3003/V3005
4. Astragal Weather Strip, V2398
5. Screen Stop Base, A3218
6. Stile Cover, A1222
7. Interior Mull Trim, V1633
8. Spline Insert, V2638
9. Spline, A2967
10. Exterior Astragal, A1703
11. Interior Astragal, A2957
12. Jamb Cover Base, V2937
13. Interior Jamb Cover, V2939
14. Pile Weather Strip (Sliding)



4-Panel OXXO - Jamb
≤86.00



4-Panel OXXO - Jamb
>86.00

1. Jamb Cover Base, V2937
2. Interior Jamb Cover, V2939
3. Frame Weather Strip, V2396
4. Stile Cover, A1222
5. Astragal, Interior, W13122
6. Astragal Trim, V1632
7. Stile Filler, V1619
8. Operator Panel Interlock, V1620
9. Stationary Panel Interlock, V1855/V2624
10. Astragal Base, A3129
11. Astragal Cap, A2569
12. Astragal Weather Strip, V2398
13. Interior Astragal, A2957
14. Exterior Astragal, A1703
15. Screen Astragal, A2740
16. Pile Weather Strip (Sliding)

Active Handle Set, Cambridge, Exterior

Includes:

- 1 - Handle

1 - Exterior escutcheon

2 - Handle screws

1 - Post nut

1 - Keyed cylinder

1 - Keyed cylinder cover
- 2 - Cylinder cover screws

1 - Handle gasket


1 - Z-clip

2 - Keys

1 - Instruction card

1 - Allen wrench

Color	XO/XOO/OXO-R OXXO-R	OX/OOX/OXO-L OXXO-L
White	108852	108853
Satin Nickel PVD	108860	108861
Oil Rubbed Bronze PVD	108862	108863
Matte Black	108872	108873



**XO/XOO/OXO-R/
OXXO-R shown**

Note: All units viewed
from exterior.

Active Handle Set, Cambridge, Interior

Includes:

- 1 - Handle

1 - Interior escutcheon

2 - Handle screws


2 - Escutcheon machine screws
- 1 - Thumb turn

1 - Thumb turn extension

1 - Instruction card

1 - Allen wrench

Color	XO/XOO/OXO-R OXXO-R	OX/OOX/OXO-L OXXO-L
White	208840	208841
Satin Nickel PVD	208848	208849
Oil Rubbed Bronze PVD	208850	208851
Matte Black	208868	208869



**XO/XOO/OXO-R/
OXXO-R shown**

Note: All units viewed
from exterior.

Passive Handle Set, Cambridge, Exterior

Includes:

- 1 - Handle

1 - Exterior escutcheon


1 - Handle gasket

2 - Handle screws
- 2 - Post nuts

1 - Instruction card

1 - Allen wrench

Color	OXXO-R	OXXO-L
White	228878	228879
Satin Nickel PVD	228874	228875
Oil Rubbed Bronze PVD	228872	228873
Matte Black	228868	228869



OXXO-L shown
Note: All units viewed from exterior.

Passive Handle Set, Cambridge, Interior

Includes:

- 1 - Handle


1 - Interior escutcheon

2 - Handle screws
- 2 - Escutcheon machine screws

1 - Instruction card

1 - Allen wrench

Color	OXXO-R	OXXO-L
White	218878	218879
Satin Nickel PVD	218874	218875
Oil Rubbed Bronze PVD	218872	218873
Matte Black	218868	218869



OXXO-L shown
Note: All units viewed from exterior.

Active Handle Set, Northfield, Exterior, 1”

Includes:

- 1 - Handle

1 - Exterior escutcheon

1 - Handle screw

1 - Handle bracket

2 - Handle bracket screws

1 - Keyed cylinder
- 2 - Z-clip/keyed cylinder cover screws


1 - Z-clip

2 - Keys

1 - Instruction card

1 - Allen wrench

Color	XO/XOO/OXO-R OXXO-R	OX/OOX/OXO-L OXXO-L
White	11868101	11868100
Satin Nickel PVD	11868105	11868104
Oil Rubbed Bronze PVD	11868107	11868106
Matte Black	11868111	11868110



**XO/XOO/OXO-R/
OXXO-R shown**
Note: All units viewed
from exterior.

Active Handle Set, Northfield, Interior, 1”

Includes:

- 1 - Handle

1 - Thumb turn

1 - Interior escutcheon

2 - Machine screws

1 - Handle screw
- 1 - Handle bracket


2 - Handle escutcheon bracket screws

1 - Tail piece

1 - Instruction card

1 - Allen wrench

Color	XO/XOO/OXO-R OXXO-R	OX/OOX/OXO-L OXXO-L
White	11868120	11868121
Satin Nickel PVD	11868124	11868125
Oil Rubbed Bronze PVD	11868126	11868127
Matte Black	11868130	11868131




**XO/XOO/OXO-L/
OXXO-L shown**
Note: All units
viewed from exterior.

Passive Handle Set, Northfield, Exterior, 1”

Includes:

- 1 - Handle
- 1 - Exterior escutcheon
- 1 - Handle screws
- 1 - Handle bracket
- 2 - Bracket screws
- 1 - Instruction card
- 1 - Allen wrench

Color	OXXO-R	OXXO-L
White	11868160	11868161
Satin Nickel PVD	11868164	11868165
Oil Rubbed Bronze PVD	11868166	11868167
Matte Black	11868170	11868171




OXXO-L shown
Note: All units viewed from exterior.

Passive Handle Set, Northfield, Interior 1”

Includes:

- 1 - Handle
- 1 - Exterior escutcheon
- 1 - Handle screws
- 1 - Handle bracket
- 2 - Bracket screws
- 1 - Instruction card
- 1 - Allen wrench

Color	OXXO-R	OXXO-L
White	11868140	11868141
Satin Nickel PVD	11868144	11868145
Oil Rubbed Bronze PVD	11868146	11868147
Matte Black	11868150	11868151




OXXO-R shown
Note: All units viewed from exterior.

Cambridge Handle Escutcheon Screw

Includes:

1 - #8-32 x 2" Phillips oval head machine screw - attach exterior to interior plate

Color	PN
White	118090
Satin Nickel	118093
Oil Rubbed Bronze	118094
Matte Black	118100




Northfield Handle Escutcheon Screw

Includes:

1 - #8-32 x 2 1/2" machine screw - attach exterior to interior plate

Color	PN
White	118082
Satin Nickel	118085
Oil Rubbed Bronze	118086
Matte Black	118102




Cambridge Handle Z-Clip

Includes:

1 - Z-Clip screw

PN
108815




Cambridge Handle Screws

Includes:

2 - #8 x 7/16" button head cap screw - attach handle to escutcheon

Color	PN
Zinc	118095




Keyed Cylinder

Includes:

- 1 - Lock Cylinder
- 2 - Keys


NOTE: For keyed alike cylinders, please contact your Marvin representative. Please supply the original order number if possible.

PN
108810



Tail Piece/Extension, Interior Active Handle

PN
11868008




Keeper Kit

Includes:

- 1 - Keeper
- 4 - #8 x 3" Phillips pan head screws (not used on OXO)
- 4 - #10 x 1 1/2" Phillips pan head screws (OXO only)

Color	PN
White	117701
Black	117702



Keeper Kit, Coastal

Includes:

- 1 - Keeper
- 4 - #8 x 3" Phillips pan head screws (not used on OXO)
- 4 - #10 x 1 1/2" Phillips pan head screws (OXO only)


Color	PN
Stainless Steel	117703

Mortise Lock

Includes:

- 1 - Mortise lock and trim plate
- 2 - #8 x 1" Phillips flat head screws

Color	PN
Pearl White	11897102
Stainless Steel	11896941
Black	11897103




Flush Bolt Assembly Kit

Includes:

- 1 - Flush bolt assembly
- 2 - #6 x 3/4" Phillips flat head screws
- 2 - #6 x 5/8" Phillips flat head screws

Color	PN
Pearl White	10809688
Black	10809689



Flush Bolt Face Plate Kit

Includes:


- 1 - Flush bolt face plate
- 2 - #6-18 x 3/4" Type A, full thread screw
- 2 - #6-20 x 5/8" Type AB, full thread screw

Color	PN
Pearl White	10809350
Black	10809351




Strike Plate, Head Jamb, OXXO

PN	Suggested Fasteners	PN
11862586	#8-18 x 1 1/4" Phillips, flat head screw	11806156




Strike Plate, Head Jamb OXXO

Color	PN	Suggested Fasteners	PN
White	11863580	#8-18 x 1 1/4" Phillips, flat head screw	11806156
Black	11863581		




Sill Strike, OXXO

PN	Suggested Fasteners	PN
11862587	#8-18 x 1#8 x 1" Phillips, flat head, full thread screw	11800645



Shoot Bolt Guide Insert


Color	PN
Black	10500467



Shoot Bolt Guide Kit

Includes:
2 - #8 x 1" Phillips flat head screws
1 - #6 x 1/2" Phillips flat head screw


Color	PN
Pearl White	10188187
Black	10188189



Adjustment Roller

Color	PN
Zinc	10820010
Coastal (Stainless Steel)	10820011

Suggested Fasteners	
2 - #8 x 1", 410 screw	
Color	PN
Standard (Zinc)	11800769
Coastal (Stainless Steel)	11800810




OXXO Astragal End Cap Kit

Includes:


- 1 - Astragal cap gasket
- 1 - #8 x 3/4" Phillips flat head screw
- 1 - Astragal cap dust block

Color	Handing	PN
Beige	RH - Top/LH - Btm	10806300
	RH - Btm/LH - Top	10806301
Black	RH - Top/LH - Btm	10809300
	RH - Btm/LH - Top	10809301




Sill Drain Weep

Color	PN
Black	15631215




Stationary Panel Top Plug

PN
10500195




Foot Bolt Lock Plate

Color	PN
Beige	218570
Black	318570




Thumb Tack Bumper

Color	PN
Beige	02101000
Black	02101006



Jamb Hole Plug, 3/8"

Color	PN
Beige	199018
Bronze	199020




Adjustment Hole Cap Kit

Includes:


2 - Operator adjustment hole caps

Color	PN
Stone White	156006
Ebony	456002



Leveling Block End Cap

Color	Handing	PN
Beige	LH	10801583
Black		10809583
Beige	RH	10801582
Black		10809582






End Cap Cover Kit

Includes	Handing	Sill Color	PN
1 - End cap, leveling block, RH Beige - a 1 - Cover, header, end cap - Beige - b	RH	Beige	11817730
1 - End cap, leveling block, LH Beige - a 1 - Cover, header, end cap - Beige - b	LH	Beige	11817731
1 - End cap, leveling block, RH Black - a 1 - Cover, header, end cap -Black - b	RH	Bronze	11817732
1 - End cap, leveling block, LH Black - a 1 - Cover, header, end cap - Black - b	LH	Bronze	11817733

Top Stationary Bracket Cover

Color	PN
Beige	10500801
Black	10500809




Stationary Panel Top Bracket

Includes:

- 3 - #8 x 1" Phillips pan head screws
- 1 - #8 x 3" Phillips pan head screw

Color	PN
Stainless Steel	10188181




Stationary Panel Sill Bracket

Includes:

- 2 - #8 x 1" Phillips pan head screws
- 2 - #8 x 3/4" Pin-in Torx flat head screws (T20)


Color	Handing	PN
Stainless Steel	RH	10188183
	LH	10188182



Interlock Seal

Color	PN
Beige	11868809
Black	11868810

Suggested Fastener
1 - #8 x 1 1/2" Phillips pan head screw




Interlock Hook

Includes:

- 3 - #8 x 1" Phillips pan head screws
- 3 - #8 x 1 1/2" Phillips pan head screws

Color	PN
Stainless Steel	10801338



Stop Block Kit, XO/OX/OXO/OXXO Beige Sill

Includes:

- 2 - Bumper tack, Beige
- 1 - Bumper tack, Black
- 2 - Stop block, Beige
- 1 - Stop block, Bronze


Color	PN
Beige	117750

Stop Block Kit, XO/OX/OXO/OXXO Bronze Sill

Includes:

- 1 - Bumper tack, Beige
- 2 - Bumper tack, Black
- 1 - Stop block, Beige
- 2 - Stop block, Bronze

Color	PN
Bronze	117760




Stop Block Kit, OOX/XOO

Includes:

- 1 - Stop block, Beige
- 1 - Stop block, Bronze
- 1 - Stop block, 1-hole, Beige (not shown)
- 1 - Stop block, 1-hole, Bronze (not shown)
- 1 - Bumper tack, Beige
- 1 - Bumper tack, Black
- 1 - Stop block plug, Beige
- 1 - Stop block plug - Bronze
- 1 - #10 x 1 1/2" Phillips pan head screw

PN
117770




Foot Bolt Assembly Kit

Includes:

- 1 - Foot bolt (a)
- 1 - Foot bolt lock plate (b)
- 1 - Stop block (c)
- 1 - Thumb tack bumper (d)
- 2 - Jamb hole plug - XOO/OOX only (e)
- 1 - Foot bolt installation template (f)
- 2 - #8 x 2 3/4" type A/TF, 2" thread screws (g)
- 1 - #10 x 1 1/4" AB, FH screw (h)

NOTE: Installation instructions and 1 tape, 3M VHB 2-sided, are also included in the kit.


Color	PN
Stone White/Beige	418570
Stone White/Black	418670
Bronze/Black	418970
Bronze/Beige	418971



Stile Cover

A1222

CN	Length	Stone White PN	Pebble PN	Bronze PN	Ebony PN
6-5 height Stationary	76 9/32" (1937)	18547065	18547165	18547265	18546872
6-8 height Stationary	78 25/32" (2001)	18547068	18547168	18547268	18546873
8-0 height Stationary	92 9/32" (2344)	18547080	18547180	18547283	18546875
6-5 height Upper Locking	30 41/64" (778)	18557066	18557166	18557266	18547872
8-0 height Upper Locking	46 41/64" (1185)	18547081	18547181	18547281	18547875
All Lower Locking	33 9/64" (642)	18547069	18547169	18547269	18547873
Lineal	146" (3708)	18547099	18547199	18547299	18547877




Exterior Astragal

A1703

CN	Color	PN
8-0 height 91 15/64" (2317)	Stone White	19466180
	Pebble	19466280
	Bronze	19466380
	Ebony	19466980

Suggested Fasteners	PN
8 - #8 x 1 1/2" Phillips pan head screws	11806159




Interior Astragal

A2957

CN	Color	PN
8-0 height 90 13/16" (2307)	Stone White	9400090
	Ebony	9430091

Suggested Fasteners	PN
8 - #8 x 1 1/2" Phillips pan head screws	11806159




Aluminum Panel Guide

A1223

NOTE: All OXO CN operators will require 2 parts to make a complete panel guide.

CN width	Length	Oper	White PN	Black PN
5-0 OX/XO, 7-6 OXO	56 1/4" (1429)		18546050	19546050
7-6 OXO	27 1/2 (699)	LH	18546076	19546076
		RH	18546077	19546079
7-6 OOX/XOO	85 3/4" (2178)		18546079	19546079
6-0 OX/XO, 9-0 OXO	68 1/4" (1734)		18546055	19546055
9-0 OXO	33 1/2" (851)	LH	18546092	19546092
		RH	18546094	19546094
9-0 OOX/XOO	103 3/4" (2635)		18546096	19546096
8-0 OX/XO 12-0 (3 panel) OXO	92 1/4" (2443)		18546080	19546080
12-0 (3 panel) OXO	45 1/2" (1156)	LH	18546097	19546097
		RH	18546098	19546078
12-0 (3 panel) OOX/XOO	139 3/4" (3539)		18546093	19546093
10-0 OXXO	51" (1295)	LH	18546010	19546010
		RH	18546011	19546011
12-0 (4 panel) OXXO	63" (1600)	LH	18546012	19546012
		RH	18546013	19546013
16-0 OXXO	87" (2210)	LH	18546016	19546016
		RH	18546017	19546017

Suggested Fasteners	Color Match	PN
#8 x 5/8" Phillips self tapping pan head screws Order quantity of 16 is recommended	Beige (EA)	11806158
	Black (EA)	11806173
	Beige (pkg of 25)	11807158
	Black (pkg of 25)	11807174




Leveling Block Insert

A2880

Includes:

- 2 - Leveling block inserts
- 1 - #8 x 2 1/2" Phillips pan head screw
- 1 - #8 x 1" Phillips pan head screw


CN	Length	PN
5-0/7-6/10-0 width	12 3/4" (324)	10802014
6-0/9-0/12-0 (4 panel width)	15 3/4" (400)	10802017
8-0/12-0 (3 panel/16-0 width)	21 3/4" (553)	10802023



Spline, Stationary Panel

A2967


CN Height	Length	Stone White PN	Pebble PN	Bronze PN	Ebony PN
6-5	76 5/16" (1938)	18553365	18554465	18555565	18559965
6-8	78 13/16" (2002)	18553368	18554468	18555568	18559968
8-0	92 5/16" (2345)	18553380	18554480	18555580	18559980



Screen Stop Base, OXO

A3218


CN	Length	Stone White PN		Pebble PN		Bronze PN		Ebony PN	
		LH	RH	LH	RH	LH	RH	LH	RH
6-5 height	77 3/32" (1958)	18550166	18550165	18550066	18550065	18550266	18550265	18550566	18550565
6-8 height	79 19/32" (2022)	18550169	18550168	18550069	18550068	18550269	18550268	18550569	18550568
8-0 height	93 3/32" (2365)	18550181	18550180	18550081	18550080	18550281	18550280	18550581	18550580



Astragal Cap, OXXO

A2569

CN	Length	Stone White PN	Pebble PN	Bronze PN	Ebony PN
6-5 height	75 11/64" (1909)	11870165	11870265	11870365	11870865
6-8 height	77 43/64" (1973)	11870168	11870268	11870368	11870868
8-0 height	91 11/64" (2316)	11870180	11870280	11870380	11870880




Astragal Base, OXXO

A3129


CN	Length	Stone White PN		Pebble PN		Bronze PN		Ebony PN	
		LH	RH	LH	RH	LH	RH	LH	RH
6-5 height	77 3/32" (1958)	18540066	18540065	18541066	18541065	18542066	18542065	18540966	18540965
6-8 height	79 19/32" (2022)	18540069	18540068	18541069	18541068	18542068	18542068	18540969	18540968
8-0 height	93 3/32" (2365)	18540081	18540080	18541081	18541080	18542081	18542080	18540981	18540980

Suggested Fasteners	PN
#7 x 3/4" Type A-17, Phillips, pan head, full thread, stainless steel screw	11806164




Ordering specifications for Configured Parts in OMS:

- 1. Unit type
- 2. Configuration (and handing, if needed)
- 3. Exterior and interior color
- 4. Unit size
- 5. Component
- 6. Sill frame color (if needed)




Operator Panel Interlock
V1620



Stationary Panel Interlock
V1855/2624

Suggested Fasteners (Interlock)	CN Size	Beige PN	Black PN	White PN
8 - #8 x 1" Phillips pan head screws	6-5, 6-8	11800819	11800953	11808055
8 - #8 x 1 1/2" Phillips pan head screws	8-0	11800852	11800962	11800993




Roller Track w/foam sealant tape
V2341

Astragal Cap, Vertical, OXO

V3003/V3005

CN Height	Length	Color	LH PN	RH PN
6-5	77 1/2" (1969)	White	15907165	15907166
		Black	15907265	15907266
6-8	80 1/2" (2045)	White	15907168	15907169
		Black	15907268	15907269
8-0	94" (2388)	White	15907180	15907181
		Black	15907280	15907281




Sill Liner

V2693

Includes:

1 - Foam sealant tape


CN Width	Length	Beige PN	Black PN
5-0	59" (1499)	10860350	10860450
6-0	71" (1803)	10860360	10860460
7-6	88 1/2" (2248)	10860376	10860476
8-0	95" (2413)	10860380	10860480
9-0	106 1/2" (2705)	10860390	10860490
10-0	117 1/2" (2895)	10860310	10860410
12-0 (4 panel)	141 1/2" (3594)	10860312	10860412
12-0 (3 panel)	143" (3632)	10860321	10860421
16-0	189 1/2" (4813)	10860316	10860416



Interior Jamb Cover

V2939

CN Height	Length	Color	PN
6-5	76 1/2" (1943)	Stone White	15900465
		Black	15900365
6-8	79" (2007)	Stone White	15900468
		Black	15900368
8-0	92 1/2" (2350)	Stone White	15900480
		Black	15900380



Jamb Cover Base

V2937

Color	Length	PN
Natural	1 1/4" (32)	15600074




Stationary Panel Leveling Block, Kit

V2344

Includes:

- 1 - Foam sealant tape
- #8 x 5/8" Phillips pan head screws (qty will be per size)


CN Width	Length	Color	PN
5-0 OX/XO, 7-6 OXO 10-0 OXXO	31 1/4" (794)	Beige	10899010
		Black	10802910
6-0 OX/XO, 9-0 OXO 12-0 (4 panel) OXXO	37 1/4" (946)	Beige	10899012
		Black	10802912
8-0 OX/XO 12-0 (3 panel) OXO 16-0 OXXO	49 1/4" (1251)	Beige	10899016
		Black	10802916
7-6 OOX/XOO	60 15/16" (1548)	Beige	10802176
		Black	10802976
9-0 OOX/XOO	72 15/16" (1853)	Beige	10802190
		Black	10802990
12-0 (3 panel) OOX/XOO	96 15/16" (2462)	Beige	10802190
		Black	10802913



Spline Insert

V2638

CN Height	Length	Beige PN
6-5	75 5/8" (1921)	15911265
6-8	78 1/8" (1984)	15911268
8-0	91 5/8" (2327)	15911280




Interior Mullion Trim

V1633

Note: for OOX or XOO configurations


CN	Length	Color	PN
6-5 height	75 5/8" (1921)	Stone White	16902510
		Ebony	16912512
6-8 height	78 1/8" (1985)	Stone White	16902610
		Ebony	16912612
8-0 height	91 5/8" (2327)	Stone White	16902810
		Ebony	16912812



Stile Filler

V1619

CN	Length	Color	PN
6-5 height	76 9/32" (1937)	Stone White	15901965
		Ebony	45901965
6-8 height	78 25/32" (2001)	Stone White	15901968
		Ebony	45901968
8-0 height	92 9/32" (2344)	Stone White	15901980
		Ebony	45901980




Astragal Trim - OXO/OXXO

V1632


OXO			
CN	Length	Stone White PN	Ebony PN
6-5 height	75 7/16" (1916)	15963265	15966265
6-8 height	78 15/16" (2005)	15963268	15966268
8-0 height	91 7/16" (2322)	15963280	15966280

OXXO			
CN	Length	Stone White PN	Ebony PN
6-5 height	75 1/64" (1906)	16963265	16966265
6-8 height	77 33/64" (1969)	16963268	16966268
8-0 height	91 1/64" (2312)	16963280	16966280




Backer Rod

Color	Length	PN
Gray	5 ft.	10510060



Ordering specifications for Configured Parts in OMS (Frame Weather Strip):


1. Unit type;
2. Configuration (handing, if needed);
3. Component;
4. Exterior and Interior color;
5. Unit size
6. Interior weather strip package color;
7. Component location (from exterior view).



Frame Weather Strip
V2396/V2629

Ordering specifications for Configured Parts in OMS (Sill Weather Strip):

1. Unit type;
2. Configuration (handing, if needed);
3. Component;
4. Exterior and Interior color;
5. Unit size;
6. Sill frame color.




Sill Weather Strip
V2529/V2620

Weather Strip, Astragal, OXXO

V2398

Color	Length	PN
Beige	Specify length, sold by LF	15900187
Black		15900099



Head Jamb Dust Block

2 5/16" x 5/8" x 1/2" (59x16x13)


NOTE: Adhesive backed

Color	PN
Gray	10500135



Stationary Panel Gasket, OOX/XOO

Color	PN
Natural	10503422



Astragal Cap/ Astragal Base Dust Block

1 3/8" x 1/4" x 3/8" (35x6x10)


NOTE: Adhesive backed

Color	PN
Beige	10500463
Black	10500464



Astragal Gasket - OXO


Color	PN
Natural	105017



Stationary Panel Spacer

W8581


Length	Color	PN
12"	Bare	31518812



Jamb Liner

W12619


CN	Length	Color	PN
6-5 height	76 11/16" (1948)	Stone White	15960465
		Ebony	14590465
6-8 height	79 3/16" (2011)	Stone White	15960468
		Ebony	14590468
8-0 height	92 11/16" (2354)	Stone White	15960480
		Ebony	14590480



Head Jamb Liner

W12621


CN/OPERATION	Length	Color and Part Number	
		Stone White	Ebony
5-0 width OX,XO	58 7/8" (1495)	15961450	45961450
6-0 width OX,XO	70 7/8" (1800)	15961460	45961460
7-6 width OOX, XOO, OXO	88 3/8" (2245)	15961476	45961476
8-0 width OX,XO	94 7/8" (2410)	15961480	45961480
9-0 width OOX, XOO, OXO	106 3/8" (2702)	15961490	45961490
10-0 width OXXO	116 7/8" (2969)	15961410	45961410
12-0 width (4 panel) OXXO	140 7/8" (3578)	15961413	45961413
12-0 width (3 panel) OOX,XOO,OXO	142 3/8" (3616)	15961412	45961412
16-0 width OXXO	188 7/8" (4797)	15961416	45961416



Panel Guide

W13370

CN/OPERATION	Length	Color and Part Number	
		Stone White	Ebony
5-0 width OX,XO	56 5/16" (1430)	269050	469050
6-0 width OX,XO	68 5/16" (1735)	269060	469060
7-6 width OOX, XOO, OXO	85 13/16" (2180)	269076	469076
8-0 width OX,XO	92 5/16" (2345)	269080	469068
9-0 width OOX, XOO, OXO	103 13/16" (2637)	269090	469090
10-0 width OXXO	114 5/16" (2904)	269110	469100
12-0 width (4 panel) OXXO	138 5/16" (3513)	269124	469124
12-0 width (3 panel) OOX,XOO,OXO	139 13/16" (3551)	269123	469123
16-0 width OXXO	186 5/16" (4732)	269160	469161




Interior Astragal

W13122

- A: OXXO Middle End Fabrication
- B: OXXO Middle Handed
- C: OXXO Top/Bottom End Fabrication

Size			Stone White	Ebony
A			Middle End Fabrication	
	6-5 height	18 1/2" (470)	15010165	15040165
	6-8 height	21" (533)	15010168	15040168
	8-0 height	34 1/2" (876)	15010180	15040180
			Middle LH	Middle LH
B	6-5 height	18 1/2" (470)	15010265	15040264
	6-8 height	21" (533)	15010268	15040268
	8-0 height	34 1/2" (876)	15010280	15040280
			Middle RH	Middle RH
	6-5 height	18 1/2" (470)	15010266	15040266
	6-8 height	21" (533)	15010269	15040269
	8-0 height	34 1/2" (876)	15010281	15040281
C			Top/Bottom	
	All	22 9/32" (566)	15010122	15040122




Astragal Assembly, OXO

Includes:

- 1 - Astragal
- 1 - Astragal cap
- 1 - Weather strip
- 1 - Top gasket
- 1 - Bottom gasket

CN	Length	Stone White Cap with Black Weather Strip		Ebony Cap with Black Weather Strip	
		LH	RH	LH	RH
6-5 height	76 57/64" (1953)	10205265	10205365	10209265	10209365
6-8 height	79 25/64" (2017)	10205268	10205368	10209268	10209368
8-0 height	92 57/64" (2359)	10205280	10205380	10209280	10209380

Suggested Fasteners	PN
12 - #8-15 x 3 1/2" Type A/TF, Phillips, flat head, 2/3 thread screws	05080121



Ordering specifications (use all that apply):

1. Size; if there is no existing screen from which to obtain the OM of the screen, determine the size of the screen by using the (DLO) conversion chart below. The daylight opening is the measurement of the visible glass;
2. handing;
3. exterior color;

NOTE: Screens are standard with a color matched aluminum surround and Bright View mesh. Using the charts below, find the sizes that correspond to the width and height. Determine the outside measurement of the existing screen, then find the sizes that correspond to the width and height indicated in the chart below.

Daylight Opening (DLO) to OM of screen
 Daylight Width + 6 3/16" (157) = OM Width of Screen
 Daylight Height + 10 5/8" (270) = OM Height of Screen


Width	
CN Size	OM Width
5-0/7-6/10-0	29 3/16" (741)
6-8/9-0/12-0 (4 Panel)	35 3/16" (894)
8-0/12-0 (3 panel)/16-0	47 3/16" (1199)
Special	OM width
Height	
CN Size	OM Height
6-5	77 3/4" (1975)
6-8	80 1/4" (2038)
8-0	93 3/64" (2363)
Special	OM height

Screen Handle Assembly

Includes:

- 1 - Exterior handle - a
- 1 - Interior handle - b
- 1 - Slide - c
- 1 - Latch - d
- 3 - Screws
- 1 - Rivet

Color	PN
Black	10150028




Screen Door Meeting Stile Dust Block

17/32" x 7/8" x 1/2" (13x22x13)

NOTE: Adhesive backed

Usage: OXXO Secondary panel

Color	PN
Gray	10500161




Sliding Screen Door Strike Repair Kit

Includes:

- 1 - Strike
- 1 - Rubber well nut
- 1 - #6 x 3/4" Stainless Steel machine screw

NOTE: See instructions 19971024 sliding screen door strike repair kit.

PN
11901980




Screen Roller Assembly

Includes:


- 2 - Rollers
- 2 - Machine screws
- 2 - Grommet washers

PN
11869525



Screen Pile Weather Strip, Sliding Screen

PN
10600252



Screen Roller Track Dust Block

7/8" x 7/8" x 3/16"

NOTE: Adhesive backed, located behind the screen roller bar.


Color	PN
Gray	10500143



Screen Roller Guide

V2932

Color	CN	PN
Black	5-0/7-6/10-0	15918851
	6-0/9-0/12-0 (4 panel)	15918861
	8-0/12-0 (3 panel)/16-0	15918881




Door Strike

Includes:

- 1 - Door strike
- 1 - #8 x 5/8" Phillips pan head screw

PN
02100963




Screen Stop, OXXO

Includes:

- 2 - #8 x 5/8" Pierce point truss head screws

NOTE: Adhesive backed

Color	PN
Stainless Steel	10188177




Head Jamb Screen Track

A1237

NOTE: For NA Part number, order next size up

CN/Oper	Length	Stone White PN	Pebble PN	Bronze PN	Ebony PN
5-0 OX,XO	57 31/64" (1460)	18547250	18547350	18547150	18546850
6-0 OX,XO	69 31/64" (1765)	18547255	18547355	18547155	18546885
7-6 OOX, XOO, OXO	86 63/64" (2210)	18547276	18547376	18547176	18546876
8-0 OX,XO	93 31/64" (2375)	18547280	18547380	18547182	18546882
9-0 OOX, XOO,OXO	104 63/64" (2667)	18547295	18547395	18547195	18546895
10-0 OXXO	115 31/64" (2934)	18547210	18547310	18547110	18546810
12-0 (4 panel) OXXO	139 31/64" (3543)	18547212	18547312	18547112	18546812
12-0 (3 panel) OOX, XOO,OXO	140 63/64" (3581)	18547213	18547313	18547113	18546813
16-0 OOX, XOO, OXO, OXXO	187 31/64" (4762)	18547216	18547316	18547116	18546813

Suggested Fasteners	Color	PN
#8 x 5/8" Phillips self tapping pan head screws OX/XO uses a quantity of 8 OOX/XOO/OXO uses a quantity of 12 OXXO uses a quantity of 16	Beige (EA)	11806158
	Black (EA)	11806173
	Beige (pkg of 25)	11807158
	Black (pkg of 25)	11807174




Screen Astragal, OXXO

A2740

Includes:

- 5 - Screen dust blocks
- 5 to 7 - #7-19 x 1 1/2" Phillips pan head screws (11807111)
- 1 - Sliding screen instruction

CN Height	Length	Color and Part Number			
		Stone White	Pebble	Bronze	Ebony
6-5	75 23/64" (1914)	11810065	11820065	11830065	11880065
6-8	77 55/64" (1978)	11810068	11820068	11830068	11880068
8-0	91 23/64" (2320)	11810080	11820080	11830080	11880081



Tamper Resistant Pin-in T20 Driver Bit

PN
02095562



Ordering specifications (use all that apply):


- 1. Call number or order number;
- 2. operator or stationary;
- 3. handing;
- 4. exterior and interior color;
- 5. glazing.

NOTE: Operator panels include rollers, lock box, panel drip, interlock, aluminum and wood fillers. Stationary panels include interlock, stationary panel bracket, leveling block and end cap, interlock block, dust block, head jamb foam block and wood spacers.

NOTE: Panel is not reglazable; replacement glass will require a new panel.

Daylight Opening (DLO) to Panel OM
Daylight Width + 7 1/4" (184) = OM Width of Panel
Daylight Height + 9 5/8" (244) = OM Height of Panel

Width	
CN Size	OM Width
5-0/7-6/10-0	29 5/8" (752)
6-8/9-0/12-0 (4 Panel)	35 5/8" (905)
8-0/12-0 (3 panel)/16-0	47 5/8" (1210)
Special	Original order number
Height	
CN Size	OM Height
6-5	76 23/32" (1949)
6-8	79 7/32" (2012)
8-0	92 23/32" (2355)
Special	Original order Number



Exterior View