



Vivid Sliding Patio Door

Replacement
Parts

Specifications and technical data are subject to change without notice.

Numbers listed in () parentheses are metric equivalents in millimeters rounded to the nearest whole number.

Suggested fasteners are not included and must be ordered separately.

Illustrations are not to scale.

Contents

Product History.....	2
Vivid Usage in OMS Retail.....	3
Part Identification - Two Panel Operator.....	4
Part Identification - Three Panel Operator.....	5
Part Identification - Four Panel Operator	6
Cambridge Handles.....	7
Northfield Handles	9
Handle Parts	11
Locking Hardware	13
Operators	16
Miscellaneous Parts	17
Aluminum Parts	22
Vinyl Parts - Configured Part in OMS	26
Vinyl Parts.....	27
Weather Strip	31
Weather Strip - Configured Part in OMS	32
Wood Parts.....	34
Screen Replacement - Configured Part in OMS.....	38
Screen Parts	39
Tools	43
Panel Replacement - Configured Part in OMS	44


Produced	Unit Type	Features and Changes
2025	Sliding Patio Door	09/29/2025: Introduced the Vivid Sliding Patio Door.

Due to shared components, Vivid door parts are listed in OMS under the Vivid product line and Infinity doors in the product dropdown list.


All Parts

Use the fields below to find a part. Enter search values, then click Search.

Product Line:	Vivid	Product:	INFINITY BI-FOLD DOOR
Part Number:		Description:	INFINITY BI-FOLD DOOR
The following parts match the search criteria you entered		INFINITY INSWING FRENCH DOOR	
Type Filter:		INFINITY OUTSWING FRENCH DR	
		INFINITY SLIDING FRENCH DOOR	
		INFINITY SLIDING PATIO DOOR	




Head Jamb and Sill




2-Panel XO - Jamb

1. Jamb/Head Jamb Weather Strip, V2629/V2396
2. Head Jamb Liner, W12621
3. Panel Guide, W13370
4. Panel Guide Fastener, A1223
5. Adjustable Panel Roller
6. Sill Liner, V2693
7. Roller Track, V2676
8. Sill Weather Strip, V2529/V2620
9. Backer Rod
10. Leveling Block Insert, A2821
11. Stationary Panel Leveling Block, V2344
12. Screen Roller Guide, V2932
13. Head Jamb Screen Track, A1237
14. Jamb Liner, W12619
15. Interior Handle
16. Stile Cover, V2165
17. Interior Jamb Cover, V2939
18. Operator Panel Interlock, V3189
19. Stationary Panel Interlock, V3130
20. Jamb Cover Base, V2937
21. Jamb Cover, V2939
22. Hinged Head Jamb Nailing Fin/Drip Cap, V119
23. Hinged Jamb Nailing Fin, V104
24. Exterior Handle
25. Pile Weather Strip (Sliding)




3-Panel Jamb Detail - OXO



3-Panel Jamb Detail - XOO

1. Astragal Trim, V1953
2. Astragal Assembly
3. Astragal Weather Strip, V2398
4. Astragal Cap, Vertical, V3003/V3005
5. Screen Stop Base (OXO), A3218
6. Stile Cover, A1222
7. Interior Mull Trim, V1633
8. Spline Insert, V2638
9. Spline (OOX/XOO), A3337
10. Pile Weather Strip, (Sliding)



4-Panel Jamb Detail - OXXO

1. Astragal Trim (OXXO), V1632
2. Interior Astragal, W13122
3. Astragal Weather Strip (OXXO), V2398
4. Astragal Cap (OXXO), A3348
5. Astragal Base (OXXO), A3347
6. Screen Astragal, A2740
7. Pile Weather Strip (Sliding)

Cambridge Active Handle Set, Exterior

Includes:

- 1 - Handle

1 - Exterior escutcheon

2 - Handle screws

1 - Post nut

1 - Keyed cylinder

1 - Keyed cylinder cover
- 2 - Cylinder cover screws

1 - Handle gasket


1 - Z-clip

2 - Keys

1 - Instruction card

1 - Allen wrench

Color	XO/XOO/OXO-R OXXO-R	OX/OOX/OXO-L OXXO-L
White	108852	108853
Satin Nickel PVD	108860	108861
Oil Rubbed Bronze PVD	108862	108863
Matte Black	108872	108873



XO/XOO/OXO/
OXXO-R shown

Cambridge Active Handle Set, Interior

Includes:

- 1 - Handle

1 - Interior escutcheon

2 - Handle screws


2 - Escutcheon machine screws
- 1 - Thumb turn

1 - Thumb turn extension

1 - Instruction card

1 - Allen wrench

Color	XO/XOO/OXO-R OXXO-R	OX/OOX/OXO-L OXXO-L
White	208840	208841
Satin Nickel PVD	208848	208849
Oil Rubbed Bronze PVD	208850	208851
Matte Black	208868	208869



XO/XOO/OXO-R/
OXXO-R shown

Cambridge Passive Handle Set, Exterior


Includes:

- 1 - Handle
- 1 - Exterior escutcheon
- 1 - Handle gasket
- 2 - Handle screws
- 2 - Post nuts
- 1 - Instruction card
- 1 - Allen wrench

Color	OXXO-R	OXXO-L
White	228878	228879
Satin Nickel PVD	228874	228875
Oil Rubbed Bronze PVD	228872	228873
Matte Black	228868	228869

Door Configurations	
OX, OOX OXO L LH configurations use OXXO-R PN (non-keyed door)	XO, XOO OXO R RH configurations use OXXO-L PN (non-keyed door)

Door Configurations (Panel type determines PN usage)	
OXXO L	OXXO R
Active panels use LH PN	Active panels use RH PN
Inactive panels use RH PN	Inactive panels use LH PN




OXXO-L shown

Cambridge Passive Handle Set, Interior

Includes:

- 1 - Handle
- 1 - Interior escutcheon
- 2 - Handle screws
- 2 - Escutcheon machine screws
- 1 - Instruction card
- 1 - Allen wrench

Color	OXXO-R	OXXO-L
White	218878	218879
Satin Nickel PVD	218874	218875
Oil Rubbed Bronze PVD	218872	218873
Matte Black	218868	218869




OXXO-L shown

Northfield Active Handle Set, 1", Exterior

Includes:

- 1 - Handle
1 - Exterior escutcheon
1 - Handle screw
1 - Handle bracket
2 - Handle bracket screws
1 - Keyed cylinder
- 2 - Z-clip/keyed cylinder cover screws
1 - Z-clip
2 - Keys
1 - Instruction card
1 - Allen wrench

Color	XO/XOO/OXO-R OXXO-R	OX/OOX/OXO-L OXXO-L
White	11868101	11868100
Satin Nickel PVD	11868105	11868104
Oil Rubbed Bronze PVD	11868107	11868106
Matte Black	11868111	11868110




XO/XOO/OXO-R/
OXXO-R shown

Northfield Active Handle Set, 1", Interior

Includes:

- 1 - Handle
1 - Thumb turn
1 - Interior escutcheon
2 - Machine screws
1 - Handle screw
- 1 - Handle Bracket
2 - Handle escutcheon bracket screws
1 - Tail piece
1 - Instruction card
1 - Allen wrench

Color	XO/XOO/OXO-R OXXO-R	OX/OOX/OXO-L OXXO-L
White	11868120	11868121
Satin Nickel PVD	11868124	11868125
Oil Rubbed Bronze PVD	11868126	11868127
Matte Black	11868130	11868131



OX/OOX/OXO-L/
OXXO-L shown

Northfield Passive Handle Set, 1”, Exterior

Includes:

- 1 - Handle

1 - Exterior escutcheon

1 - Handle screws

1 - Handle bracket
- 2 - Bracket screws


1 - Instruction card

1 - Allen wrench

Color	OXXO-R	OXXO-L
White	11868160	11868161
Satin Nickel PVD	11868164	11868165
Oil Rubbed Bronze PVD	11868166	11868164
Matte Black	11868170	11868171

Door Configurations	
OX, OOX OXO L LH configurations use OXXO-R PN (non-keyed door)	XO, XOO OXO R RH configurations use OXXO-L PN (non-keyed door)

Door Configurations (Panel type determines PN usage)	
OXXO L	OXXO R
Active panels use LH PN	Active panels use RH PN
Inactive panels use RH PN	Inactive panels use LH PN



OXXO-L shown

Northfield Passive Handle Set, 1”, Interior

Includes:

- 1 - Handle

1 - Exterior escutcheon


1 - Handle screws

1 - Handle bracket
- 2 - Bracket screws

1 - Instruction card

1 - Allen wrench

Color	OXXO-R	OXXO-L
White	11868140	11868141
Satin Nickel PVD	11868144	11868145
Oil Rubbed Bronze PVD	11868146	11868147
Matte Black	11868150	11868151




OXXO-R shown

Cambridge Handle Escutcheon Screw

Includes:

1 - #8-32 x 2" Phillips oval head machine screw - attach exterior to interior plate

Color	PN
White	118090
Satin Nickel	118093
Oil Rubbed Bronze	118094
Matte Black	118100




Northfield Handle Escutcheon Screw

Includes:

1 - #8-32 x 2 1/2" machine screw - attach exterior to interior plate

Color	PN
White	118082
Satin Nickel	118085
Oil Rubbed Bronze	118086
Matte Black	118102




Cambridge Handle Z-Clip

Includes:

1 - Z-Clip screw

PN
108815




Cambridge Handle Screws

Includes:

2 - #8 x 7/16" button head cap screw - attach handle to escutcheon

Color	PN
Zinc	118095




Keyed Cylinder

Includes:

- 1 - Lock Cylinder
- 2 - Keys


NOTE: For keyed alike cylinders, please contact your Marvin representative. Please supply the original order number if possible.

PN
108810



Tail Piece/Extension, Interior Active Handle

PN
11868008



Keeper

Includes:

- 1 - Keeper
- 4 - #8 x 3" Phillips self tapping pan head screws - used on OX/XO, OOX/XOO
- 4 - #10 x 1" Phillips self tapping pan head screws - used on OXO
- 4 - #8 x2" Phillips self tapping pan head screws - used on OXXO


Color	PN
Pearl White	117711
Black	117712

Keeper, Stainless Steel

Includes:

- 1 - Keeper
- 4 - #8 x 3" Phillips self tapping pan head screws - used on OX/XO, OOX/XOO
- 4 - #10 x 1" Phillips self tapping pan head screws - used on OXO
- 4 - #8 x 2" Phillips self tapping pan head screws - used on OXXO

Color	PN
304 Stainless Steel	117713




Assembly Lock

Includes:

- 1 - Mortise lock and trim plate

Color	PN
Standard	11869890
Coastal	11869891


Suggested Fasteners	PN
2 - #8x1" Phillips, Stainless Steel screw	11805185



Shoot Bolt Guide

Color	PN
Pearl White	10501152
Black	10501163

Suggested Fasteners	Color	PN
2 - #6 x 1/2" Type AB, Phillips, flat head, full thread screw	Pearl White	11860650
	Black	11860649
2 - #8-18 x 1"AB, full thread screw	Stainless Steel	11800769




Flush Bolt Assembly Kit

Includes:


- 1 - Flush bolt assembly
- 2 - #6 x 3/4" Phillips flat head screws
- 2 - #6 x 5/8" Phillips flat head screws

Color	PN
Pearl White	10809688
Black	10809689



Shoot Bolt Guide Insert

Color	PN
Black	11860345



Flush Bolt Face Plate Kit

Includes:


- 1 - Flush bolt face plate
- 2 - #6-18 x 3/4" Type A, full thread screw
- 2 - #6-20 x 5/8" Type AB, full thread screw

Color	PN
Pearl White	10809350
Black	10809351




Strike Plate, Head Jamb, OXXO

PN	Suggested Fasteners	PN
11862586	#8-18 x 1 1/4" Phillips, flat head screw	11806156




Strike Plate, Head Jamb OXXO

Color	PN	Suggested Fasteners	PN
White	11863580	#8-18 x 1 1/4" Phillips, flat head screw	11806156
Black	11863581		



Sill Strike, OXXO


PN	Suggested Fasteners	PN
11862587	#8-18 x 1#8 x 1" Phillips, flat head, full thread screw	11800645



Adjustment Roller

Color	PN
Zinc	10820010
Coastal (Stainless Steel)	10820011

Suggested Fasteners	
2- #8 x 1", 410 screw	
Color	PN
Standard (Zinc)	11800769
Coastal (Stainless Steel)	11800810




Bottom Stationary Panel Bracket Kit

Includes:

- 1 - Bracket
 - 2 - #8 x 1" Phillips pan head screws
 - 2 - #8 x 3/4" Pin-in Torx flathead screws - T20
- NOTE: Tamper resistant driver bit available in Tools section


Color	Handing	PN
Stainless Steel	LH	105130
	RH	105133



Stationary Panel Bracket

Color	PN
Beige	10500131
Stainless Steel	10501159
Black	10501139

Suggested Fasteners	PN
2 - #8 x 1" Phillips, Stainless Steel screw	11805185
1 - #8 X 3" Phillips, self tapping pan head, Stainless Steel screw	11806157




Adjustment Hole Cap Kit

Includes:


- 2 - Operator adjustment hole caps

Color	PN
Stone White	156006
Bronze	256002
Ebony	456002
Beige	11170002




Jamb Hole Plug, 3/8"

Color	PN
Beige	199018
Bronze	199020



Leveling Block End Cap

Color	Handing	PN
Beige	LH	10801583
Black	LH	10809583
Beige	RH	10801582
Black	RH	10809582




Astragal End Cap, OXXO

NOTE: Use at top and bottom of secondary astragal.


Color	PN
Black	11860363

Suggested Fasteners	PN
1 - #8-15 x 3/4" Type A-17, full thread screw	11805321




Top Stationary Bracket Cover

Color	PN
Beige	10500801
Black	10500809




Foot Bolt Lock Plate

Color	PN
Beige	218570
Black	318570



Sill Drain Weep

Color	PN
Black	15631215



Stop Block Kit, XO/OX/OXO/OXXO Beige Sill

Includes:

- 2 - Bumper tack, Beige
- 1 - Bumper tack, Black
- 2 - Stop block, Beige
- 1 - Stop block, Bronze


Color	PN
Beige	117750

Stop Block Kit, XO/OX/OXO/OXXO Bronze Sill

Includes:

- 1 - Bumper tack, Beige
- 2 - Bumper tack, Black
- 1 - Stop block, Beige
- 2 - Stop block, Bronze

Color	PN
Bronze	117760




Stop Block Kit, OOX/XOO

Includes:


- 1 - Stop block, Beige
- 1 - Stop block, Bronze
- 1 - Stop block, 1-hole, Beige (not shown)
- 1 - Stop block, 1-hole, Bronze (not shown)
- 1 - Bumper tack, Beige
- 1 - Bumper tack, Black
- 1 - Stop block plug, Beige
- 1 - Stop block plug - Bronze
- 1 - #10 x 1 1/2" Phillips pan head screw

PN
117770



Thumb Tack Bumper

Color	PN
Beige	02101000
Black	02101006



Foot Bolt Assembly Kit

Includes:

- 1 - Foot bolt - a
- 1 - Stop block - c
- 2 - Jamb hole plug - XO0/OOX only - e
- 1 - Foot bolt installation template - f
- 2 - #8 x 2 3/4" type A/TF, 2" thread screws - g
- 1 - #10 x 1 1/4" AB, FH screw - h
- 1 - Foot bolt lock plate - b
- 1 - Thumb tack bumper - d

NOTE: Installation instructions and 1 tape, 3M VHB 2-sided, are also included in the kit.



Color	PN
Stone White/Beige	418570
Stone White/Black	418670
Beige/Beige	418770
Beige/Black	418870
Bronze/Black	418970
Bronze/Beige	418971

Knock Down (KD) Assembly Kit

Includes:

- 16 - #8-15 x 5/8" truss head screw - Beige
- 16 - #8-15 x 5/8" truss head screw - Black
- 4 - #8-15 x 3/4" Type A-17, full thread, pin-in T20 screw
- 6 - #8-18 x 1" Type A-17, full thread, pan head screw, stainless steel
- 10 - #8-15 x 3 1/2" Type A/TF, 2/3 thread, pan head screw
- 12 - #8-18 x 1/2" Type AB, full thread screw
- 9 - #8-18 x 5/8" Type A/TEK-2 full thread screw
- 2 - Interlock seal - Beige
- 2 - Interlock seal - Black
- 2 - Header dust block
- 1 - Silicone
- 1 - Instructions, Marvin Sliding Door KD instructions
- 1 - Pin-in T20 Torx driver bit
- 2 - Stationary panel bracket
- 2 - Stationary panel plug
- 1 - Stationary panel gasket

PN
130005



Interlock Seal, Sub Assembly


Usage: Stationary panel

Qty 1 on OX/XO, OOX/XOO, OXO

Qty 2 on OXXO

Color	PN
Beige	11870522
Black	11870521

Suggested Fastener	PN
1 - #7 x 3/4" Type A-17, full thread, pan head screw	11806164




Interlock Hook

Usage: Stationary and operator panel

Qty 2 per panel

PN
10152337


Suggested Fasteners	Color	PN
4 - #8-18 x 1" Type A, Phillips, pan head, full thread screw	Beige	11806155
	Black	11809255
	White	11808055



Leveling Block Insert

A2821


CN Width	Length	PN
5-0/7-6/10-0	23 1/2" (597)	169012
6-0/9-0/ 12-0 (4 Panel)	29 1/2" (749)	169015
8-0/12-0 (3 Panel) 16-0	41 1/2" (1054)	169021



Spline, OOX/XOO

A3337

CN	Length	Color and Part Number			
		Stone White	Pebble	Bronze	Ebony
6-5 height	76 45/64" (1948)	19541065	19541165	19541265	19541765
6-8 height	79 13/64" (2012)	19541068	19541168	19541268	19541768
8-0 height	92 45/64" (2356)	19541080	19541180	19541280	19541780
Lineal	96" (2438)	18541096	18541196	18541296	18541796




Panel Guide Fastener

A1223

NOTE: All OXO CN operators will require 2 parts to make a complete panel guide.

CN width	Length	Oper	White PN	Black PN
5-0 OX/XO, 7-6 OXO	56 1/4" (1429)		18546050	19546050
7-6 OXO	27 1/2 (699)	LH	18546076	19546076
		RH	18546077	19546079
7-6 OOX/XOO	85 3/4" (2178)		18546079	19546079
6-0 OX/XO, 9-0 OXO	68 1/4" (1734)		18546055	19546055
9-0 OXO	33 1/2" (851)	LH	18546092	19546092
		RH	18546094	19546094
9-0 OOX/XOO	103 3/4" (2635)		18546096	19546096
8-0 OX/XO 12-0 (3PANEL) OXO	92 1/4" (2443)		18546080	19546080
12-0 (3PANEL) OXO	45 1/2" (1156)	LH	18546097	19546097
		RH	18546098	19546078
12-0 (3 PANEL) OOX/XOO	139 3/4" (3539)		18546093	19546093
10-0 OXXO	51" (1295)	LH	18546010	19546010
		RH	18546011	19546011
12-0 (4 PANEL) OXXO	63" (1600)	LH	18546012	19546012
		RH	18546013	19546013
16-0 OXXO	87" (2210)	LH	18546016	19546016
		RH	18546017	19546017




Suggested Fasteners	Color Match	PN
#8 x 5/8" Phillips self tapping panhead screws Order quantity of 16 is recommended	Beige (EA)	11806158
	Black (EA)	11806173
	Beige (pkg of 25)	11807158
	Black (pkg of 25)	11807174

Astragal Base, Secondary Operator, OXXO

A3347


CN	Length	Color, Handing and Part Number							
		Stone White		Pebble		Bronze		Ebony	
		LH	RH	LH	RH	LH	RH	LH	RH
6-5 height	74 31/32" (1904)	19542066	19542065	19542166	19542165	19542466	19542465	19542566	19542565
6-8 height	77 15/32" (1968)	19542069	19542068	19542169	19542168	19542469	19542468	19542569	19542568
8-0 height	90 31/32" (2311)	19542081	19542080	19542181	19542180	19542481	19542480	19542581	19542580
Lineal	96" (2438)	18542072		18542172		18542472		18542572	



Astragal Cap, OXXO

A3348


CN	Length	Color and Part Number			
		Stone White	Pebble	Bronze	Ebony
6-5 height	75 11/64" (1909)	19543065	19543165	19543265	19543565
6-8 height	77 43/62" (1973)	19543068	19543168	19543268	19543568
8-0 height	91 11/64" (2316)	19543080	19543180	19543280	19543580
Lineal	96" (2438)	18543072	18543172	18543272	18543572



Screen Stop Base, OXO

A3218

CN	Length	Color, Handing, and Part Number							
		Pebble		Stone White		Bronze		Ebony	
		LH	RH	LH	RH	LH	RH	LH	RH
6-5 height	77 3/32" (1958)	18550066	18550065	18550166	18550165	18550266	18550265	18550566	18550565
6-8 height	79 19/32" (2022)	18550069	18550068	18550169	18550168	18550269	18550268	18550569	18550568
8-0 height	93 3/32" (2365)	18550081	18550080	18550181	18550180	18550281	18550280	18550581	18550580




Stile Cover

A1222


NOTE: Used as a cover for the A3218, Screen Stop Base, OXO

CN	Length	Color and Part Number			
		Pebble	Stone White	Bronze	Ebony
6-5 height	76 17/64" (1937)	18547165	18547065	18547265	18546872
6-8 height	78 49/64" (2001)	18547168	18547068	18547268	18546873
8-0 height	92 17/64" (2344)	18547180	18547080	18547283	18546875




Ordering specifications for Configured Parts in OMS:


- 1. Unit type
- 2. Configuration (and handing, if needed)
- 3. Select a component: left, right, or center panel interlock weather strip
- 4. Unit size (call number, rough opening or frame size)
- 5. Interior and exterior color
- 6. Sill frame color



Stationary Interlock
V3130



Operator Interlock
V3189



Roller Track w/foam sealant tape
V2676

Suggested Fasteners (Interlock)	Color Match	PN
9 - #8-18 x 1" Type A, Phillips, pan head, full thread screw	Beige	11806155
	Black	11809255
	White	11808055


Stationary Panel Leveling Block, Kit

V2344

Includes:

- 1 - Foam sealant tape
- #8 x 5/8" Phillips pan head screws (qty will be per size)

CN Width	Length	Color	PN
5-0 OX/XO 7-6 OXO 10-0 OXXO	31 1/4" (794)	Beige	10899010
		Black	10802910
6-0 OX/XO 9-0 OXO 12-0 (4 panel) OXXO	37 1/4" (946)	Beige	10899012
		Black	10802912
8-0 OX/XO 12-0 (3 panel) OXO 16-0 OXXO	49 1/4" (1251)	Beige	10899016
		Black	10802916
7-6 OOX/XOO	60 15/16" (1548)	Beige	10802176
		Black	10802976
9-0 OOX/XOO	72 15/16" (1853)	Beige	10802190
		Black	10802990
12-0 (3 panel) OOX/XOO	96 15/16"	Beige	10802112
		Black	10802913




Sill Liner

V2693

Includes:

- 1 - Foam sealant tape


CN Width	Length	Beige PN	Black PN
5-0	59" (1499)	10860350	10860450
6-0	71" (1803)	10860360	10860460
7-6	88 1/2" (2248)	10860376	10860476
8-0	95" (2413)	10860380	10860480
9-0	106 1/2" (2705)	10860390	10860490
10-0	117 1/2" (2895)	10860310	10860410
12-0 (4 panel)	141 1/2" (3594)	10860312	10860412
12-0 (3 panel)	143" (3632)	10860321	10860421
16-0	189 1/2" (4813)	10860316	10860416



Interior Jamb Cover

V2939

CN	Length	Color	PN
6-5 height	76 1/2" (1943)	Stone White	15900465
		Black	15900365
6-8 height	79" (2007)	Stone White	15900468
		Black	15900368
8-0 height	92 1/2" (2350)	Stone White	15900480
		Black	15900380



Jamb Cover Base

V2937


Color	Length	PN
Natural	1 1/4" (32)	15600074
	5" (127)	15600075



Spline Insert

V2638


CN Height	Length	Beige PN
6-5	75 5/8" (1921)	15911265
6-8	78 1/8" (1984)	15911268
8-0	91 5/8" (2327)	15911280



Astragal Cap, Vertical, OXO

V3003/V3005


CN	Length	Color and Part Number			
		White		Black	
		LH	RH	LH	RH
6-5 height	77 1/2" (1969)	15907165	15907166	15907265	15907266
6-8 height	80 1/2" (2045)	15907168	15907169	15907268	15907269
8-0 height	94" (2388)	15907180	15907181	15907280	15907281



Astragal Trim - OXO

V1953


CN	Length	Color	PN
Lineal	94" (2388)	Stone White	159753
		Ebony	459753



Astragal Trim - OXXO

V1632


CN	Length	Color and Part Number	
		Stone White	Ebony
6-5 height	75 1/64" (1906)	16963265	16966265
6-8 height	77 33/64" (1969)	16963268	16966268
8-0 height	91 1/64" (2312)	16963280	16966280



Stile Cover

V2165

CN	Length	Color	PN
6-5 height	76 13/32" (1941)	Stone White	259565
		Black	659565
6-8 height	78 29/32 (2004)	Stone White	259568
		Black	659568
8-0 height	92 13/32" (2347)	Stone White	259580
		Black	659580




Interior Mullion Trim

V1633


Note: for OOX or XOO configurations

CN	Length	Color	PN
6-5 height	75 5/8" (1921)	Stone White	16902510
		Ebony	16912512
6-8 height	78 1/8" (1985)	Stone White	16902610
		Ebony	16912612
8-0 height	91 5/8" (2327)	Stone White	16902810
		Ebony	16912812




Backer Rod

Color	Length	PN
Gray	5 ft.	10510060



Ordering Specifications for Configured Parts in OMS (Frame Weather Strip):


1. Unit type;
2. Configuration (handing, if needed);
3. Component;
4. Exterior and Interior color;
5. Unit size
6. Interior weather strip package color;
7. Component location (from exterior view).



Frame Weather Strip
V2396/V2629

Ordering Specifications for Configured Parts in OMS (Sill Weather Strip):

1. Unit type;
2. Configuration (handing, if needed);
3. Component;
4. Exterior and Interior color;
5. Unit size;
6. Sill frame color.




Sill Weather Strip
V2529/V2620

Weather Strip, Astragal, OXXO

V2398

Color	Length	PN
Beige	Specify length, sold by LF	15900187
White		15900088
Black		15900099



Head Jamb Dust Block

2 5/16" x 5/8: x 1/2" (59x16x13)

NOTE: Adhesive backed

Color	PN
Gray	10500135




Sill Dust Block

2 5/16" x 5/8: x 1/2" (59x16x13)

NOTE: Adhesive backed


Used at Top and Bottom of OXXO Astragal End Cap

PN
10500132




Head Jamb to Stationary Panel Foam Plug

Color	PN
Beige	10500128




Stationary Panel Gasket, OOX/XOO

Color	PN
Natural	10503422



Astragal Gasket - OXO

Color	PN
Natural	105017




Interior Astragal

W13122

- A: OXXO Middle End Fabrication
- B: OXXO Middle Handed
- C: OXXO Top/Bottom End Fabrication


Size			Stone White	Ebony
A			Middle End Fabrication	
	6-5 height	18 1/2" (470)	15010165	15040165
	6-8 height	21" (533)	15010168	15040168
	8-0 height	34 1/2" (876)	15010180	15040180
			Middle LH	Middle LH
B	6-5 height	18 1/2" (470)	15010265	15040264
	6-8 height	21" (533)	15010268	15040268
	8-0 height	34 1/2" (876)	15010280	15040280
			Middle RH	Middle RH
	6-5 height	18 1/2" (470)	15010266	15040266
	6-8 height	21" (533)	15010269	15040269
	8-0 height	34 1/2" (876)	15010281	15040281
C			Top/Bottom	
	All	22 9/32" (566)	15010122	15040122



Head Jamb Liner

W12621


CN Width	Length	Color and Part Number	
		Stone White	Ebony
5-0 OX,XO	58 7/8" (1495)	15961450	45961450
6-0 OX,XO	70 7/8" (1800)	15961460	45961460
7-6 OOX, XOO, OXO	88 3/8" (2245)	15961476	45961476
8-0 OX,XO	94 7/8" (2410)	15961480	45961480
9-0 OOX, XOO, OXO	106 3/8" (2702)	15961490	45961490
10-0 OXXO	116 7/8" (2969)	15961410	45961410
12-0 (4 panel) OXXO	140 7/8" (3578)	15961413	45961413
12-0 (3 panel) OOX,XOO,OXO	142 3/8" (3616)	15961412	45961412
16-0 OXXO	188 7/8" (4797)	15961416	45961416



Jamb Liner

W12619


CN Height	Length	Color and Part Number	
		Stone White	Ebony
6-5	76 11/16" (1948)	15960465	14590465
6-8	79 3/16" (2011)	15960468	14590468
8-0	92 11/16" (2354)	15960480	14590480



Panel Guide

W13370

CN Width	Length	Color and Part Number	
		Stone White	Ebony
5-0 OX,XO	56 5/16" (1430)	269050	469050
6-0 OX,XO	68 5/16" (1735)	269060	469060
7-6 OOX, XOO, OXO	85 13/16" (2180)	269076	469076
8-0 OX,XO	92 5/16" (2345)	269080	469068
9-0 OOX, XOO, OXO	103 13/16" (2637)	269090	469090
10-0 OXXO	114 5/16" (2904)	269110	469100
12-0 (4 panel) OXXO	138 5/16" (3513)	269124	469124
12-0 (3 panel) OOX,XOO,OXO	139 13/16" (3551)	269123	469123
16-0 OXXO	186 5/16" (4732)	269160	469161




Astragal Assembly, OXO

Includes:

- 1 - Astragal
- 1 - Astragal cap
- 1 - Weather strip
- 1 - Top gasket
- 1 - Bottom gasket

CN	Length	Stone White Cap with Black Weather Strip		Stone White Cap with Beige Weather Strip		Stone White Cap with White Weather Strip		Ebony Cap with Black Weather Strip	
		LH	RH	LH	RH	LH	RH	LH	RH
6-5 height	76 57/64" (1953)	10205265	10205365	10205065	10205165	10205465	10205565	10209265	10209365
6-8 height	79 25/64" (2017)	10205268	10205368	10205068	10205168	10205468	10205568	10209268	10209368
8-0 height	92 57/64" (2359)	10205280	10205380	10205080	10205180	10205480	10205580	10209280	10209380

Suggested Fasteners	PN
12 - #8-15 x 3 1/2" Type A/TF, Phillips, flat head, 2/3 thread screws	05080121



Ordering specifications (use all that apply):

1. Size; if there is no existing screen from which to obtain the OM of the screen, determine the size of the screen by using the conversion chart below. The daylight opening is the measurement of the visible glass;
2. handing;
3. exterior color;
4. screen wire – standard Bright View mesh or optional charcoal High Transparency fiberglass mesh.

NOTE: Screens are standard with a color matched aluminum surround and Bright View mesh. An optional charcoal colored High Transparency fiberglass 20 x 20 screen mesh is also available on Infinity products. Determine the outside measurement of the existing screen. Find the sizes that correspond to the width and height indicated in the chart provided.


Daylight Opening (DLO) to OM of screen	
Daylight Width + 4 3/16" (106) = OM Width of Screen	
Daylight Height + 5 1/64" (127) = OM Height of Screen	
Width	
CN Size	OM Width
5-0/7-6/10-0	29 3/16" (741)
6-8/9-0/12-0 (4 Panel)	35 3/16" (894)
8-0/12-0 (3 panel)/16-0	47 3/16" (1199)
Special	OM width
Height	
CN Size	OM Height
6-5	77 3/64" (1957)
6-8	79 35/64" (2020)
8-0	93 3/64" (2363)
Special	OM height

Screen Handle Assembly

Includes:

- 1 - Exterior handle - a
- 1 - Interior handle - b
- 1 - Slide - c
- 1 - Latch - d
- 3 - Screws
- 1 - Rivet


Color	PN
Black	10150028



Screen Roller Guide

V2932

Color	CN Width	PN
Black	5-0/7-6/10-0	15918851
	6-0/9-0/12-0 (4 panel)	15918861
	8-0/12-0 (3 panel)/16-0	15918881




Sliding Screen Door Strike Repair Kit

Includes:

- 1 - Strike
- 1 - Rubber well nut
- 1 - #6 x 3/4" Stainless Steel machine screw

NOTE: See instructions 19971024 Sliding screen door strike repair kit.

PN
11901980




Screen Roller Assembly

Includes:

- 2 - Rollers
- 2 - Machine screws
- 2 - Grommet washers

PN
11869525




Screen Door Strike Kit

Includes:

1 - #8 x 5/8" Phillips pan head screw

PN
11897165




Screen Door Meeting Stile Dust Block

17/32" x 7/8" x 1/2" (13x22x13)

NOTE: Adhesive backed


Used on OXXO Secondary panel

Color	PN
Gray	10500161



Screen Pile Weather Strip, Sliding Screen

PN
10600252




Head Jamb Screen Track

A1237

CN Width	Length	Color and Part Number			
		Stone White	Pebble	Bronze	Ebony
5-0 OX,XO	57 31/64" (1460)	18547250	18547350	18547150	18546850
6-0 OX,XO	69 31/64" (1765)	18547255	18547355	18547155	18546855
7-6 OOX/XOO,OXO	86 63/64" (2210)	18547276	18547376	18547176	18546876
8-0 OX,XO	93 31/64" (2375)	18547280	18547380	18547182	18546882
9-0 OOX/XOO,OXO	104 63/64" (2667)	18547295	18547395	18547195	18546895
10-0 OXXO	115 31/64" (2934)	18547210	18547310	18547110	18546810
12-0 (4 panel) OXXO	139 31/64" (3543)	18547212	18547312	18547112	18546812
12-0 (3 panel) OOX/XOO,OXO	140 63/64" (3581)	18547213	18547313	18547113	18546813
16-0 OOX/XOO,OXO, OXXO	187 31/64" (4762)	18547216	18547316	18547116	18546813

Suggested Fasteners	Color	PN
#8 x 5/8" Phillips self tapping pan head screws OX/XO uses a quantity of 8 OOX/XOO/OXO uses a quantity of 12 OXXO uses a quantity of 16	Beige (EA)	11806158
	Black (EA)	11806173
	Beige (pkg of 25)	11807158
	Black (pkg of 25)	11807174




Screen Astragal, OXXO

A2740

Includes:

- 5 - Screen dust blocks
- 5 to 7 - #7-19 x 1 1/2" Phillips pan head screws (11807111)
- 1 - Sliding screen instruction

CN Height	Length	Color and Part Number			
		Stone White	Pebble	Bronze	Ebony
6-5	75 23/64" (1914)	11810065	11820065	11830065	11880065
6-8	77 55/64" (1978)	11810068	11820068	11830068	11880068
8-0	91 23/64" (2320)	11810080	11820080	11830080	11880081



Tamper Resistant Pin-in T20 Driver Bit

Note:

Used across several products

PN
02095562



Ordering specifications (use all that apply):

- 1. Call number or order number;
- 2. operator or stationary;
- 3. handing;
- 4. exterior and interior color;
- 5. glazing;
- 6. lite cuts, SDL or GBG;
- 7. type of glass.

NOTE: Operator panels include rollers, lock box, interlock, aluminum and wood fillers. Stationary panels include interlock, stationary panel bracket, end cap, interlock block, dust block, head jamb foam block and wood spacers.

NOTE: Panel is not reglazable; replacement glass requires a new panel.

Daylight Opening (DLO) to Panel OM

Daylight Width + 4 5/8" (117) = OM Width of Panel

Daylight Height + 4 5/8" (117) = OM Height of Panel

Width	
CN Size	OM Width
5-0/7-6/10-0	29 5/8" (752)
6-8/9-0/12-0 (4 Panel)	35 5/8" (905)
8-0/12-0 (3 panel)/16-0	47 5/8" (1210)
Special	Original Order number
Height	
CN Size	OM Height
6-5	76 21/32" (1947)
6-8	79 5/32" (2011)
8-0	92 21/32" (2353)
Special	Original Order Number

