



Vivid Inswing French Door

Replacement Parts

Specifications and technical data are subject to change without notice.

Numbers listed in () parentheses are metric equivalents in millimeters rounded to the nearest whole number.

Suggested fasteners are not included and must be ordered separately.

Illustrations are not to scale.

Contents

Product History.....	2
Vivid Usage in OMS Retail.....	3
Part Identification - Single Panel - Stationary	4
Part Identification - Single Panel Operator with Swinging Screen.....	5
Part Identification - XX Operator with Swinging Screen	6
Part Identification - 2 Panel Operator XO/OX with Sliding Screen	7
Part Identification - 2 Panel Stationary - OO.....	8
Part Identification - Operator - 3 Panel Jamb Details	9
Installation Parts.....	10
Handles	11
Hinge Handing Location	17
Hinges.....	18
Locking Hardware	19
Miscellaneous Parts	23
Fasteners.....	24
Aluminum Parts	25
Vinyl Parts.....	27
Weather Strip	28
Weather Strip: Dust Blocks/Seals/Plugs.....	29
Swinging Screen Replacement - Configured Part in OMS.....	30
Swinging Screen Parts	31
Sliding Screen Replacement - Configured Part in OMS	37
Sliding Screen Parts.....	38
Panel Replacement - Configured Part in OMS	41


Produced	Unit Type	Features and Changes
2025	Inswing French Door	09/29/2025: Introduced the Vivid Inswing French Door.

Due to shared components, Vivid door parts are listed in OMS under the Vivid product line and Infinity doors in the product dropdown list.

All Parts


Use the fields below to find a part. Enter search values, then click Search.

Product Line:	Vivid	Product:	INFINITY BI-FOLD DOOR
Part Number:		Description:	INFINITY BI-FOLD DOOR
The following parts match the search criteria you entered		INFINITY INSWING FRENCH DOOR	
Type Filter:		INFINITY OUTSWING FRENCH DR	
		INFINITY SLIDING FRENCH DOOR	
		INFINITY SLIDING PATIO DOOR	




Head Jamb and Sill

1. Head Jamb/Jamb Weather Strip, V2350
2. Sill Weather Strip, V2026
3. Stationary Panel/Sill Retainer, V2460
4. Sill Liner, V2736
5. Stationary Panel Clip
6. Hinged Head Jamb Nailing Fin/Drip Cap, V119
7. Hinged Jamb Nailing Fin, V104




Jambs - O




Head Jamb and Sill

1. Head Jamb/Jamb Weather Strip, V2350
2. Sill Weather Strip, V2026
3. Sill Liner, V2736
4. Screen Vinyl Sweep
5. Swinging Screen Bottom Expander
6. Head Jamb Screen Z-Bar, A1308
7. Jamb Strike Plate
8. Interior Handle
9. Adjustable Hinge
10. Jamb Hinge Screen Z-Bar, A1308
11. Exterior Handle
12. Jamb Latch Screen Z-Bar, A1308
13. Multi-Point Lock
14. Hinged Head Jamb Nailing Fin/Drip Cap, V119
15. Hinged Jamb Nailing Fin, V104
16. Pile Weather Strip, (Swinging)




Jambs - X - R




Head Jamb and Sill

1. Head Jamb/Jamb/Astragal Weather Strip, V2350
2. Sill Weather Strip, V2026
3. Sill Liner, V2736
4. Screen Vinyl Sweep
5. Screen Bottom Expander
6. Head Jamb Screen Z-Bar
7. Adjustable Hinge
8. Interior Handle
9. Multi-Point Lock
10. Secondary Strike Plate
11. Jamb-Hinge Screen Z-Bar
12. Screen Astragal
13. Astragal Cap, A2815
14. Astragal Base, A2571
15. Exterior Handle
16. Hinged Head Jamb Nailing Fin/Drip Cap, V119
17. Hinged Jamb Nailing Fin, V104
18. Pile Weather Strip, (Swinging)




2 Panel Jams - XX - L




Head Jamb and Sill

1. Head Jamb/Jamb/Mull Post Weather Strip, V2350
2. Sill Weather Strip, V2026
3. Sill Retainer, V2460
4. Sill Liner, V2736
5. Screen Roller Guide, V2932
6. Head Jamb Screen Track, A1237
7. Interior Handle
8. Hinge
9. Stationary Jamb Retainer, V2547
10. Mull Post Base, A2571
11. Mull Post, A2567
12. Exterior Handle
13. Multi-Point Lock
14. Hinged Head Jamb Nailing Fin/Drip Cap, V119
15. Hinged Jamb Nailing Fin, V104
16. Pile Weather Strip (Sliding)




2 Panel Jams - XO - R




Head Jamb and Sill


1. Head Jamb/Jamb/Mull Post Weather Strip, V2350
2. Sill Weather Strip, V2026
3. Sill Retainer, V2460
4. Sill Liner, V2736
5. Panel Clip
6. Stationary Jamb Panel Clip
7. Mull Post, A2567
8. Mull Post Base, A2571
9. Stationary Jamb Retainer, V2547
10. Hinged Head Jamb Nailing Fin/Drip Cap, V119
11. Hinged Jamb Nailing Fin, V104




2 Panel Jams - OO




3 Panel Jamb - OOX - R




3 Panel Jamb - XOO - R




3 Panel Jamb - OXO - R



3 Panel Jamb - OXX - R



3 Panel Jamb - XXO - L



3 Panel Jamb - OOO

1. Jamb Strike Plate
2. Screen Stop Astragal Base, A362
3. Screen Stop Astragal Cap, A361
4. Stationary Jamb Retainer, V2547
5. Interior Handle
6. Exterior Handle
7. Astragal Cap, A2815
8. Astragal Base/Mull Post Base, A2571
9. Jamb,Head Jamb, Astragal/Mull Post Weather Strip,V2350
10. Multi-Point Lock
11. Adjustable Hinge
12. Mull Post, A2567
13. Panel Clip
14. Hinged Jamb Nailing Fin, V104
15. Pile Weather Strip (Sliding)

Primary Installation Kit (all units)

Includes:

- 1 - General door installation instructions
- 1 - Vivid Inswing Installation
- 1 - Sliding screen dust block - 10500161 (a)
- 12-#8 x 3" Phillips pan head screws, pearl white -11800829 (b)


PN
11800011

Operator Installation Kit, X, XO/OX,XX, XOO/OOX, OXO, XXO/OXX

Includes:

- 5 - #8 x 2 1/2" Phillips flat head screws, Stainless Steel – 11800648 (c)
- 1 - #8 x 2 1/2" Phillips flat head screws, brass - 11805165 (c)

PN
11898925




Cambridge Primary Handle Set, Exterior

Includes:

- 1 - Exterior handle
1 - Exterior escutcheon
1 - Hardware gasket
2 - Keys
- 1 - Z-Clip
1 - Z-Clip screw
1 - Keyed cylinder

Color	Part numbers used for Inswing XX, XO/OX, OOX/XOO, OXO, XXO/ OXX	
	X-L PN	X-R PN
Stone White	11868031	11868019
Satin Nickel PVD	11868029	11868024
Oil Rubbed Bronze PVD	11868030	11868025
Matte Black	11868069	11868068




XX-R, X-R shown

Cambridge Primary Handle Set, Interior

Includes:

- 1 - Interior handle
1 - Interior escutcheon
1 - Spring cassette
- 1 - Spindle
1 - Thumb turn
2 - M5 x 58 machine screws

Color	Part numbers used for Inswing XX, XO/OX, OOX/XOO, OXO, XXO/ OXX	
	X-L PN	X-R PN
Stone White	11869210	11869209
Satin Nickel PVD	11869109	11869104
Oil Rubbed Bronze PVD	11869110	11869105
Matte Black	11869149	11869169



XX-R, X-R shown


Cambridge Secondary Handle Set, Exterior

Includes:

- 1 - Exterior handle
- 1 - Exterior escutcheon
- 1 - Hardware Gasket

NOTE: Escutcheon width 1.350"

Color	XX-L Inswing PN	XX-R Inswing PN
Stone White	11868032	11868037
Satin Nickel PVD	11868044	11868049
Oil Rubbed Bronze PVD	11868045	11868050
Matte Black	11868070	11868071




XX-L shown

Cambridge Secondary Handle Set, Interior

Includes:

- 1 - Interior handle
- 1 - Interior escutcheon
- 1 - Spring cassette
- 1 - Spindle
- 2 - M5 x 58 Machine screws

Color	XX-L Inswing PN	XX-R Inswing PN
Stone White	11869222	11869227
Satin Nickel PVD	11869124	11869129
Oil Rubbed Bronze PVD	11869125	11869130
Matte Black	11869150	11869159




XX-L shown

Northfield Primary Handle Set, Exterior

Includes:

- 1 - Exterior handle
- 1 - Exterior escutcheon
- 1 - Hardware gasket
- 1 - Z-Clip
- 1 - Z-Clip screw
- 1 - Keyed cylinder
- 2 - Keys

Color	PN
White	11869162
Satin Nickel PVD	11869164
Oil Rubbed Bronze PVD	11869165
Matte Black	11869168




Northfield Primary Handle Set, Interior

Includes:

- 1 - Interior handle
- 1 - Interior escutcheon
- 1 - Spring cassette
- 1 - Spindle
- 1 - Thumb turn
- 2 - M5 x 58 machine screws

Color	PN
White	11869152
Satin Nickel PVD	11869154
Oil Rubbed Bronze PVD	11869155
Matte Black	11869160




Northfield Secondary Handle Set, Exterior

Includes:

- 1 - Exterior handle
- 1 - Exterior escutcheon
- 1 - Hardware gasket

Color	PN
White	11869182
Satin Nickel PVD	11869184
Oil Rubbed Bronze PVD	11869185
Matte Black	11869190




Northfield Secondary Handle Set, Interior

Includes:

- 1 - Interior handle
- 1 - Interior escutcheon
- 1 - Spring cassette
- 1 - Spindle
- 2 - M5 x 58 machine screws


Color	PN
White	11869172
Satin Nickel PVD	11869174
Oil Rubbed Bronze PVD	11869175
Matte Black	11869180



Escutcheon Plate Screws

NOTE: 1-M5 x 58 machine screw

Color	PN
White	11805188
Satin Nickel	11805190
Oil Rubbed Bronze PVD	11805191
Matte Black	11805143



Keyed Cylinder with Keys


Includes:

2 - Keys

NOTE: Schlage cylinder


NOTE: For keyed alike cylinders, please contact your Marvin representative. Please supply the original order number if possible.

Color	PN
Brass PVD	11860963



Spring Cassette

PN
11860960




Z-Clip

Includes:

2 - Fasteners


NOTE: Used on both Cambridge and Northfield hardware

PN
11860967




Replacement Washers

PN
11860964




Split Ring

PN
11860966




Thumb Turn Clip

PN
11860972




Spindle


PN
11860962



**NOTE: Always view units
from the exterior for handing.
H=Hinge location**



LH Inswing




X-LH Inswing

This panel uses the
left hand hinge

X-RH Inswing

This panel uses the
right hand hinge



RH Inswing

Adjustable Hinge Kit


Includes:

- 3 - #8 x 5/8" Phillips flat head screw - into jamb
- 8 - #8 x 1 1/2" Phillips flat head screw - into panel
- 2 - #8 x 2 1/2" Phillips flat head screw - installation into jamb

NOTE: All screws are color matched

NOTE: 1 hinge per kit/3 hinge kits per panel

Color	LH (X-L)	RH (X-R)
White	10880101	10880100
Satin Nickel PVD	10880105	10880104
Oil Rubbed Bronze PVD	10880107	10880106
Ebony	10880117	10880116




RH shown

Active Multi-Point

Includes:

- 1 - Lock assembly with faceplate, deadbolt, latch and shoot bolts
- 11 (13 on 8/0) - #8 x 1 1/2" Phillips flat head Stainless Steel screws
- 2 - #8-15 x 2 1/2" Type AT/F, 2/3 thread, Stainless Steel screws

CN	Color	PN
6-5	Stainless Steel	11896701
6-8		11896702
7-0		11895700
8-0		11896703



Special Size Active Multi-Point

Includes:

- 1 - Lock assembly with faceplate, deadbolt, latch and lower shoot bolts
- 1 - Top shoot bolt extension
- 12 - #8 x 1 1/2" Phillips flat head Stainless Steel screws
- 2 - #8-15 x 2 1/2" Type AT/F, 2/3 thread, Stainless Steel screws


Color	PN
Stainless Steel	11895701

Inactive Multi-Point

Includes:

- 1 - Lock assembly with faceplate and shoot bolts
- 11 (13 on 8/0) - #8 x 1 1/2" Phillips flat head Stainless Steel screws

CN	Color	PN
6-5	Stainless Steel	11896704
6-8		11896705
7-0		11894700
8-0		11896706



Special Size Inactive Multi-Point


Includes:

- 1 - Lock assembly with faceplate and lower shoot bolts
- 1 - Top shoot bolt extension
- 12 - #8 x 1 1/2" Phillips flat head Stainless Steel screws

Color	PN
Stainless Steel	11894701


Multi-Point Lockbox, Active

PN
11896707




Multi-Point Lockbox, Passive

PN
11896708



Head Jamb/Sill Strike Plate - XX

Color	PN
Stainless Steel	11862584




Suggested Fasteners		PN
For Sill	4 - #8 x 5/8" Phillips flat head Stainless Steel screws	11805180
For Head Jamb	2 - #8 x 5/8" Phillips flat head Stainless Steel screws	11805180
	2 - #8 x 2 1/2" Phillips flat head Stainless Steel screws	11800648

Strike Plate, Secondary Lock

Configuration	Color	PN
XX-R, OXX-R, XXO-R	Stainless Steel	11896560
XX-L, OXX-L, XOO-L	Stainless Steel	11896559

Suggested Fasteners	Color	PN
1 - 4mm x 16mm Torx flat head machine screw	Stainless Steel	11805183
1 - 4mm x 8mm Torx flat head machine screw	Stainless Steel	11805181
1 - 4mm x 35mm Torx flat head machine screw	Stainless Steel	11805184



XX-R shown

Strike Plate, Locking Jamb

Configuration	Color	PN
X-R, XO-R, XOO-R	Stainless Steel	11860337
X-L, OX-L, OOX-L	Stainless Steel	11860338

Suggested Fasteners	Color	PN
2 - #8 x 5/8" Phillips flat head Stainless Steel screws	Stainless Steel	11805180
1 - #8 x 2 1/2" Phillips flat head Stainless Steel screws	Stainless Steel	11800648




X-L shown

Head Jamb Strike Plate

Configuration	Color	PN
X-R, XO-R, XOO-R	Stainless Steel	11862580
X-L, OX-L, OOX-L		11862581

Suggested Fasteners	PN
2 - #8 x 5/8" Phillips flat head Stainless Steel screws	11805180
2 - #8 x 2 1/2" Phillips flat head Stainless Steel screws	11800648




X-R shown

Head Jamb/Sill Stationary Lock Bar Strike Plate - OO, XO-R, OX-L, OOO, XOO/OOX, OXO, XXO/OXX

NOTE: 2 1/2” screws to be used at head jamb only


PN		
11862585		

Suggested Fasteners		PN
For Sill	4 - #8 x 5/8” Phillips flat head Stainless Steel screws	11805180
For Head Jamb	2 - #8 x 5/8” Phillips flat head Stainless Steel screws	11805180
	2 - #8 x 2 1/2” Phillips flat head Stainless Steel screws	11800648



Stationary Strike Plate Ramp


Handing	Color	PN
LH	Stainless Steel	108101
RH		108102



Sill Strike Plate, X, OX, XO

Configuration	Color	PN
X-R, XO-R, XOO-R	Stainless Steel	11862571
X-L, OX-L, OOX-L		11862572


Suggested Fasteners	PN
2 - #8 x 5/8” Phillips flat head Stainless Steel screws	11805180



Stationary Lock Bar

Color	PN
Stainless Steel	11860229


Suggested Fasteners	PN
2 - #8 x 2 1/2” Phillips flat head Stainless Steel screws	11800648



Stationary Jamb Panel Clip - O, OO


Color	PN
Black	11892602

Suggested Fasteners	PN
2 - #8 x 5/8" Phillips pan head screws	11800821



Stationary Panel Clip - OO, OOO, OOX/XOO


Color	PN
Black	10888165



Jamb Filler Hole Plug


NOTE: Sold in packages of 10

Color	PN
Stone White	11892507
Pebble	11892506
Bronze	11892508
Ebony	11892511




Hinge Spacer Block

Color	PN
Stone White	11860167
Pebble	11860166
Bronze	11860165
Ebony	11860184




Strike Plate Backer

Color	PN
Black	118407



Sill Drain Weep

Color	PN
Black	15631215




Air Dam, XX

Includes:

1 - Dust block

Color	PN
Stainless Steel	11892603




#8 x 5/8” Phillips Flat Head Screw

Usage:

- Hinge kits
- Strike plate – head jamb
- Strike plate – locking jamb

Component Color	Pkg of 25 PN	PN EA
White	11882723	11805155
Oil Rubbed Bronze Ebony	11882724	11805156
Satin Nickel Stainless Steel	11882726	11805180




#8 x 2 1/2” Flat Head Screw

Usage:

- Hinge Kits
- Strike Plate – Jamb/Head Jamb

Component Color	Pkg of 25 PN
White	11882703
Oil Rubbed Bronze Ebony	11882704
Satin Nickel Stainless Steel	11882706




#8 x 1 1/2” Phillips Flat Head Screw

Usage:

- Hinge kits
- Multipoint screw


Component Color	Pkg of 25 PN
White	11882713
Oil Rubbed Bronze Ebony	11882714
Satin Nickel Stainless Steel	11882716



Astragal Cap

A2815

CN Height	Length	Color and Part Number			
		Stone White	Pebble	Bronze	Ebony
6-5	75 1/4" (1911)	19456765	19456865	19456965	19457565
6-8	77 3/4" (1975)	19456768	19456868	19456968	19457568
7-0	81 3/4" (2076)	19456770	19456870	19456970	19457570
8-0	91 1/4" (2318)	19456780	19456880	19456980	19457580




Suggested Fasteners	PN
12 - #8 x 5/8" Phillips A/Tek pan head screws	11800498

Mull Post

A2567

CN Height	Length	Oper.	Color and Part Number			
			Stone White	Pebble	Bronze	Ebony
6-5	76 3/4" (1949)	LH	19448165	19448265	19448365	19448965
		RH	19448166	19448266	19448366	19448966
6-8	79 1/4" (2013)	LH	19448168	19448268	19448368	19448968
		RH	19448169	19448269	19448369	19448969
7-0	83 1/4" (2115)	LH	19448170	19448270	19448370	19448970
		RH	19448171	19448271	19448371	19448971
8-0	92 3/4" (2356)	LH	19448180	19448280	19448380	19448980
		RH	19448181	19448281	19448381	19448981




Suggested Fasteners	PN
12 - #8 x 5/8" Phillips A/Tek pan head screws	11800498

Astragal Base - Exterior

A2571

CN	Length	Color	LH	RH
CN6-5	75 1/4" (1911)	Black	19449165	19449166
CN6-8	77 3/4" (1975)		19449168	19449169
CN7-0	81 3/4" (2076)		19449170	19449171
CN8-0	91 1/4" (2318)		19449180	19449181


Suggested Fasteners	PN
13 - #8 x 5/8" Phillips pan head screws	11800498



Stationary Jamb Retainer

V2547


Length	Color	PN
12" (305)	Black	15916812



Sill Retainer, Stationary

V2460

CN	Length	Color	PN
2-0/4-0/6-0 (3W) width	16" (406)	Black	15918760
2-6/5-0/7-6 (3W) width	22" (559)		15918776
2-8/5-4/8-0 (3W) width	24" (610)		15918780
3-0/6-0/9-0 (3W) width	28" (711)		15918790




Sill Liner

V2736

NOTE: Foam sealant tape included

CN Width	Length	Color and Part Number	
		Beige PN	Black PN
2-6	30 5/16" (770)	11891526	11891426
2-8	32 5/16" (821)	11891528	11891428
3-0	36 5/16" (923)	11891530	11891430
5-0	59" (1499)	11891550	11891450
5-4	63" (1600)	11891554	11891454
6-0	71" (1803)	11891560	11891460




Weather Strip

V2350

NOTE: Weather strip has square end cuts.

Head Jamb		
CN Width	Length	Black PN
2-0	21 1/32" (534)	15971020
2-6	27 1/32" (687)	15971026
2-8	29 1/32" (737)	15971028
3-0	33 1/32" (839)	15971030
4-0	43 23/32" (1110)	15971040
5-0	55 23/32" (1415)	15971050
5-4	59 23/32" (1517)	15971054
6-0	67 23/32" (1720)	15971060
6-0 (3W)	66 15/32" (1688)	15971360
7-6 (3W)	84 15/32" (2145)	15971376
8-0 (3W)	90 15/32" (2298)	15971380
9-0 (3W)	102 15/32" (1720)	15971390
Jamb		
CN Height	Length	Black PN
6-5	76 25/32" (1950)	15971065
6-8	79 9/32" (2014)	15971068
7-0	83 9/32" (2115)	15971070
8-0	92 25/32" (2357)	15971080
Astragal/Mull Post		
CN Height	Length	Black PN
6-5	75 1/4" (1911)	15971165
6-8	77 3/4" (1975)	15971168
7-0	81 3/4" (2076)	15971170
8-0	91 1/4" (2318)	15971180




Sill Weather Strip

V2026


NOTE: Weather strip has notched ends.

CN Width	Length	Beige PN	Black PN
2-0	22 15/16" (583)	11208820	11208920
2-6	28 15/16" (735)	11208826	11208926
2-8	30 15/16" (786)	11208828	11208928
3-0	34 15/16" (888)	11208830	11208930
4-0	45 5/8" (1159)	11208840	11208940
5-0	57 5/8" (1464)	11208850	11208950
5-4	61 5/8" (1565)	11208854	11208954
6-0	69 5/8" (1768)	11208860	11208960
6-0 (3W)	68 3/8" (1737)	11208360	11209360
7-6 (3W)	86 3/8" (2194)	11208376	11209376
8-0 (3W)	92 3/8" (2346)	11218380	11219380
9-0 (3W)	104 3/8" (2651)	11208390	11209390



Dust Block, Stationary Lock Bar/Astragal Air Dam

Color	PN
Gray	15600010



Swinging Screen Replacement

Screens are standard with a color matched aluminum surround. Standard mesh is Marvin Bright View™. Determine the outside measurement of the existing screen. Find the sizes that correspond to the width and height indicated on the following chart.

Ordering specifications (use all that apply):

- 1. Size; if there is no existing screen from which to obtain the OM of the screen, determine the size of the screen by using the conversion chart below.
The daylight opening is the measurement of the visible glass.
- 2. Handing
- 3. Exterior color

NOTE: Swinging screens are available in X and XX configurations. Replacement swinging screens contain the following components: installation instructions, handle kit, closure kit, bottom expander and sweep, head jamb, hinge-jamb and latch-jamb z bar. XX configurations also include astragal kit.


Screen Sizes for Inswing French Door		
Daylight Opening to OM of Screen		
Daylight Opening Width + 7 7/32" (183)		
= OM Width of Screen		
Daylight Opening Height +5 3/16" (259)		
= OM Height of Screen		
Width		
CN Size	X - OM Width	XX - OM Width
2-6	28 15/32" (723)	N/A
2-8	30 15/32" (774)	N/A
3-0	34 15/32" (876)	N/A
4-0	N/A	22 1/8" (562)
5-0	N/A	28 1/8" (714)
5-4	N/A	30 1/8" (765)
6-0	N/A	34 1/8" (867)
Height		
CN Size	OM Height	
6-5	77 7/32" (1961)	
6-8	79 23/32" (2025)	
7-0	83 23/32" (2126)	
8-0	93 1/47/32" (2368)	

Handle Kit, Complete

Includes:

Latch handles and related parts,
Z-bar mounting screws and installation instructions

Color	PN
Black	11880143




Shoot Bolt Receiver, Swinging Screen 4 9/16” and 6 9/16”

Includes:

- 1 - Receiver
- 1 - Dust Block

Color	PN
Black	11892604




Screen Door Closer Kit

Includes:


Cylinder brackets, pins, hold-open washer,
screws and installation instructions.

PN
11901971




Mounting Plate, Closer Bracket, Swinging Screen

Color	PN
Black	11860177



Pile, Door Screen Replacement, Swinging Screen

PN
10600251




Screen Dust Block

17/32" x 7/8" x 1/2"
(13x22x13)

NOTE: Adhesive backed


Color	PN
Gray	10500161



Vinyl Sweep


1/8" x 3/4" x 36"

Color	PN
Black	11860160



Bottom Expander

CN Width	Length	Color and Part Number			
		Stone White	Pebble	Bronze	Ebony
4-0	22 9/16" (573)	17037040	17017140	17037140	17037540
2-6/5-0	28 9/16" (726)	17037026	17017126	17037126	17037526
2-8/5-4	30 9/16" (776)	17037028	17017128	17037128	17037528
3-0/6-0	34 9/16" (878)	17037031	17017131	17047169	17047133




Swinging Screen Astragal Kit

Includes:

Astragal, vinyl trim pieces, shoot bolt assembly, 4 9/16 shoot bolt receiver with dust block, 6 9/16 shoot bolt receiver, and screws

CN Height	Length	Color and Part Number			
		Stone White	Pebble	Bronze	Ebony
6-5	77 7/32" (1962)	11960965	11960865	11960765	11961265
6-8	79 23/32" (2025)	11960968	11960868	11960768	11961268
7-0	88 23/32" (2127)	11960870	11960770	11960671	11961270
8-0	93 7/32" (2368)	11960980	11960880	11960780	11961280




Head Jamb Screen Z-Bar

A1308

NOTE: Head jamb screen Z-bars have 45 degree cuts on both ends (non handed).

CN Width	Length	Color and Part Number			
		Stone White	Pebble	Bronze	Ebony
2-6	29 11/16" (754)	17037226	17017326	17047226	17047526
2-8	31 11/16" (805)	17037228	17017328	17047228	17047528
3-0	35 11/16" (906)	17037231	17017331	17047231	17047531
4-0	46 3/8" (1178)	17037240	17017340	17047240	17047540
5-0	58 3/8" (1483)	17037250	17017350	17047250	17047550
5-4	62 3/8" (1584)	17037254	17017354	17047254	17047554
6-0	70 3/8" (1788)	17037260	17017360	17047260	17047560

Suggested Fasteners	PN
#8 x 5/8" Phillips flat head screws	11805180
3 on 3-0 and under, 4 on 4-0 and over	





Jamb-Hinge Screen Z-Bar

A1308

NOTE: Jamb-Hinge screen Z-bars have 45 degree cuts on one end and square cuts on the other. Handing is determined from the exterior. Left hand shown.

CN Height	Length	Handing	Color and Part Number			
			Stone White	Pebble	Bronze	Ebony
6-5	78 9/16" (1995)	LH	18037266	18017366	18047266	18047866
		RH	18037265	18017365	18047265	18047865
6-8	81 1/16" (2059)	LH	18037269	18017369	18047269	18047869
		RH	18037268	18017368	18047268	18047868
7-0	85 1/16" (2161)	LH	18037271	18017371	18047271	18047871
		RH	18037270	18017370	18047270	18047870
8-0	94 9/16" (2402)	LH	18037281	18017381	18047281	18047881
		RH	18037280	18017380	18047280	18047880

Suggested Fasteners	PN
#8 x 5/8" Phillips flat head screws	11805180
8 - Frame Size < 87 15/16" 10 - Frame size =< 87 15/16"	



Jamb-Latch Screen Z-Bar

A1308

NOTE: Jamb-Hinge screen Z-bars have 45 degree cuts on one end and square cuts on the other. Handing is determined from the exterior. Left hand shown.

CN Height	Length	Handing	Color and Part Number			
			Stone White	Pebble	Bronze	Ebony
6-5	78 9/16" (1995)	LH	18037466	18017566	18047466	18047966
		RH	18037465	18017565	18047465	18047965
6-8	81 1/16" (2059)	LH	18037469	18017569	18047469	18047969
		RH	18037468	18017568	18047468	18047968
7-0	85 1/16" (2161)	LH	18037471	18017571	18047471	18047971
		RH	18037470	18017570	18047470	18047971
8-0	94 9/16" (2402)	LH	18037481	18017581	18047481	18047981
		RH	18037480	18017580	18047480	18047980

Suggested Fasteners	PN
#8 x 5/8" Phillips flat head screws	11805180
8 - Frame Size < 87 15/16"	
10 - Frame size =< 87 15/16"	



Sliding Screen Replacement

Screens are standard with a color matched aluminum surround. Determine the outside measurement of the existing screen. Find the sizes that correspond to the width and height indicated on the following chart.

Ordering specifications (use all that apply):

- 1. Size; if there is no existing screen from which to obtain the OM of the screen, determine the size of the screen by using the conversion chart below. The daylight opening is the measurement of the visible glass.
- 2. Handing
- 3. Exterior color


Screen Sizes for Inswing French Door	
Daylight Opening to OM of Screen	
Daylight Opening Width + 4 3/16" (106)	
= OM Width of Screen	
Daylight Opening Height + 5 3/16" (132)	
= OM Height of Screen	
Width	
CN Size	OM Width
5-0, 7-6	29 3/16"
5-4, 8-0	31 3/16"
6-0, 9-0	35 3/16"
Height	
CN Size	OM Height
6-5	77 3/64"
6-8	79 35/64"
7-0	83 35/64"
8-0	93 3/64"

Screen Handle Assembly

Includes:

- 1 - Exterior handle - A
- 1 - Interior handle - B
- 1 - Slide - C
- 1 - Latch - D
- 3 - Screws
- 1 - Rivet

Color	PN
Black	10150028



Screen Roller Track Dust Block

7/8" x 7/8" x 3/16"

NOTE: Adhesive backed, located behind the screen roller bar


Color	PN
Gray	10500143



Screen Roller Guide

V2932

Color	CN	PN
Black	5-0	15918851
	6-0/9-0	15918861
	8-0	15918881




Screen Door Strike Kit

Includes:


- 1 - #8 x 5/8" Phillips pan head screw

PN
11897165



Screen Pile Weather Strip, Sliding Screen


PN
10600252



Screen Roller Assembly


- Includes:
- 2 - Rollers
 - 2 - Machine screws
 - 2 - Grommet washers

PN
11869525



Screen Stop Astragal Base, OXO, XO0/OOX
A362

CN Height	Length	Handing	Stone White	Pebble	Bronze	Ebony
6-5	76 23/32" (1949)	LH	18916222	18916232	18916242	18916472
		RH	18916122	18916132	18916142	18916372
6-8	79 7/32" (2012)	LH	18916223	18916233	18916243	18916473
		RH	18916123	18916133	18916143	18916373
7-0	83 7/32" (2114)	LH	18916224	18916234	18916244	18916474
		RH	18916124	18916134	18916144	18916374
8-0	92 23/32" (2355)	LH	18916225	18916235	18916245	18916475
		RH	18916125	18916135	18916145	18916375




Head Jamb Screen Track

A1237

Includes:

- 1- Head jamb screen track
- 6 - #8 x 5/8" Phillips self tapping pan head screws (11806158)


CN Width	Length	Stone White	Pebble	Bronze	Ebony
5-0	57 31/64" (1460)	18547250	18547350	18547150	18546850
5-4	61 31/64" (1562)	11897166	11897167	11897168	11897171
6-0	69 31/64" (1765)	18547255	18547355	18547155	18546855
7-6	57 1/32" (1449)	10888176	10888276	10888376	18547861
8-0	61 1/32" (1550)	10888180	10888280	10888380	18547862
9-0	69 1/32" (1753)	10888190	10888290	10888390	18547863



Screen Stop Astragal Cap, OXO, XOO/OOX

A361

CN Height	Length	Stone White	Pebble	Bronze	Ebony
6-5	77 59/64" (1979)	18541165	18542265	18543365	18549965
6-8	80 27/64" (2043)	18541168	18542268	18543368	18549968
7-0	84 27/64" (2144)	18541170	18542270	18543370	18549970
8-0	93 59/64" (2386)	18541180	18542280	18543380	18549980



Ordering specifications (use all that apply):

- 1. Original order number/line number (if available)
- 2. Size
- 3. Operator or stationary
- 4. Handing
- 5. Exterior color
- 6. Interior finish
- 7. Glazing

NOTE: Operating panels include multi-point lock assembly and wood backers. Stationary panels include hinges or strike plate.

NOTE: Daylight opening is the measurement of visible glass

NOTE: Panel is not reglazable; replacement glass will require a new panel.

Vivid Inswing French Door	
Daylight Opening to Panel OM	
Daylight Opening Width + 7 1/4" (181) = OM Width of Panel	
Daylight Opening Height + 9 5/8" (244) = OM Height of Panel	
Width	
CN Size	OM Width
2-0	22 19/32" (574)
2-6	28 19/32" (726)
2-8	30 19/32" (777)
3-0	34 19/32" (879)
5-0	28 19/32" (726)
5-4	30 19/32" (777)
6-0	34 19/32" (879)
6-0 (3W)	22 19/32" (574)
7-6	28 19/32" (726)
8-0	30 19/32" (777)
9-0	34 19/32" (879)
Height	
CN Size	OM Height
6-5	76 23/32" (1949)
6-8	79 5/16" (2015)
7-0	83 7/32" (2114)
8-0	92 23/32" (2355)

