

## Vivid Bi-Fold Door

# Replacement Parts

Specifications and technical data are subject to change without notice.

Numbers listed in ( ) parentheses are metric equivalents in millimeters rounded to the nearest whole number.

Suggested fasteners are not included and must be ordered separately.


Illustrations are not to scale.


#### Contents

Product History	
Vivid Usage in OMS Retail	
Part Identification - Frame	
Part Identification - Panel (1)	
Part Identification - Panel (2)	
Part Identification - Panel (3)	
Part Identification - Panel (4)	
Installation Kits	
Frame Assembly Kits	
Panel Hardware Kits	
Handles	
Hinges	. 1
Locking Hardware	
Operators	. 2
Miscellaneous Parts	
Aluminum Parts	
Vinyl Parts	
Wood Parts	. 2
Weather Strip	. 3
Weather Strip - Configured Parts in OMS	
Retractable Screen Parts - Configured in OMS	


Produced	Unit Type	Features and Changes
2025	Bi-Fold Door	09/29/2025: Introduced the Vivid Bi-Fold Door.

Due to shared components, Vivid door parts are listed in OMS under the Vivid product line and Infinity doors in the product dropdown list.







- 1. Head Jamb Stop Cap, W13767
- 2. Frame Weather Strip, V3019
- 3. Weather Strip, T-Slot, V03253
- 4. Jamb Stop, W13775
- 5. Jamb Stop Weather Strip, V3209
- 6. Interior Sill Liner, A3109
- 7. Pivot Set
- 8. Sill Track Insert, V3165
- 9. Sill Strike Plate
- 10. Jamb Cover, V3155
- 11. Panel Alignment Bolt
- 12. Head Strike




- 1. Twin Bolt Support Bracket
- 2. Panel Edge Gasket
- 3. Twin Bolt Set
- 4. Weather Strip, Interior Hardware, Inner Leaves, V3223
- 5. Panel Sweep, V3178
- 6. Weather Strip, Exterior Hardware, Outer Leaves, V3223
- 7. Pivot Set
- 8. Extended Hinge Adapter



- 1. Panel Edge Gasket
- 2. Weather Strip, Exterior Hardware, Inner Leaf, V3223
- 3. Panel Sweep, V3178
- 4. Offset Interior Hinge Set
- 5. Weather Strip, Interior Hardware, Outer Leaf, V3223
- 6. Hinge Adapter



- 1. Panel Support
- 2. Magnet
- 3. Multi-Point, Inactive
- 4. Astragal Weather Strip, V2350
- 5. Interior Astragal Base, W13693
- 6. Interior Astragal Cap, V3192
- 7. Secondary Lock Strike Plate
- 8. Panel Sweep, V3178
- 9. Panel Edge Gasket
- 10. Weather Strip, Exterior Hardware, Outer Leaf, V3223
- 11. Intermediate Carrier Set



- 1. Pivot Set
- 2. Weather Strip, Exterior Hardware, Outer Leaf, V3223
- 3. Panel Sweep, V3178
- 4. Panel Support
- 5. Multi-Point, Active
- 6. Weather Strip, Locking Stile, V3214

#### **Primary Operator Installation Kit**

#### Includes:

1 - Tube clear silicone

16 - #8-15 x 2 1/2" Type A, 2/3 thread, flat head screws


12 - #8-18 x 3" Type AB, Phillips head screws

14 - #8-18 x 1 1/2" Type AB, flat head screws

28 - 1/4" x 3 1/4", A-17 washer head screws, T25

PΝ

10188190




#### Frame Assembly Kit

#### Includes:

14 - #8-18 x 1/2" Type AB, Phillips head, stainless steel screws

- 2 #8-18 x 4" Type AB, Phillips head, stainless steel screws
- 4 #7-16 x 1 1/4" Type A-17B, 2/3 thread, flat head, stainless steel screws
- 2 Corner key, jamb to header, exterior
- 2 Corner key, exterior

**PN** 10188192




#### **Exterior Panel Hardware Kit**

#### Includes:

- 7  $\#10-24 \times 5/16$ " flat head screws, Black (11800990) or Stainless Steel (11800996)
- 7  $\#8-18 \times 11/2$ " Type AB, flat head, screws, Ebony (11805140) or Stainless Steel (11800850)
- 4 #7 X 3/4", Type A-17, pan head, stainless steel screws (11806164)

Color	PN
Stainless Steel	10188193
Black	10188194



#### Interior Panel Hardware Kit

#### Includes:

 $11 - #10-24 \times 5/16$ " flat head, stainless steel (11800996) or Black (11800990) screws

Color	PN
Stainless Steel	10188195
Black	10188196




#### Cambridge Primary Handle Set, Exterior

#### Includes:

- 1 Exterior handle
- 1 Exterior escutcheon
- 1 Hardware gasket
- 1 Z-Clip
- 1 Z-Clip screw
- 1 Keyed cylinder
- 2 Keys

Color	LH PN	RH PN
Stone White	11868031	11868019
Satin Nickel PVD	11868029	11868024
Oil Rubbed Bronze PVD	11868030	11868025
Matte Black	11868069	11868068



#### RH shown


Note: All units viewed from exterior.

#### Cambridge Primary Handle Set, Interior

#### Includes:

- 1 Handle
- 1 Interior escutcheon
- 1 Spring cassette
- 1 Spindle
- 1 Thumb turn
- 2 M5 x 58 machine screws
- 1 Installation instruction

Color	LH PN	RH PN
Stone White	11869210	11869209
Satin Nickel PVD	11869109	11869104
Oil Rubbed Bronze PVD	11869110	11869105
Matte Black	11869149	11869169



#### RH shown

Note: All units viewed from exterior.

### Cambridge Secondary Handle Set, Exterior

#### Includes:


1 - Exterior handle

1 - Exterior escutcheon

1 - Hardware Gasket

NOTE: Escutcheon width 1.350"

Color	LH PN	RH PN
Stone White	11868037	11868032
Satin Nickel PVD	11868049	11868044
Oil Rubbed Bronze PVD	11868050	11868045
Matte Black	11868071	11868070



RH shown


Note: All units viewed from exterior.

#### Cambridge Secondary Handle Set, Interior

#### Includes:

- 1 Interior handle
- 1 Interior escutcheon
- 1 Spring cassette
- 1 Spindle
- 2 M5 x 58 Machine screws

Color	LH PN	RH PN
Stone White	11869227	11869222
Satin Nickel PVD	11869129	11869124
Oil Rubbed Bronze PVD	11869130	11869125
Matte Black	11869159	11869150



RH shown


Note: All units viewed from exterior.

### Northfield Primary Handle Set, Exterior

#### Includes:

- 1 Exterior handle
- 1 Exterior escutcheon
- 1 Hardware gasket
- 1 Z-Clip
- 1 Z-Clip screw
- 1 Keyed cylinder
- 2 Keys

Color	PN
White	11869162
Satin Nickel PVD	11869164
Oil Rubbed Bronze PVD	11869165
Matte Black	11869168




#### Northfield Primary Handle Set, Interior

#### Includes:

- 1 Interior handle
- 1 Interior escutcheon
- 1 Spring cassette
- 1 Spindle
- 1 Thumb turn
- 2 M5 x 58 machine screws

Color	PN
White	11869152
Satin Nickel PVD	11869154
Oil Rubbed Bronze PVD	11869155
Matte Black	11869160




### Northfield Secondary Handle Set, Interior

#### Includes:

- 1 Interior handle
- 1 Interior escutcheon
- 1 Spring cassette
- 1 Spindle
- 2 M5 x 58 machine screws

Color	PN
White	11869172
Satin Nickel PVD	11869174
Oil Rubbed Bronze PVD	11869175
Matte Black	11869180




### Northfield Secondary Handle Set, Exterior

#### Includes:

- 1 Exterior handle
- 1 Exterior escutcheon
- 1 Hardware gasket

Color	PN
White	11869182
Satin Nickel PVD	11869184
Oil Rubbed Bronze PVD	11869185
Matte Black	11869190




### Twin Bolt Set (Panel Handle)

#### Includes:

- 1 Twin bolt handle
- 2 Twin bolt rod tips
- 1 Twin bolt bottom rod
- 1 Twin bolt top rod
- 1 Twin bolt assembly

Color	PN
Stainless Steel	11861990
Black	11861991



#### **Twin Bolt Handle Screw**


#2 - M5 x .08mm x 35mm

Color	Pkg of 2 PN
Stainless Steel	11861988
Black	11861989



#### **Twin Bolt Handle**

Color	PN
Stainless Steel	11861994
Black	11861995



#### **Escutcheon Plate Screws**

NOTE: 1-M5 x 58 machine screw

Color	PN
White	11805188
Satin Nickel	11805190
Oil Rubbed Bronze PVD	11805191
Matte Black	11805143



#### **Keyed Cylinder with Keys**

#### Includes:


2 - Keys

NOTE: Schlage cylinder

NOTE: For keyed alike cylinders, please contact your Marvin representative.

Please supply the original order number if possible.

Color	PN
Brass PVD	11860963



#### **Interior Hinge Set**

#### Includes:

2 - Top/Bottom hinge

1 - Middle hinge

Color	PN
Stainless Steel	11861950
Black	11861952





#### Offset Interior Hinge Set

#### Includes:

2 - Top/Bottom hinge

1 - Middle hinge

Color	PN
Stainless Steel	11861951
Black	11861953





### **Hinge Cleat**


PN	
11862020	



### Hinge Adapter

PN
11862001


Suggested Fastener	PN
#8 x 1 1/2" Panhead,	11806159
full thread screw	11000139



### **Extended Hinge Adapter**

PN
11862002


Su	ggested Fastener	PN
	x 1 1/2" Panhead, full thread screw	11806159



#### **Cleat Set Screw**

#10-24, 3/8" set screw, cone point


PN	
11801023	1



### **Secondary Lock Strike Plate**

Color	Handing	PN
Stainless Steel	LH	11862525
Starriess Steer	RH	11862526


Suggested Fasteners	
Uses:	PN
1 - M4 x 8, flat head Torx screw	11805181
1 - M4 x 16, flat head Torx screw	11805183
1 - M5 x35, flat head Torx screw	11805184



### Locking Jamb Strike Plate


Color	LH PN	RH PN
Stainless Steel	11860475	11860476

Suggested Fasteners	
Uses:	PN
1 - #8 x 5/8" flat head screw	11805180




#### **Strike Plate Backer**

Color	PN
Black	118407




#### **Head Strike**

Color	PN
Stainless Steel	11860210




#### **Sill Strike Plate**

Color	PN
Stainless Steel	11860206



### Multi-point, Active

Color	Length	PN
Ctainless Ctasl	Panel height < 68.537"	11890565
Stainless Steel	Panel height >/= 68.537"	11860499




### Shootbolt, Multi-point, Cut Down

Color	PN
Stainless Steel	11862099




### Multi-point, Inactive

Color	Length	PN
Ctainless Ctasl	Panel height < 68.537"	11890665
Stainless Steel	Panel height >/= 68.537"	11860399



### Magnet


Color	PN
Stainless Steel	11863220
Bronze	11863221



### **Panel Alignment Bolt**

Color	PN
Black	11102456


Suggested Fasteners	
Uses:	PN
2 - #8 x 2 1/2", 2/3 thread flat head screws	11805145



### **Alignment Bolt Receiver**


Color	PN
Black	10501641

Suggested Fasteners	
Uses:	PN
2 - #8-18 x 1" flat head screw	11800913




### **Alignment Bolt Shim**

Color	PN
Black	10501640



### **Locking Jamb Insert**

Color	PN
Black	10501616



#### **Pivot Set**

#### Includes:

- 1 Top pivot
- 1 Bottom pivot, leaf/cylinder
- 1 Bottom pivot, sill post

Color	Handing	PN
Stainless Steel	LH	11861901
	RH	11861902
DII-	LH	11861903
Black	RH	11861904

Suggested Fasteners	
Uses:	PN
4 - #7 x 3/4" A-17, pan head screw	11806164






#### Offset End Carrier

#### Includes:

- 1 Offset end carrier
- 1 Offset end carrier guide

Color	Handing	PN
Stainless Steel	LH	11861931
	RH	11861932
Black	LH	11861933
DIACK	RH	11861934






# Intermediate Carrier Set Includes:


- 1 Intermediate carrier
- 1 Intermediate carrier exterior hinge
- 1 Intermediate carrier guide

Color	PN
Stainless Steel	11861970
Black	11861971




### Sill Drain Weep

Color	PN
Black	15631215




### Sill Plug Weep Gate

Color	PN
Clear	10501618



### **Stationary Panel Clip**

Color	PN
Black	11860135




#### **Dust Block**

Color	PN	
Gray	15600010	
Black	15600009	




### Jamb Stop Gasket

Color	PN
Gray	10500955



#### **Jamb Liner Gasket**


Color	PN
Gray	10500953



### **Panel Support**

Color	PN
Stainless Steel	11862633


Suggested Fasteners		
Uses:	PN	
2 - #8 x 1" pan head screw	11805185	



### **Twin Bolt Support Bracket**

Color	PN
Stainless Steel	11860477

Suggested Fasteners	
Uses:	PN
2 - #8 x 1" pan head screw	11805185




#### **Strike Plate Gasket**

Color	PN
Gray	10501047




### Panel Edge Gasket

Color	Handing	PN
Black	LH	10501029
	RH	10501030



#### Stationary Panel Standing Block

Handing	PN
LH	10501930
RH	10501931




#### **Splicing Kit**

#### Includes:

- 2 Sill splice brackets
- 1 Tube CSL 302 clear silicone
- 9 #8-18 x 5/8" TEK2, flat head screw
- 5 #8-18 x 1/2" type AB, flat head screw
- 1 Head jamb splice key, exterior
- 1 Head jamb splice key, interior
- 5 Slotted spring pin
- 6 1/4" x 3 1/8", A-17, washer, T-25
- 3 #8-18 x 3" type AB, Phillips head screw
- 7 #8-18 x 1 1/2" type AB, flat head screw


**PN** 10188197



### **Interior Sill Liner**

A3109


Length	Color	PN
192"	Bronze	18327400
(4877)	Beige	18327401



### **Interior Astragal Cap**

V3192


CN	Length	Color	PN
6-5	73 1/64"	Stone White	15901265
0-3	(1855)	Ebony	15901565
/ 0	75 33/64"	Stone White	15901268
6-8	(1918)	Ebony	15901568
7-0	-0 79 33/64" (2020)	Stone White	15901270
		Ebony	15901570
0.0	89 1/64"	Stone White	15901280
8-0	(2261)	Ebony	15901580
1. 1	04" (2420)	Stone White	15001296
Lineal	96" (2438)	Ebony	15001596



### Jamb Cover

V3155


CN	Length	Color	PN
		Stone White	15980265
6-5	76 53/64"	Bronze	15980465
0-3	(1951)	Pebble	15980565
		Ebony	15981165
		Stone White	15980268
6-8	79 21/64"	Bronze	15980468
6-8	(2015	Pebble	15980568
		Ebony	15981168
		Stone White	15980270
7-0	83 21/64"	Bronze	15980470
	(2116)	Pebble	15980570
		Ebony	15981170
8-0		Stone White	15980280
	92 53/64"	Bronze	15980480
	(2358)	Pebble	15980580
		Ebony	15981181



### **Panel Sweep**

V3178


CN	Panels	Length	Color	PN
3-0	Stationary	34 21/32" (880)		15990035
	With Pivot/End Carriers	33 41/64" (855)	Dlask	15990031
	All other operating panels	34 9/64" (867)		15990030
3-4	Stationary	37 21/64" (948)	Black	15990036
	With Pivot/End Carrier	36 21/64" (923)		15990034
	All other operating panels	36 53/64" (935)		15990032



#### **Sill Track Insert**

V3165


Length	Color	PN
192"	Black	15970001
(4877)	Beige	15970002



#### **Head Jamb Cover**

V3222


Length	PN
192" (4877)	25990192



### **Connecting Barb**

V803


Length	PN
Specify length (LF)	15812999



### Jamb Stop

W13775

CN	Length	Color	PN
, -	73 19/32"	Stone White	31510165
6-5	(1869)	Ebony	31510565
6-8	76 3/32" (1933)	Stone White	31510168
		Ebony	31510567
7-0	80 3/32" (2034)	Stone White	31510170
		Ebony	31510570
8-0	89 19/32" (2276)	Stone White	31510180
		Ebony	31510580




### **Head Jamb Stop**

W13766

CN	Length	Color	PN
9-8	112 43/64"	Stone White	31541098
7-0	(2862)	Ebony	31545098
12-8	150 9/64"	Stone White	31541128
12-0	(3813)	Ebony	31545128
14.0	187 19/32" (4765)	Stone White	31541160
16-0		Ebony	31545160


Suggested Fasteners			
Uses: Qty varies by size PN			
#8 x 1" pan head screw	(1 to 9)	11805193	
#8 x 3/4" Tek 2, T20 Hex screw	(3 to 20)	11800994	



### Head Jamb Stop Cap

W13767

CN	Length	Color	PN
9-8	112 43/64" (2862)	Stone White	31531098
		Ebony	31535098
12-8	150 9/64" (3813)	Stone White	31531128
		Ebony	31535128
17.0	16-0 187 19/32" (4765)	Stone White	31531160
16-0		Ebony	31535160




### Interior Astragal Base

W13693

CN	Length	PN
6-5	74 35/64" (1894)	31502865
6-8	77 3/64" (1957)	31502868
7-0	81 3/64" (2059)	31502870
8-0	90 35/64" (2300)	31502880


Suggested Fasteners			
Uses: Qty varies by size PN			
#8 x 2" A-17, flat head screw	(10 to 13)	11800868	



### Jamb Stop Weather Strip

V3209


CN	Length	Color	PN
Lineal	96" (2438)	Black	15900150



### T-Slot Bulb Weather Strip

V03253


Length	Color	PN
Specify length (LF)	Black	15900186



#### Frame Weather Strip


V3019

Length	Color	PN
22///70/	Black	11195312
22' (6706)	Beige	11195313



# **Panel Weather Strip, Stationary Stile** V1556


CN	Length	Color	PN
6-5	74 35/64" (1894)	Black	15970465
6-8	77 3/64" (1957)		15970468
7-0	81 3/64" (2059)		15970470
8-0	90 35/64" (2300)		15970481



### **Interior Astragal Weather Strip**

V2350


CN	Length	Color	PN
6-5	74 35/64" (1894)	Black	15971265
6-8	77 3/64" (1957)		15971268
7-0	81 3/64" (2059)		15971270
8-0	90 35/64" (2300)		15971280




### Weather Strip, Locking Stile


V3214

CN	Length	Color	PN
6-5	74 35/64" (1894)	Black	15981265
6-8	77 3/64" (1957)		15981268
7-0	81 3/64" (2059)		15981270
8-0	90 35/64" (2300)		15981280




### To order, refer to configured Parts in OMS






Panel Weather Strip
INTERIOR Hardware, INNERHardware Leaves
V3223




Panel Weather Strip EXTERIOR Hardware, OUTER Hardware Leaves  $\bigvee 3223$ 




Panel Weather Strip EXTERIOR Hardware, INNER Hardware Leaves V3223


### To order, refer to configured Parts in OMS



Pivot Stile/End Carrier Weather Strip V3234




Meeting Stile Weather Strip V3235



Stile Cover V3225

To order full unit screen replacements, component parts and screen cartridges, refer to Configured Parts in OMS.



- 1. Top Guide
- 2. Side Guide
- 3. Positive Magnet
- 4. Negative Magnet
- 5. Magnet Profile
- 6. Bottom Guide
- 7. Pleated Screen